In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



## WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION Product information

Sales No. : UAH10274/00

WILD MINT & SEA MINERALS MOD-HC

Relevant identified uses of : Perfume compound the substance or mixture and uses advised against Intended Use Fragrances

Company

Givaudan Fragrances Corp. 300 Waterloo Valley Road International Trade Center MOUNT OLIVE NJ 07828 UNITED STATES OF AMERICA

+12152070061

Emergency telephone

: +18669280789

number

Please refer to section 16 for a full list of emergency phone numbers.

#### SECTION 2. HAZARDS IDENTIFICATION

### Classification according to HCS 2012 (29 CFR Parts 1910, 1915, and 1926)

Flammable liquids, Category 3 H226: Flammable liquid and vapour. Skin irritation. Category 2 H315: Causes skin irritation.

Eye irritation, Category 2A H319: Causes serious eye irritation. Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters

airways.

### Label elements

### Labelling (REGULATION 29 CFR Parts 1910, 1915, and 1926).

Hazard pictograms

Signal word **Danger** 

Hazard statements H226 Flammable liquid and vapour. May be fatal if swallowed and enters H304

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12 Sales & Distribution Information: MW01/FR/US13/01

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



# WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

CISIOTI 5.0 INCVISIO	11 Date 15 A00 20	10 1 11111 Date 24 OE1 2010
	_	
		airways.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H319	Causes serious eye irritation.
Precautionary statements :		
	P210	Keep away from heat/sparks/open
		flames/hot surfaces. No smoking.
	P233	Keep container tightly closed.
	P240	Ground/bond container and receiving
		equipment.
	P241	Use explosion-proof electrical/ ventilating/
		lighting equipment.
	P242	Use only non-sparking tools.
	P243	Take precautionary measures against static
		discharge.
	P261	Avoid breathing dust/ fume/ gas/ mist/
		vapours/ spray.
	P264	Wash skin thoroughly after handling.
	P272	Contaminated work clothing should not be
		allowed out of the workplace.
	P280	Wear protective gloves/ eye protection/ face
		protection.
	Response:	
	P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
	P303 + P361 + P3	353 IF ON SKIN (or hair): Take off
		immediately all contaminated clothing.
		Rinse skin with water/shower.
	P305 + P351 + P3	
		water for several minutes. Remove contact
		lenses, if present and easy to do. Continue
		rinsing.
	P331	Do NOT induce vomiting.
	P333 + P313	If skin irritation or rash occurs: Get medical
		advice/ attention.
	P337 + P313	If eye irritation persists: Get medical advice/
	D362	attention.  Take off contaminated clothing and wash
	P362	before reuse.
	D270   D270	
	P370 + P378	In case of fire: Use dry sand, dry chemical
	Storage	or alcohol-resistant foam to extinguish.
	Storage:	Store in a well ventilated place. Keep and
	P403 + P235	Store in a well-ventilated place. Keep cool.
	P405	Store locked up.
	Disposal:	Diamona of contents/ contained to an
	P501	Dispose of contents/ container to an
		approved waste disposal plant.

Administrative information:
Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12 Sales & Distribution Information: MW01/FR/US13/01

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



## WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

Hazards not Otherwise Classified.

This material may have the potential to be ignited by static electricity during handling or processing. Use proper grounding techniques when handling this product to avoid electrostatic charges. A detailed static evaluation is recommended for liquid handling/processing operation to determine the potential for generating and accumulating static charge. Reference NFPA 77 "Recommended Practice on Static Electricity" for further safe handling practices.

**Please note:**Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

#### Ingredients with unknown acute toxicity.:

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:  $\mathbf{0}$  %

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Hazardous components**

Component	CAS-No.	Concentration [%]
(R)-1-methyl-4-(1-methylethenyl)-cyclohexene	5989-27-5	10.00 - 20.00
3,7-dimethyl-1,6-octadien-3-ol (= Linalool)	78-70-6	1.00 - 10.00
5-methyl-2-(1-methylethyl)-cyclohexanol (= Menthol)	89-78-1	1.00 - 10.00
Bicyclo[3.1.1]heptane, 6,6-dimethyl-2- methylene- (= Beta-pinene)	127-91-3	1.00 - 10.00
2-Isopropyl-5-methylcyclohexanone	89-80-5	1.00 - 10.00
2-oxabicyclo(2.2.2)octane, 1,3,3-trimethyl- (= Eucalyptol)	470-82-6	1.00 - 10.00
2-Isopropyl-5-methylcyclohexanone (= isomenthone)	491-07-6	1.00 - 10.00
1-Isopropyl-4-methylcyclohexa-1,4-diene (= gamma terpinene)	99-85-4	1.00 - 10.00
Aliphatic ketones		0.10 - 1.00
3,7-dimethyl-2,6-octadienyl acetate (= geranyl acetate)	105-87-3	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12 Sales & Distribution Information: MW01/FR/US13/01

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



## WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

#### **SECTION 4. FIRST AID MEASURES**

#### First aid measures

#### Description of first aid measures

General advice : Consult physician or Poison Control Center. The National

Hotline for US Poison Control Centers is 1.800.222.1222;

www.1-800-222-1222.info/poisonHelp.asp

If inhaled : Get to fresh air immediately.

Consult Poison Control Center or physician if any symptoms

develop.

In case of skin contact : Rinse immediately with plenty of water for at least 15 minutes.

If skin irritation occurs, seek medical advice/attention.

Remove contaminated clothing and shoes.

Immediately seek medical attention if chemical entered ear

canal.

When symptoms persist or in all cases of doubt seek medical

advice.

In case of eye contact : Remove contact lenses.

Immediately flush eyes for at least 15 minutes. Get medical

attention.

If swallowed : Do NOT induce vomiting.

Immediately consult Poison Control Center or physician.

#### Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways.

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eve irritation.

#### Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5. FIREFIGHTING MEASURES**

### Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



## WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

Unsuitable extinguishing : High volume water jet

media

Special hazards arising from the substance or mixture

Specific hazards during : Do not allow run-off from fire fighting to enter drains or water

firefighting courses.

Exposure to decomposition products may be a hazard to

health.

Do not use a solid water stream as it may scatter and spread

fire.

Cool closed containers exposed to fire with water spray.

Advice for firefighters

Special protective equipment

for firefighters

: Wear self-contained breathing apparatus for firefighting if

necessary.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

In the case of vapour formation use a respirator with an approved filter.

Use personal protective equipment as required.

For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Material can create slippery conditions.

Ensure adequate ventilation.

### **Environmental precautions**

Retain and dispose of contaminated wash water.

The product should not be allowed to enter drains, water courses or the soil.

Dispose of in accordance with local regulations.

Local authorities should be advised if significant spillages cannot be contained.

# Methods and materials for containment and cleaning up

Remove all sources of ignition. Use only non-sparking tools.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



## WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while observing environmental regulations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

#### SECTION 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes.

> Open drum carefully as content may be under pressure. Keep away from heat/sparks/open flames/hot surfaces. No

smoking.

When using do not eat, drink or smoke.

Advice on protection against

fire and explosion

: Use explosion-proof equipment.

Keep away from heat and sources of ignition.

### Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep container tightly closed in a dry and well-ventilated

place.

Store in cool place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Provide adequate precautions, such as electrical grounding

and bonding, or inert atmospheres.

Further information on

: Ambient / 10-30℃ (50-85℃)

storage conditions

Dry, well ventilated, preferably full, hermetically sealed

Advice on common storage : Protect against light.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Components	CAS-No.:	Туре:	Value :	Basis:	Revision:
(R)-1-methyl-4-(1- methylethenyl)-	5989-27-5	TWA	30 ppm	US WEEL	2016-08-17
cyclohexene					
Bicyclo[3.1.1]heptan e, 6,6-dimethyl-2- methylene- (= Beta-	127-91-3	TWA	20 ppm	ACGIH	2014-03-01

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



### WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

pinene)				
	DSEN: Dermal Lung irritation varies: varies	Sensitization		

Exposure Assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional respiratory protection.

### **Engineering measures**

Ventilation: Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposures limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

# Personal protective equipment

Protective measures : Choose PPE based on a hazard assessment, taking into

account to the concentration and amount of dangerous substances, and to the specific work-place conditions.

Eye protection : Ensure that eyewash stations and safety showers are close to

the workstation location.

Wear chemical splash goggles (non-vented) with faceshield.

Hand protection : Wear chemical resistant gloves suitable for this material as

determined by a hazard assessment.

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Wear protective clothing suitable for this material as

determined by a hazard assessment.

Respiratory protection : Respiratory protection should be worn when workplace

exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor, where indicated or required by the exposure assessment. Selection of air-purifying or positive-pressure supplied air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the actual or potential airborne concentrations. The type of cartridge or filter to be used must be selected and approved for

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



## WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

> the chemical, class, or classes of chemical(s) likely to be encountered in the workplace. For emergency conditions, use an approved positive-pressure self-contained breathing

apparatus.

: Remove contaminated clothing and protective equipment Hygiene measures

before entering eating areas.

Wash hands before breaks and immediately after handling the

product.

Avoid contact with skin, eyes and clothing.

Handle in accordance with good industrial hygiene and safety

practice.

See Section 16 for further information.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid Form : liquid

: yellow to dark yellow Color Taste : not determined

Odor : mint-like, Green, Herbaceous

Odour Threshold : Not applicable

Flash point : 133 F (56 °C) Method: Grabner miniflash closed cup
Lower explosion limit : not determined
Upper explosion limit : not determined
Flammability (solid, gas) : Not applicable
Auto-ignition temperature : not determined Decomposition temperature : no data available : not determined Melting point : not determined Boiling point : not determined

: 0.8543 hPa at

68 F (20 C) Calculated (100.0 %)

: 979.23 kg/m3 at Density

68 F (20 ℃)

: Not applicable Bulk density

Solubility/qualitative
Partition coefficient: n-: practically insoluble : Not applicable

octanol/water

Vapor pressure

Viscosity, kinematic : no data available Relative vapour density : no data available Evaporation rate : no data available

### **SECTION 10. STABILITY AND REACTIVITY**

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12 Sales & Distribution Information: MW01/FR/US13/01

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



## WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

Conditions to avoid : Heat, flames and sparks.

Extremes of temperature and direct sunlight.

Materials to avoid : no data available

Hazardous decomposition

products

: no data available

Chemical stability : The product is chemically stable.

Reactivity : none

: no data available Hazardous reactions

#### SECTION 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

**Acute oral toxicity** : No data is available on the product itself.

Acute inhalation toxicity : No data is available on the product itself.

**Acute dermal toxicity** : No data is available on the product itself.

of administration)

Acute toxicity (other routes : No data is available on the product itself.

Skin corrosion/irritation : May cause skin irritation and/or dermatitis.

May cause skin irritation in susceptible persons.

Serious eye damage/eye

irritation

: Vapours may cause irritation to the eyes, respiratory system

and the skin.

Respiratory or skin

sensitisation

: Causes sensitisation.

Mutagenicity : No data is available on the product itself.

Reproductive toxicity : No data is available on the product itself.

**Teratogenicity** : No data is available on the product itself.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



## WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

Carcinogenicity:

IARC : Rating : Group 2B: Possibly carcinogenic to humans

Components: 5-methyl-2-isopropyliden-1-cyclohexanone

OSHA: Remarks: No component of this product present at levels greater

than or equal to 0.1% is on OSHA's list of regulated

carcinogens.

NTP : Remarks : No component of this product present at levels greater

than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

**STOT - single exposure** : No data is available on the product itself.

**STOT - repeated exposure** : No data is available on the product itself.

Aspiration hazard : The substance or mixture is known to cause human aspiration

toxicity hazards or has to be regarded as if it causes a human

aspiration toxicity hazard.

**Further information** : Solvents may degrease the skin.

**Please note:**Mixtures have not been tested for health hazards. The health hazard information presented is provided in accordance with US 29 CFR 1910.1200 and is based on the testing of individual components which have been shown to cause or may cause these health effects when tested at higher concentrations or at full strength.

### SECTION 12. Ecological information

Ecological information is not reported.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local, state and federal regulations.

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



# WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

#### SECTION 14. TRANSPORT INFORMATION

14.1 UN number

**49 CFR** : NA 1993 **IMDG** : UN 1169 **IATA** : UN 1169

14.2 UN proper shipping name

**49 CFR** : Combustible liquid, n.o.s.

(Methyl isopropenyl cyclohexene, beta-Pinene)

IMDG : EXTRACTS, AROMATIC, LIQUID

: (Methyl isopropenyl cyclohexene, beta-Pinene)

IATA : EXTRACTS, AROMATIC, LIQUID

14.3 Transport hazard class(es)

49 CFR : Comb. liq.

IMDG : 3
IATA : 3

14.4 Packing group

49 CFR : ||| IMDG : ||| IATA : |||

14.5 Environmental hazards

**49 CFR** 

Marine pollutant : yes

MDG

Marine pollutant : yes

14.6 Special precautions for user

**49 CFR** 

Emergency Response Guidebook Number : 128

49CFR: no dangerous good in non-bulk packaging

49CFR:Non-Bulk Packaging (<119 Gallons for liquids and <882 Lbs. Solids).

Remarks : Above applies only to containers over 119 gallons or 450

liters. Not regulated if shipped in packages less than or equal to 119 gallons (450 liters). If transporting by vessel or aircraft,

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



# WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018

Print Date 24 SEP 2018

unless other means of transportation is impracticable, then the product must be shipped as a flammable liquid.

**IMDG** 

IMDG Code Segregation : I

: None

Group

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### SECTION 15. REGULATORY INFORMATION

Only relevant information is reported


SARA 311/312 Hazards. : Flammable (gases, aerosols, liquids, or solids) Hazard not

otherwise classified (physical hazards) Skin corrosion or irritation Serious eye damage or eye irritation Respiratory or skin sensitizationAspiration hazard

### **SECTION 16. OTHER INFORMATION**

NFPA : Health hazard: 2
Classification Fire Hazard: 2

Reactivity Hazard: 0



# Full list of Emergency response numbers worldwide.

	Country	Phone nr		Country	Phone nr
	All Europe	+44 1235 239670		All East/South East Asia	+65 3158 1074
	France	+33 1 72 11 00 03		Sri Lanka	+65 3158 1195
Europe	Germany	+49 69 222 25285	APAC	Taiwan	+886 2 8793 3212
	Spain	+34 91 114 2520		Japan	+81 3 4578 9341
	Italy	+39 02 3604 2884		Indonesia	007 803 011 0293
	Netherlands	+31 10 713 8195		Malaysia	+60 3 6207 4347

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



# WILD MINT & SEA MINERALS MOD-HC

Version 3.0	Revision Date 13 AUG 20	Print Date 24 SEP 2018

	Turkey	+90 212 375 5231		Thailand	001 800 120 666 751
	Norway	+47 2103 4452		India	+65 3158 1198 000 800 100 7479
	Greece	+30 21 1198 3182		Pakistan	+65 3158 1329
	Portugal	+351 30880 4750		Bangladesh	+65 3158 1200
	Denmark	+45 8988 2286		Philippines	+63 2 231 2149
	Sweden	+46 8 566 42573		Vietnam	+84 28 4458 2388
	Poland	+48 22 307 3690		Korea	+65 3158 1285
	Czech replublic	+420 228 882 830		South Korea	+82 2 3479 8401
	Finland	+358 9 7479 0199		Australia	+61 2 8014 4558
	All Middle East/Africa	+44 1235 239671		New Zealand	+64 9 929 1483
Middle East/Africa	Bahrain and Middle East	+973 1619 8321		China	+86 532 8388 9090
	Africa/South Africa	+27 21 300 2732		Mexico	+52 55 5004 8763
	USA and Canada	+1 866 928 0789		Brazil	+55 11 3197 5891
NOAM	USA and Canada	+1 215 207 0061	LATAM	Chile	+56 2 2582 9336
	USA and Canada	+1 202 464 2554		Colombia	+57 1 508 7337
Global	Global	+44 1865 407333		Argentina	+54 11 5984 3690

Givaudan recommends that each recipient or user of this SDS carefully study this document and consult with the appropriate expert (i.e., industrial hygienist, toxicologist, or occupational physician) to understand and appreciate the technical data, any associated hazards, and appropriate control measures needed to ensure the safe handling and use of this product. The above information relates only to this product and not to its use in combination with any other material or in any particular process. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers and technical groups and is considered to be accurate to the best of Givaudan's knowledge as of the date of this document. Since the conditions of handling and use are not within the knowledge of Givaudan, it is the responsibility of the recipient to conduct an appropriate hazard assessment and to review all information about this product and determine its safety and suitability in their own processes and operations.

Appropriate warnings and safe handling instructions should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use.

In accordance with the requirements of US 29 CFR Parts 1910, 1915, and 1926.



# WILD MINT & SEA MINERALS MOD-HC

Version 3.0 Revision Date 13 AUG 2018 Print Date 24 SEP 2018

Version: 30

Revision Date: 13 AUG 2018 Print Date: 24 SEP 2018

Administrative information:

Report Information: SDS\_US/EN/GHS\_SDS\_NA\_REGION/12 Sales & Distribution Information: MW01/FR/US13/01