Korex Canada 78 Titan Road Etobicoke, Ontario M8Z 2J8 Canada 416-231-7800

SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Supplier Identifier..... **Korex Corporation**

50000 W. Pontiac Trail P.O. Box 930339

Wixom, MI US

48393-0339 1-248-624-0000

Product Identifier. Korex Oxy Powder Recommended Use.....Laundry washing

Chemical Family Mixture.

Group; 416-231-7800.

SECTION 02: HAZARDS IDENTIFICATION





Signal Word DANGER

Hazard Classification...... ACUTE TOX 4. EYE DAM 1.

damage.

cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. P330 Rinse mouth. P301 + P312 IF SWALLOWED: Call a POISON CONTROL CENTER if you feel unwell.

Storage......Not applicable.

Disposal P501 Dispose of contents and empty containers in accordance with local regulations.

Note......."Consumer Products", as defined by the US Consumer Product Safety Act and which are

used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a

courtesy to help assist in the safe handling and proper use of the product.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS				
HAZARDOUS INGREDIENTS	CAS#	WT. %		

Disodium Carbonate (compound with hydrogen peroxide 2:3) 15630-89-4 25-40

Sodium Carbonate 497-19-8 50-70

SECTION 04: FIRST AID MEASURES

Routes of exposure immediate medical assistance. Skin Contact Wash with soap and water. Get medical attention if irritation develops. Launder contaminated clothing before reuse. irritation persists, repeat flushing and obtain medical attention immediately. water. Seek medical attention. Never give anything by mouth to an unconscious person. .

provided a copy of this safety data sheet.

SECTION 05: FIRE FIGHTING MEASURES

Extinguishing Media. Extinguish using agent suitable for surrounding fire. Water spray, Carbon dioxide (CO2),

Foam, Dry chemical.

Hazardous Combustion Products Oxides of carbon.

Special Fire Fighting Procedures...... Self-contained breathing apparatus recommended.

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation; avoid formation of dust. Wear protective equipment and keep unprotected persons away. Use respiratory protection against the effects of dust. For small

quantities wear gloves, wipe up with damp cloth, rinse cloth thoroughly and allow cloth to

vapours. Dike to prevent spreading.

Methods and Materials used for Containment Use an inert substance to contain and absorb spilled material. Shovel to properly identified salvage drum. Seal salvage drum for disposal. For large spills provide diking to prevent

spreading.

SECTION 07: HANDLING AND STORAGE

after handling.

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION					
INGREDIENTS	TWA	CGIH TLV STEL	PEL	HA PEL STEL	NIOSH REL
Disodium Carbonate (compound with hydrogen peroxide 2:3)	Not established	Not established	Not established	Not established	Not established
Sodium Carbonate	Not established	Not established	Not established	Not established	Not established
Engineering Controls					

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Appearance White. Powder. Odour Threshold (ppm) Not available.

pH......10-11. (1% aqueous solution).

Flash Point (deg C), Method......Not applicable.

Upper Flammable Limit (% Vol)......None.

KOREX OXY POWDER

Lower Flammable Limit (% Vol)Vapour Pressure (mm Hg)	
Vapour Density (Air=1).	
Relative Density/Specific Gravity	
Solubility	Complete in water.
Coefficient of Water/Oil Distribution	
Auto Ignition Temperature (deg C)	Not available.
Decomposition temperature	Not available.
Viscosity	

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Hazardous reactions will not occur under normal conditions.
Object of state 1994	04-61-00-41-00-41-41-41-41-41-41-41-41-41-41-41-41-41-

Hazardous Polymerization.......Will not occur.

Hazardous Products of Decomposition........... None expected under normal conditions of use. Products of reaction include: Oxygen. Steam.

SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Disodium Carbonate (compound with hydrogen peroxide 2:3)	>4.58 mg/L/hr (rat inhalation)	1,000 mg/kg (oral, rat)
Sodium carbonate	2,300 mg/m3 (rat, 2 hr exposure)	4,090 mg/kg (oral, rat)

Effects of Acute Exposure. Eye contact: can cause serious eye damage and irritation. Prolonged or repeated contact

skin contact may cause slight irritation. Contact may cause nose, throat and respiratory

Carcinogenicity of Material.

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OHSA OR ACGIH as a carcinogen.

Toxicity or Mutagenicity.

SECTION 12: ECOLOGICAL INFORMATION

foreseeable uses, there are no concerns for aquatic organisms exposed to product

ingredients at the anticipated environmental concentrations.

No data available. Other Adverse Effects...... No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

programs. Do not dump in sewer or drain.

Physical and Chemical Properties that may . None

Disposal

SECTION 14: TRANSPORT INFORMATION

TDG Classification......Not Regulated. DOT Classification......Not Regulated.

SECTION 15: REGULATORY INFORMATION

CFR Part 1910.1200.

SECTION 16: OTHER INFORMATION

Prepared by Korex Canada Company

technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. No

KOREX OXY POWDER

warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages, which may result from the use or reliance on any information contained in this form.

Preparation Date. Nov 29/2019