SAFETY DATA SHEET

Issuing Date 03-Feb-2021

Revision Date 01-Feb-2021

Revision Number 1

NGHS / English

(U_L)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Air Freshening Spray

Other means of identification

Product Code(s) 1620546_TG

Recommended use of the chemical and restrictions on use

Recommended Use Air Freshener - Single Phase Aerosol

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification BPG International, Inc.

Address 3 Mill Rd.

Suite 202 Wilmington DE 19806 US

Telephone Phone:302-656-7600

Fax:302-656-7602

E-mail dfiumara@bpginternational.com

Emergency telephone number

Company Emergency Phone

Number

302-472-1480

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1



Gases under pressure Liquefied Gas

Appearance Clear Physical state Liquid spray Aerosol

Odor Fragranced

GHS Label elements, including precautionary statements

Danger

Hazard statements

Causes serious eye irritation
Causes damage to organs
Causes damage to organs through prolonged or repeated exposure
Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye protection/ face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed: Call a POISON CENTER or doctor

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Causes mild skin irritation. Harmful to aquatic life.

Unknown acute toxicity 16.1054 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

9.9286 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

16.1054 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

16.1054 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

6.1768 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS



Page 2/11

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ethanol	64-17-5	9.9286	-	-
Propylene Glycol	57-55-6	4.9643	-	-
Alcohols, C12-15, ethoxylated	68131-39-5	1.2125	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

symptoms persist, call a physician. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical

attention if irritation develops and persists.

Skin contact In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash off

immediately with plenty of water for at least 15 minutes. If symptoms persist, call a

physician.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

Specific hazards arising from the

chemical

Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by

specialists. Containers may explode when heated. Ruptured cylinders may rocket.

Hazardous Combustion Products Carbon oxides.



Explosion Data

Sensitivity to Mechanical Impact Yes. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do

> not cut, puncture of weld containers. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or

clothing.

Refer to protective measures listed in Sections 7 and 8. Other Information

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do Advice on safe handling

not cut, puncture of weld containers. Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do

not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	ACGIH T	ACGIH TLV		OSHA PEL		NIOSH IDLH	
Ethanol	STEL: 1000	STEL: 1000 ppm		TWA: 1000 ppm		IDLH: 3300 ppm 10% LEL	
64-17-5				TWA: 1900 mg/m ³		TWA: 1000 ppm	
				(vacated) TWA: 1000 ppm		TWA: 1900 mg/m ³	
				TWA: 1900 mg/m ³			
Chemical name	Alberta	Alberta British C		Ontario TWAE	V	Quebec	
Ethanol	TWA: 1000 ppm	WA: 1000 ppm STEL: 10		000 ppm STEL: 1000 ppi		STEL: 1000 ppm	



64-17-5	TWA: 1880 mg/m ³		
Propylene Glycol		TWA: 10 mg/m ³	
57-55-6		TWA: 50 ppm	
		TWA: 155 mg/m ³	

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or

smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid spray; Aerosol

Appearance Clear
Odor Fragranced

Color No information available

Odor Threshold Not applicable

Property Values Remarks Method рΗ Melting / freezing point No data available None known Boiling point / boiling range No data available None known Flash Point No data available None known No data available None known **Evaporation Rate** Flammability (solid, gas) No data available None known Flammability Limit in Air None known **Upper flammability limit** No data available Lower flammability limit No data available Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known Water Solubility Soluble in water No data available Solubility(ies) None known Partition coefficient: n-octanol/waterNo data available No data available None known **Autoignition temperature** None known No data available **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity



Page 5/11

Other Information

Explosive properties No information available **Oxidizing properties** No information available **Softening Point** No information available **Molecular Weight** No information available **VOC Content (%)** No information available **Liquid Density** No information available **Bulk Density** No information available **Particle Size** No information available **Particle Size Distribution** No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization does not occur. **Hazardous Polymerization**

Conditions to avoid Excessive heat.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Prolonged contact may cause redness and irritation.

Specific test data for the substance or mixture is not available. Ingestion may cause Ingestion

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

May cause redness and tearing of the eyes. **Symptoms**

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral) 41,453.40 mg/kg ATEmix (inhalation-dust/mist) 1,256.00 mg/L



Page 6/11

Unknown acute toxicity

16.1054 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

9.9286 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

16.1054 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

16.1054 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

6.1768 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Ethanol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h	
Propylene Glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-	
Alcohols, C12-15, ethoxylated	= 1600 mg/kg (Rat)	= 2500 mg/kg (Rabbit)	-	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethanol	A3	Group 1	Known	X
64-17-5		-		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure Based on the classification criteria of the Globally Harmonized System as adopted in the

country or region with which this safety data sheet complies, this product has been determined to cause systemic target organ toxicity from acute exposure. (STOT SE).

Causes damage to organs.

STOT - repeated exposureCauses damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life.



Page 7/11

Chemical name	Algae/aquatic plants	Fish Toxicity to microorganisms		Crustacea
Ethanol	No data available	96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas)	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	48h LC50: 9268 - 14221 mg/L (Daphnia magna) 48h EC50: = 2 mg/L (Daphnia magna)
Propylene Glycol	96h EC50: = 19000 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 41 - 47 mL/L (Oncorhynchus mykiss) 96h LC50: = 51400 mg/L (Pimephales promelas) 96h LC50: = 51600 mg/L (Oncorhynchus mykiss) 96h LC50: = 710 mg/L (Pimephales promelas)	-	48h EC50: > 1000 mg/L (Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
Ethanol	-0.32	

Mobility

No information available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

US EPA Waste Number D001

California Waste Codes 331

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste
Ethanol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

<u>DOT</u>

UN-No. UN1950
Proper Shipping Name AEROSOLS



Hazard Class 2.2

Description UN1950, AEROSOLS, 2.2, LTD QTY

Emergency Response Guide 126

Number

<u>TDG</u>

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2

Description UN1950, AEROSOLS, 2.2, LTD QTY

MEX

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2

Description UN1950, AEROSOLS, 2.2

ICAO

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2

Description UN1950, AEROSOLS, 2.2, LTD QTY

<u>IATA</u>

UN-No. UN1950

Proper Shipping Name AEROSOLS, NON-FLAMMABLE

Hazard Class 2.2 ERG Code 2L

Description UN1950, AEROSOLS, NON-FLAMMABLE, 2.2, LTD QTY

IMDG/IMO

UN-No. UN1950
Proper Shipping Name AEROSOLS
Hazard Class 2.2
EmS-No. F-D, S-U

Description UN1950, AEROSOLS, 2.2, LTD QTY

RID

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A

Description UN1950, AEROSOLS, 2.2

ADR/RID-Labels 2.2

<u>ADR</u>

UN-No. UN1950 Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A Tunnel restriction code (E)

Description UN1950, AEROSOLS, 2.2, (E)

<u>ADN</u>

UN-No. UN1950
Proper Shipping Name AEROSOLS

Hazard Class 2.2 Classification code 5A

Special Provisions 190, 327, 344, 625 **Description** UN1950, AEROSOLS, 2.2



Hazard Labels 2.2 **Limited Quantity** 1 L Ventilation VF04

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS KECL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. **AICS**

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations



Page 10/11

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical name	California Proposition 65
Ethanol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethanol	X	X	X		X
64-17-5					
Propylene Glycol	X		X		
57-55-6					

16. OTHER INFORMATION

NFPA Health hazards 3 Flammability 1 Instability 0 **Physical and Chemical**

Properties -Health hazards 3 * Flammability 1 Physical hazards 0 Personal Protection X HMIS

Chronic Hazard Star Legend * = Chronic Health Hazard

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

03-Feb-2021 **Issuing Date**

Revision Date 01-Feb-2021

No information available **Revision Note**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

