SAFETY DATA SHEET

Issuing Date 22-Feb-2024

Revision Date 21-Feb-2024

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION		
Product identifier		
Product Name	up & up	
Other means of identification		
Product Code(s)	1781821_TG	
Recommended use of the chemica	l and restrictions on use	
Recommended Use	Air Freshener - Single Phase Aerosol	
Restrictions on use	No information available	
Details of the supplier of the safety	data sheet	
Supplier Identification	BPG International, Inc.	
Address	3 Mill Rd. Suite 202 Wilmington DE 19806 US	
Telephone	Phone:302-656-7600 Fax:302-656-7602	
E-mail	dfiumara@bpginternational.com	
Emergency telephone number		
Company Emergency Phone Number	302-472-1480	

2. HAZARDS IDENTIFICATION

Classification

Serious eye damage/eye irritation	Category 2A
Flammable aerosols	Category 1
Gases under pressure	Compressed Gas



Appearance Clear

Physical state Liquid spray Aerosol

Odor Pleasant

GHS Label elements, including precautionary statements

Danger

Hazard statements Causes serious eye irritation

Extremely flammable aerosol Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear eye protection/ face protection Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use **Precautionary Statements - Response**

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Protect from sunlight. Store in a well-ventilated place Do not expose to temperatures exceeding 50 $^{\circ}\text{C}/122$ $^{\circ}\text{F}$

Other information

Causes mild skin irritation. Toxic to aquatic life.

Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

0 % of the mixture consists of ingredient(s) of unknown toxicity

Substance

Not applicable.



<u>Mixture</u>

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ethyl alcohol	64-17-5	9.8576	-	-
Propylene Glycol	57-55-6	4.9288	-	-
Alcohols, C12-15, ethoxylated	68131-39-5	1.8232	-	-

4. FIRST AID MEASURES

Description of first aid measures

General advice Inhalation	Show this safety data sheet to the doctor in attendance. Remove to fresh air.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	In case of contact with liquefied gas, thaw frosted parts with lukewarm water.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Burning sensation.
Indication of any immediate medica	al attention and special treatment needed
Indication of any immediate medicate Note to physicians	al attention and special treatment needed Treat symptomatically.
-	Treat symptomatically.
-	
-	Treat symptomatically.
Note to physicians	Treat symptomatically. 5. FIRE-FIGHTING MEASURES
Note to physicians	Treat symptomatically. 5. FIRE-FIGHTING MEASURES Dry chemical. Carbon dioxide (CO2). Water spray.
Note to physicians Suitable Extinguishing Media Large Fire	Treat symptomatically. 5. FIRE-FIGHTING MEASURES Dry chemical. Carbon dioxide (CO2). Water spray. CAUTION: Use of water spray when fighting fire may be inefficient.

Explosion Data

Sensitivity to Mechanical Impact Yes. Sensitivity to Static Discharge Yes.

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers.
Other Information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
Methods and material for containme	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture of weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage ConditionsKeep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.
Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric
motors and static electricity). Keep in properly labeled containers. Do not store near
combustible materials. Keep in an area equipped with sprinklers. Store in accordance with
the particular national regulations. Store in accordance with local regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name		ACGIH T	LV	03	SHA PEL		NIOSH IDLH
Ethyl alcohol		STEL: 1000	ppm		.: 1000 ppm	IDL	_H: 3300 ppm 10% LEL
64-17-5					1900 mg/m ³		TWA: 1000 ppm
					TWA: 1000 ppm		TWA: 1900 mg/m ³
				(vacated) T	WA: 1900 mg/m ³		
Chemical name		Alberta	British C	olumbia	Ontario TWAE	V	Quebec
Ethyl alcohol	Т	WA: 1000 ppm	STEL: 1	000 ppm	STEL: 1000 pp	m	STEL: 1000 ppm
64-17-5	T٧	/A: 1880 mg/m ³					
Propylene Glycol					TWA: 10 mg/m	1 ³	
57-55-6					TWA: 50 ppm	n	
					TWA: 155 mg/r	n³	

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Hand protection	Impervious gloves. Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid spray; Aerosol	
Appearance	Clear	
Odor	Pleasant	
Color	No information available	
Odor Threshold	No information available	
Property	Values	Remarks Method
pH	5	
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known



Flammability (solid, gas) Flammability Limit in Air	No data available	None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1	None known
Water Solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/wa	iter No data available	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other Information		
Explosive properties	No information available	
Oxidizing properties	No information available	
Softening Point	No information available	
Molecular Weight	No information available	
VOC Content (%)	No information available	
Liquid Density	No information available	
Bulk Density	No information available	
Particle Size	No information available	
Particle Size Distribution	No information available	

10. STABILITY AND REACTIVITY

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Excessive heat.
Incompatible materials	None known based on information supplied.
incompatible materials	None known based on mormation supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). May cause redness, itching, and pain.
Skin contact	Specific test data for the substance or mixture is not available. May cause irritation. Prolonged contact may cause redness and irritation.

Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms related to the physical, o	hemical and toxicological characteristics
Symptoms	May cause redness and tearing of the eyes.
Numerical measures of toxicity	
Acute toxicity	
The following values are calculated ATEmix (oral) ATEmix (inhalation-dust/mist)	based on chapter 3.1 of the GHS document 35,942.80 mg/kg 1,185.90 mg/L
Unknown acute toxicity0 % of the mixture consists of ingredient(s) of unknown toxicity0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (ust/mist)	
Product Information	

Component Information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 116.9 mg/L (Rat)4 h
			= 133.8 mg/L (Rat) 4 h
Propylene Glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-
Alcohols, C12-15, ethoxylated	= 1600 mg/kg (Rat)	= 2500 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	May cause skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present



Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl alcohol	No data available	96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) 96h LC50: > 100 mg/L (Pimephales promelas)	No data available	48h LC50: 9268 - 14221 mg/L (Daphnia magna) 48h EC50: = 2 mg/L (Daphnia magna)
Propylene Glycol	96h EC50: = 19000 mg/L (Pseudokirchneriella subcapitata)	96h LC50: 41 - 47 mL/L (Oncorhynchus mykiss) 96h LC50: = 51400 mg/L (Pimephales promelas) 96h LC50: = 51600 mg/L (Oncorhynchus mykiss) 96h LC50: = 710 mg/L (Pimephales promelas)	-	48h EC50: > 1000 mg/L (Daphnia magna)

Persistence and Degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Ethyl alcohol	-0.35
Propylene Glycol	-1.07

Mobility	No information available.
measury	no momutor available.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.
US EPA Waste Number	D001



California Waste Codes

This product contains one or more substances that are listed with the State of California as a hazardous waste.

331

Chemical name	California Hazardous Waste
Ethyl alcohol	Toxic
64-17-5	Ignitable

14. TRANSPORT INFORMATION

DOT UN-No. Proper Shipping Name Hazard Class Description Emergency Response Guide Number	UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1, LTD QTY 126
TDG UN-No. Proper Shipping Name Hazard Class Description	UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1, LTD QTY
MEX UN-No. Proper Shipping Name Hazard Class Description	UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1
ICAO UN-No. Proper Shipping Name Hazard Class Description	UN1950 AEROSOLS 2.1 UN1950, AEROSOLS, 2.1
IATA UN-No. Proper Shipping Name Hazard Class ERG Code Description	UN1950 AEROSOLS, FLAMMABLE 2.1 10L UN1950, AEROSOLS, FLAMMABLE, 2.1
IMDG/IMO UN-No. Proper Shipping Name Hazard Class EmS-No. Description	UN1950 AEROSOLS 2.1 F-D, S-U UN1950, AEROSOLS, 2.1
<u>RID</u> UN-No. Proper Shipping Name Hazard Class Classification code Description	UN1950 AEROSOLS 2.1 5F UN1950, AEROSOLS, 2.1



ADR/RID-Labels	2.1
ADR UN-No. Proper Shipping Name Hazard Class Classification code Tunnel restriction code	UN1950 AEROSOLS 2.1 5F (D) UN1950, AEROSOLS, 2.1, (D)
Description <u>ADN</u> UN-No. Proper Shipping Name Hazard Class Classification code Special Provisions Description Hazard Labels Limited Quantity Ventilation	UN1950 AEROSOLS 2.1 5F 190, 327, 344, 625 UN1950, AEROSOLS, 2.1 2.1 1 L VE01, VE04

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable . .

International Inventories	
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories



Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical name	California Proposition 65	
Ethyl alcohol - 64-17-5	Carcinogen	
	Developmental	

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Ethyl alcohol 64-17-5	Х	Х	Х		Х
Propylene Glycol 57-55-6	Х		Х		

16. OTHER INFORMATION

NFPA	Health hazards 2	Flammability 3	Instability 0	Physical and Chemical Properties -		
HMIS	Health hazards 2	Flammability 3	Physical hazards 0	Personal Protection X		
Prepared By	23 British	Stewardship American Blvd. NY 12110 2-6501				
Issuing Date	22-Feb-2024					
Revision Date	21-Feb-20	21-Feb-2024				
Revision Note	No inform	nation available				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



End of Safety Data Sheet

