

1. Identification

Product identifier LA ROCHE-POSAY EFFACLAR MEDICATED GEL CLEANSER

Other means of identification

SDS number 00-59-0000639

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Reproductive toxicity	Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store locked up.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SODIUM LAURETH SULFATE		68891-38-3	10.15
DECYL GLUCOSIDE		68515-73-1	3.18
GLYCERIN		56-81-5	3
COCO-BETAINE		68424-94-2	2.1
SALICYLIC ACID		69-72-7	2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection

Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Liquid.

Form

Gel.

Color

Clear.

Odor

Not available.

Odor threshold

Not available.

pH

4.7 - 5.3

Melting point/freezing point

Not available.

Initial boiling point and boiling range

> 212 °F (> 100 °C)

Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.06 g/cm ³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
LA ROCHE-POSAY EFFACLAR MEDICATED GEL CLEANSER		
<u>Acute</u>		
Oral		
ATEmix		25490 mg/kg

Components	Species	Test Results
COCO-BETAINE (CAS 68424-94-2)		
Acute		
Dermal		
LC50	Rat	> 620 mg/kg OECD 402
Oral		
LD50	Mouse	2640 mg/kg OECD 401
DECYL GLUCOSIDE (CAS 68515-73-1)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Oral		
LD50	Rat	> 5000 mg/kg OECD 401
GLYCERIN (CAS 56-81-5)		
Acute		
Dermal		
LD50	Rabbit	> 18700 mg/kg bw
Inhalation		
LC50	Rat	> 570 mg/L air, 1 h
Oral		
LD50	Rat	27200 mg/kg bw
SALICYLIC ACID (CAS 69-72-7)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Oral		
LD50	Rat	891 mg/kg OECD 401
SODIUM LAURETH SULFATE (CAS 68891-38-3)		
Acute		
Dermal		
LD50		> 2000 mg/kg OECD 402
Oral		
LD50		2870 mg/kg OECD 401
Skin corrosion/irritation	Causes skin irritation.	
Irritation Corrosion - Skin		
COCO-BETAINE		OECD 404 Result: Irritating Species: Rabbit
SODIUM LAURETH SULFATE		OECD 404 Result: Irritating Species: Rabbit
DECYL GLUCOSIDE		OECD 404 Result: Not Irritating Species: Rabbit
SALICYLIC ACID		OECD 404 Result: Not Irritating Species: Rabbit
GLYCERIN		OECD 404 Result: Not Irritating Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye damage.	
Irritation Corrosion - Eye		
DECYL GLUCOSIDE		OECD 405 Result: Corrosive Species: Rabbit

Irritation Corrosion - Eye

SODIUM LAURETH SULFATE

OECD 405, ($\geq 10\%$)
Result: Serious eye damage
Species: Rabbit

COCO-BETAINE

OECD 405, ($\geq 5\% - < 10\%$)
Result: Irritating
Species: RabbitOECD 405, $> 16\%$

Result: Corrosive

Species: Rabbit

OECD 405, $\leq 16\%$

Result: Irritating

Species: Rabbit

GLYCERIN

Result: Not Irritating

Species: Rabbit

SALICYLIC ACID

Result: Severely Irritating

Species: Rabbit

Respiratory or skin sensitization**Respiratory sensitization**

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

GLYCERIN

167 mg/m³ air OECD 413, Inhalation

Result: NOAEL

Species: Rat

Test Duration: 90 d

COCO-BETAINE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

DECYL GLUCOSIDE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

SODIUM LAURETH SULFATE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

SALICYLIC ACID

OECD 429

Result: Not Sensitizing

Species: Mouse

GLYCERIN

Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Mutagenicity

DECYL GLUCOSIDE

Result: In vitro and in vivo tests did not show mutagenic effects.

GLYCERIN

Result: In vitro and in vivo tests did not show mutagenic effects.

SODIUM LAURETH SULFATE

Result: In vitro and in vivo tests did not show mutagenic effects.

COCO-BETAINE

Result: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Developmental effects

SODIUM LAURETH SULFATE

1000 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

COCO-BETAINE

1000 mg/kg bw/d OECD 414

Result: NOEL

Species: Rat

Developmental effects

DECYL GLUCOSIDE	1000 mg/kg bw/d OECD 414, No effects on development Species: Rat
GLYCERIN	1310 mg/kg bw/d, No effects on development Result: NOAEL Species: Rat
SALICYLIC ACID	75 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat

Reproductivity

DECYL GLUCOSIDE	1000 mg/kg bw/d OECD 421, No effects on fertility Result: NOAEL Species: Rat
COCO-BETAINE	150 mg/kg bw/d OECD 422 Result: NOEL Species: Rat
GLYCERIN	2000 mg/kg bw/d, No effects on fertility Result: NOAEL Species: Rat
SALICYLIC ACID	250 mg/kg bw/d OECD 416, Based on test data for structurally similar materials. Result: NOAEL Species: Rat
SODIUM LAURETH SULFATE	300 mg/kg bw/d OECD 416 Result: NOAEL Species: Rat

Specific target organ toxicity - single exposure Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure Due to partial or complete lack of data the classification is not possible.

COCO-BETAINE	>= 145 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
SODIUM LAURETH SULFATE	>= 225 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
DECYL GLUCOSIDE	1000 mg/kg bw/d EU B.26, Oral Result: NOAEL Species: Rat Test Duration: 90 d
SALICYLIC ACID	700 mg/m ³ air OECD 412, Based on test data for structurally similar materials. Result: NOEC Species: Rat Test Duration: 28 d
GLYCERIN	8000 mg/kg bw/d, Oral Result: NOAEL Species: Rat Test Duration: 2 yr

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Further information The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
COCO-BETAINE (CAS 68424-94-2)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Pseudokirchneriella subcapitata 1.7 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna 7.76 mg/l, 48 h OECD 202

Components		Species	Test Results
Fish	LC50	Danio rerio	4.44 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 2000 mg/l, 16 h DIN 38412, Pt. 8S
<i>Chronic</i>			
Algae	NOEC	Pseudokirchneriella subcapitata	0.38 mg/l, 72 h OECD 201
Crustacea	NOEC	Daphnia magna	2.99 mg/l, 21 d OECD 211
DECYL GLUCOSIDE (CAS 68515-73-1)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	19 mg/l, 72 h DIN 38412 PT 9
Crustacea	EC50	Daphnia magna	7 mg/l, 48 h OECD 202
	NOEC	Daphnia magna	2 mg/l, 21 d OECD 202
Fish	LC50	Danio rerio	2.95 mg/l, 96 h OECD 203
Other	EC0	Pseudomonas putida	1000 mg/l, 0.5 h DIN 38412 PT 8
<i>Chronic</i>			
Fish	NOEC	Danio rerio	1.8 mg/l, 28 d OECD 204
GLYCERIN (CAS 56-81-5)			
Aquatic			
<i>Acute</i>			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
SALICYLIC ACID (CAS 69-72-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	870 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1370 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 202
SODIUM LAURETH SULFATE (CAS 68891-38-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	27 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.2 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	7.1 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16 h DIN 38412 - 8
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.27 mg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus mykiss	0.14 mg/l, 28 d OECD 204

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

COCO-BETAINE

79 % OECD 301 B

Result: Readily Biodegradable

Test Duration: 28 d

Biodegradability

Percent degradation (Aerobic biodegradation)

GLYCERIN	OECD 301 Result: Readily Biodegradable 100 % OECD 301 C
SALICYLIC ACID	Result: Readily Biodegradable Test Duration: 28 d
SODIUM LAURETH SULFATE	100 % EU C.4-A Result: Readily Biodegradable Test Duration: 28 d

Percent degradation (Aerobic biodegradation-inherent)

DECYL GLUCOSIDE	100 % OECD 301 E Result: Readily Biodegradable Test Duration: 28 d
-----------------	--

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

COCO-BETAINE	-0.4 EU A.8
GLYCERIN	-1.76
SALICYLIC ACID	2.26
SODIUM LAURETH SULFATE	0.3 OECD 123

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

