

### SECTION 1: Identification

#### 1.1. Identification

Product form	:	Mixture
Trade name	:	Finery: EDP
Product code	:	840797162266, 840797162273, 840797162280, 840797162297, 840797162303, 840797162310, 840797162327, 840797162334, 840797162341, 840797162440, 840797170551, 840797171954, 840797171961, 840797171978, 840797171985, 840797171992, 840797172005, 840797170568, 840797172074, 840797172081, 840797172098, 840797172104, 840797172111, 840797172128, 840797172135
Other means of identification	:	10-184-FIN-0001 840797162266 SWEET ON THE OUTSIDE EDP 10-184-FIN-0002 840797162273 I'M A MUSK EDP 10-184-FIN-0003 840797162280 MAGNETIC CANDY EDP 10-184-FIN-0004 840797162297 FLOWER BED EDP 10-184-FIN-0005 840797162303 BEFORE THE RAINBOW EDP 10-184-FIN-0006 840797162310 SUN-PHORIA EDP 10-184-FIN-0007 840797162327 JUNGLE SANTAL EDP 10-184-FIN-0008 840797162334 MIDNIGHT CAFÉ EDP 10-184-FIN-0009 840797162341 NOT ANOTHER CHERRY EDP 10-184-FIN-0019 840797162440 EDP 2022 GIFTSET 10-184-FIN-0027 840797170551 THE NEW ROUGE EDP 10-184-FIN-0030 840797171954 PISTACHIO PLEASE EDP 10-184-FIN-0031 840797171961 WITHOUT A TRACE EDP 10-184-FIN-0032 840797171978 MADAME EDP 10-184-FIN-0033 840797171985 BORN TO IMPRESS EDP 10-184-FIN-0034 840797171992 MYSTIC FIGURES EDP 10-184-FIN-0035 840797172005 MYSTERIOUS NOMAD EDP 68-184-FIN-0010 840797170568 THE NEW ROUGE EDP - TESTER 68-184-FIN-0011 840797172074 PISTACHIO PLEASE EDP - TESTER 68-184-FIN-0012 840797172081 WITHOUT A TRACE EDP - TESTER 68-184-FIN-0013 840797172098 MADAME EDP - TESTER 68-184-FIN-0014 840797172104 BORN TO IMPRESS EDP - TESTER 68-184-FIN-0015 840797172111 MYSTIC FIGURES EDP - TESTER 68-184-FIN-0016 840797172128 MYSTERIOUS NOMAD EDP TESTER 10-184-FIN-0042 840797172135 DISCOVERY SET EDP GIFTSET

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

#### 1.3. Supplier

Maesa  
225 Liberty Street, Suite 2301  
New York, NY 10281  
T 1 212 674 5555 - F 1 212 431 6614  
[www.maesa.com](http://www.maesa.com)

#### 1.4. Emergency telephone number

Emergency number : 1 212 674 5555 9am to 5pm M-F

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard statements (GHS US)	: H225 - Highly flammable liquid and vapor
Precautionary statements (GHS US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P370+P378 - In case of fire: Use media other than water to extinguish. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Alcohol Denat.	(CAS-No.) 64-17-5	<75	Flam. Liq. 1, H224
Limonene	(CAS-No.) 5989-27-5	<5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl Alcohol	(CAS-No.) 100-51-6	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332
Linalool	(CAS-No.) 78-70-6	<1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Coumarin	(CAS-No.) 91-64-5	<1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Hydroxycitronellal	(CAS-No.) 107-75-5	<1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Citronellol	(CAS-No.) 106-22-9	<1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401
Geraniol	(CAS-No.) 106-24-1	<1	Skin Sens. 1, H317
Benzyl Benzoate	(CAS-No.) 120-51-4	<1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Citral	(CAS-No.) 5392-40-5	<0.1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 2, H401
Benzyl Cinnamate	(CAS-No.) 103-41-3	<0.1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Cinnamyl Alcohol	(CAS-No.) 104-54-1	<0.1	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317
Isoeugenol	(CAS-No.) 97-54-1	<0.01	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.	GHS US classification
Eugenol	(CAS-No.) 97-53-0	<0.01	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401
Benzyl Salicylate	(CAS-No.) 118-58-1	<0.01	Skin Sens. 1B, H317
Amylcinnamyl Alcohol	(CAS-No.) 101-85-9	<0.01	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Farnesol	(CAS-No.) 4602-84-0	<0.01	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
- First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Immediate medical attention and special treatment, if necessary

No additional information available

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area. No flames, no sparks. Eliminate all sources of ignition.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth.

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for cleaning up : Clear up spills immediately and dispose of waste safely. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible products : Strong bases. Strong acids.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Alcohol Denat. (64-17-5)</b>	
ACGIH OEL STEL [ppm]	1000 ppm
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL (TWA) [1]	1900 mg/m <sup>3</sup>
OSHA PEL (TWA) [2]	1000 ppm
IDLH [ppm]	3300 ppm (10% LEL)
NIOSH REL (TWA)	1900 mg/m <sup>3</sup>
NIOSH REL TWA [ppm]	1000 ppm
<b>t-Butyl Alcohol (75-65-0)</b>	
ACGIH OEL TWA [ppm]	100 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL (TWA) [1]	300 mg/m <sup>3</sup>
OSHA PEL (TWA) [2]	100 ppm
IDLH [ppm]	1600 ppm
NIOSH REL (TWA)	300 mg/m <sup>3</sup>
NIOSH REL TWA [ppm]	100 ppm
NIOSH REL (STEL)	450 mg/m <sup>3</sup>
NIOSH REL STEL [ppm]	150 ppm
<b>Limonene (5989-27-5)</b>	
WEEL TWA [ppm]	30 ppm
<b>Citral (5392-40-5)</b>	
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
<b>Benzyl Alcohol (100-51-6)</b>	
WEEL TWA [ppm]	10 ppm
<b>BHT (128-37-0)</b>	
ACGIH OEL TWA	2 mg/m <sup>3</sup>
Remark (ACGIH)	URT irr
ACGIH chemical category	Not Classifiable as a Human Carcinogen
NIOSH REL (TWA)	10 mg/m <sup>3</sup>

### 8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

None needed.

#### Hand protection:

None needed

#### Eye protection:

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

None needed

**Skin and body protection:**

None needed

**Respiratory protection:**

None needed

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear
Color	: According to product specification
Odor	: Fragranced
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 78 °C
Flash point	: 21 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.867 – 0.887 g/ml
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

#### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

None.

#### 10.2. Chemical stability

Product is stable.

#### 10.3. Possibility of hazardous reactions

Stable.

#### 10.4. Conditions to avoid

Extremely high or low temperatures.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

**Alcohol Denat. (64-17-5)** (Historical information; not tested on animals for cosmetics)

LD50 oral rat	7060 mg/kg
---------------	------------

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Alcohol Denat. (64-17-5)</b> (Historical information; not tested on animals for cosmetics)	
LC50 Inhalation - Rat	133.8 mg/l/4h
ATE US (oral)	7060 mg/kg body weight
ATE US (vapors)	133.8 mg/l/4h
ATE US (dust, mist)	133.8 mg/l/4h
<b>Denatonium Benzoate (3734-33-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	584 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	0.2 mg/l/4h
ATE US (oral)	584 mg/kg body weight
ATE US (vapors)	0.2 mg/l/4h
ATE US (dust, mist)	0.2 mg/l/4h
<b>t-Butyl Alcohol (75-65-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2200 mg/kg
LD50 dermal rabbit	> 2 g/kg
LC50 Inhalation - Rat [ppm]	> 10000 ppm/4h
ATE US (oral)	2200 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
<b>Water (7732-18-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight
<b>Linalool (78-70-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
<b>Alpha-Isomethyl Ionone (127-51-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
<b>Limonene (5989-27-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
ATE US (oral)	4400 mg/kg body weight
<b>Citronellol (106-22-9)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3450 mg/kg
LD50 dermal rabbit	2650 mg/kg
ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight
<b>Geraniol (106-24-1)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3600 mg/kg
LD50 dermal rabbit	> 5 g/kg
ATE US (oral)	3600 mg/kg body weight
<b>Citral (5392-40-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
ATE US (oral)	4960 mg/kg body weight
ATE US (dermal)	2250 mg/kg body weight
<b>Hexyl Cinnamal (101-86-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3100 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Hexyl Cinnamal (101-86-0)</b> (Historical information; not tested on animals for cosmetics)	
ATE US (oral)	3100 mg/kg body weight
<b>Benzyl Alcohol (100-51-6)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1230 mg/kg
LD50 dermal rabbit	2 g/kg
LC50 Inhalation - Rat	> 4178 mg/m <sup>3</sup> (Exposure time: 4 h)
ATE US (oral)	1230 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
<b>Benzyl Benzoate (120-51-4)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	4000 mg/kg
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
<b>Benzyl Cinnamate (103-41-3)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	5530 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
ATE US (oral)	5530 mg/kg body weight
<b>Coumarin (91-64-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	293 mg/kg
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	293 mg/kg body weight
<b>Eugenol (97-53-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1930 mg/kg
ATE US (oral)	1930 mg/kg body weight
<b>Hydroxycitronellal (107-75-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 2000 mg/kg
<b>Cinnamyl Alcohol (104-54-1)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2 g/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	2000 mg/kg body weight
<b>Ethylhexyl Methoxycinnamate (5466-77-3)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 20 ml/kg
<b>Ethylhexyl Salicylate (118-60-5)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	> 5000 mg/kg
<b>Isoeugenol (97-54-1)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1560 mg/kg
ATE US (oral)	1560 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
<b>Benzyl Salicylate (118-58-1)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2227 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	2227 mg/kg body weight
<b>Amylcinnamyl Alcohol (101-85-9)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4 g/kg
ATE US (oral)	4000 mg/kg body weight
<b>Farnesol (4602-84-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	6 g/kg

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Farnesol (4602-84-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 15000 mg/kg
ATE US (oral)	6000 mg/kg body weight
<b>BHT (128-37-0)</b> (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 2930 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

## SECTION 12: Ecological information

### 12.1. Toxicity

<b>Alcohol Denat. (64-17-5)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	12 – 16 ml/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [static])
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: <i>Pimephales promelas</i> [static])
EC50 - Crustacea [2]	> 2 mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> [Static])
<b>t-Butyl Alcohol (75-65-0)</b> (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [2]	4607 – 6577 mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> [Static])
<b>Linalool (78-70-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [static])
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> )
<b>Limonene (5989-27-5)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	> 35 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> )
<b>Geraniol (106-24-1)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: <i>Danio rerio</i> [static])
<b>Citral (5392-40-5)</b> (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> )
<b>Benzyl Alcohol (100-51-6)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: <i>Pimephales promelas</i> [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> [static])
<b>Benzyl Benzoate (120-51-4)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: <i>Danio rerio</i> [semi-static])
<b>Eugenol (97-53-0)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: <i>Danio rerio</i> [semi-static])
<b>Ethylhexyl salicylate (118-60-5)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 82 mg/l (Exposure time: 96 h - Species: <i>Danio rerio</i> [static])
<b>Benzyl Salicylate (118-58-1)</b> (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: <i>Danio rerio</i> [semi-static])

### 12.2. Persistence and degradability

Not established.

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.3. Bioaccumulative potential

<b>Alcohol Denat. (64-17-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4))
<b>Denatonium Benzoate (3734-33-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 25 °C)
<b>t-Butyl Alcohol (75-65-0)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1.09 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	0.317 (at 22.5 °C (at pH 6.8-7.3))
<b>Linalool (78-70-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7))
<b>Alpha-Isomethyl Ionone (127-51-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.288 (at 25 °C (at pH 4.7))
<b>Limonene (5989-27-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2))
<b>Citronellol (106-22-9)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
<b>Geraniol (106-24-1)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)
<b>Citral (5392-40-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
<b>Benzyl Alcohol (100-51-6)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.05
<b>Benzyl Benzoate (120-51-4)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
<b>Benzyl Cinnamate (103-41-3)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.18 (at 23.7 °C (at pH 7))
<b>Eugenol (97-53-0)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5))
<b>Hydroxycitronellal (107-75-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)
<b>Cinnamyl Alcohol (104-54-1)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.636 (at 27 °C (at pH 3.52))
<b>Butyl Methoxydibenzoylmethane (70356-09-1)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	6.1 (at 20 °C (at pH 6.9))
<b>Ethylhexyl salicylate (118-60-5)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	> 6 (at 40 °C (at pH 7.71))
<b>Benzyl Salicylate (118-58-1)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4
<b>Farnesol (4602-84-0)</b> (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.6 – 4.78 (at 22.3 °C (at pH $\geq 5$ - $\leq 9$ ))
<b>BHT (128-37-0)</b> (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	230 – 2500
Partition coefficient n-octanol/water (Log Pow)	5.1

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods


- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Ecology - waste materials : Avoid release to the environment.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

- Transport document description (DOT) : UN1266 Perfumery products, 3, II (LTD QTY)  
UN-No.(DOT) : UN1266  
Proper Shipping Name (DOT) : Perfumery products  
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120  
Packing group (DOT) : II - Medium Danger  
Hazard labels (DOT) : LTD QTY - Limited quantity



- DOT Packaging Non Bulk (49 CFR 173.xxx) : 202  
DOT Packaging Bulk (49 CFR 173.xxx) : 242  
DOT Packaging Exceptions (49 CFR 173.xxx) : 150  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 15 L  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L  
Emergency Response Guide (ERG) Number : 127

#### Transportation of Dangerous Goods

- Transport document description (TDG) : UN1266 PERFUMERY PRODUCTS (Limited quantities (UN RTDG)), 3, II  
UN-No. (TDG) : UN1266  
Proper Shipping Name (TDG) : PERFUMERY PRODUCTS  
TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids  
Packing group (TDG) : II - Medium Danger  
Explosive Limit and Limited Quantity Index : 5 L

#### Transport by sea

- Transport document description (IMDG) : UN 1266 PERFUMERY PRODUCTS (Limited quantities (IMDG)), 3, II  
UN-No. (IMDG) : 1266  
Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS  
Class (IMDG) : 3 - Flammable liquids  
Packing group (IMDG) : II - substances presenting medium danger  
Limited quantities (IMDG) : 5 L

#### Air transport

- Transport document description (IATA) : UN 1266 Perfumery products (Limited quantity for air transport), 3, II  
UN-No. (IATA) : 1266  
Proper Shipping Name (IATA) : Perfumery products  
Class (IATA) : 3 - Flammable Liquids  
Packing group (IATA) : II - Medium Danger

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

##### Canada-Regulations

No additional information available

##### EU-Regulations

No additional information available

##### National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Alcohol Denat. (64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
t-Butyl Alcohol (75-65-0)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Benzyl Alcohol (100-51-6)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
BHT (128-37-0)	U.S. - New Jersey - Right to Know Hazardous Substance List

### SECTION 16: Other information

Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 2 & Section 3:


H224	Extremely flammable liquid and vapor
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

# Finery: EDP

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.



Safety Data Sheet (SDS), USA

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*