



Zhejiang Meizhiyuan Cosmetics Co., Ltd
浙江美之源化妆品有限公司

MATERIAL SAFETY DATA SHEET

(Comply with 453/2010/EEC)

Product name: MCH601-Fragrance Mist - No.1 - 90ml

Date: 24/04/2024

1) Product And Company Identification:

Product name: MCH601-Fragrance Mist - No.3 - 90ml

Company: MCo Beauty Pty Limited

Address: 50 Rockefeller Plaza, Level 12, Suite A, New York, NY 10020

Telephone number: +1-212-292-3148

2) Hazards Identification

Hazard Classification: Flammable Liquid Category 3, Eye Damage/Irritation Category 2A, Specific Organ Toxicity (Single Exposure) (Respiratory Tract Irritation) -Category 3

Classification of the substance or mixture : According to GHS



Precautionary Statements: Keep away from sources of ignition. No smoking. Do not expose to temperatures above 50°. Keep away from the reach of children. Keep container in a well-ventilated place. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Warning

Hazard Statement: May Cause Respiratory Irritation

H226 flammable liquid and vapor

H319 Causes serious eye irritation

H335 Specific Organ Toxicity (Single Exposure) (Respiratory tract irritation) - Category 3

Signal word, hazard statement(s), symbol(s), and precautionary

statement(s) : Cosmetic products are exempt from labeling requirements according to the EC regulations on dangerous substances.

Describe any hazards not otherwise classified that have been identified during the classification process: Not applicable

Other hazards : Not applicable

3) Composition / Information On Ingredients

INCI Name	Percent % w/w	CAS No.	Function
Alcohol Denat.	75.00000%	64-17-5	solvent
Aqua	16.52000%	7732-18-5	solvent
Fragrance	8.00000%	N/A	fragrance
Peg-40 Hydrogenated Castor Oil	0.42000%	61788-85-0	surfactant
Lauramine Oxide	0.06000%	1643-20-5	surfactant

4) First Aid Measures

Zhejiang Meizhiyuan Cosmetics Co., Ltd

Address: Building F, No.139, Fangshan Road, Fotang Town, Yiwu, 322000, China

Telephone number: +86-579-85072522

Fax number: +86-579-85072522

Email: lb@luca-bossi.com



Zhejiang Meizhiyuan Cosmetics Co., Ltd

浙江美之源化妆品有限公司

Appearance: Clear liquid.

Flammable liquid

Inhalation: Remove person to fresh air. Seek medical advice if any breathing difficulty.

In case of unconsciousness place patient stably in side position for transportation

Eye contact : Rinse opened eye for several minutes under running clean water. If symptoms persist obtain medical care. In case of eye contamination seek medical treatment according to the symptoms of the affected one.

Ingestion : Wash the mouth and drink water Get medical aid

Skin Contact: Remove contaminated clothing. Immediately wash with water and soap and rinse thoroughly. Do not use organic thinners. If necessary obtain medical consult. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Special means for applying first aids measures: Do not induce vomiting

Notes to Physician: Treat symptomatically and supportively. Persons with skin or eye disorders may be at increased risk from exposure to this substance.

5) Fire - Fighting Measures

Flammable Liquid and Vapour!

Appropriate means for fire fighting:

Water aerosol or fog, CO₂, powder, alcohol resistant foam.

Means unsuitable for fire fighting: For safety reasons unsuitable extinguishing agents: Do not use a solid water stream as it may scatter and spread fire.

Specific hazards by exposure of the substance/preparation and the subsequent products of burning: burning process contributes to elimination of toxic gases like CO. Vapours are heavier than the air and can get inflamed by distance. Burning gases from this product are considered as toxic for the inhalation system.

Protective equipment: Fire fighters must wear full face self-contained breathing apparatus (EN133) and full set protective clothing.

6) Accidental Release Measures

Ventilate area of leak or spill. Remove all sources of ignition. Wear appropriate personal protective equipment as specified in Section 8.

Personal safety precautions: Wear protective equipment, avoid stepping onto spilled out product, stop leak without self contamination. Keep unprotected persons away. Take off all contaminated clothing. Isolate and restrict area access. Prevent from static electricity discharges.

Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure well ventilation.

Additional requirements: Information for safe work check at section 7.

Zhejiang Meizhiyuan Cosmetics Co., Ltd

Address: Building F, No.139, Fangshan Road, Fotang Town, Yiwu, 322000, China

Telephone number: +86-579-85072522

Fax number: +86-579-85072522

Email: lb@luca-bossi.com



Zhejiang Meizhiyuan Cosmetics Co., Ltd

浙江美之源化妆品有限公司

7) Handling and Storage

Handling:

All safety precautions should be read and understood before handling. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Handle with care. Wear protective equipment, eye protection/face protection. Open and handle receptacle with care.

Storage:

Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles at temperature interval 0°C-25°C stored away from direct sun heat.

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from fire and heating systems or direct sun heat.

Special cautions:

Respect the regular safety measures. Keep ignition sources away - Do not smoke.

8) Exposure Controls / Personal Protection

Exposure limit(s) : N/A.

Exposure Limits of ingredients

Chemical Name	
Ethyl alcohol	1000 ppm TWA

Workplace hygiene : Keep away from food and drink.

Personal protection: Regular protection taken for all chemical flammable products

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Work area must be well-ventilated. Use explosion-proof ventilation equipment. Wash hands and face thoroughly

Immediately remove all soiled and contaminated clothing. Wash hands before breaks at the end of work and before eating, smoking and using the toilet. Avoid contact with the skin. Avoid contact with the eyes and skin.

Respiratory protection: Use appropriate protective masks.

Hands protection: protective gloves.

Eye protection: Tightly sealed goggles or mask. Ensure well ventilation.

Skin protection: Wear appropriate non-static clothing and shoes.

Additional information: Required water shower devices at working place.

Influences to environment: Do not allow to enter sewers/ surface or ground water. In case of leak into water supply systems inform the government controlling institutions.

HYGIENE MEASURES: Do not eat at the same area

WARNING: Air purifying respirators do not protect workers in oxygen-deficient atmospheres

Zhejiang Meizhiyuan Cosmetics Co., Ltd

Address: Building F, No.139, Fangshan Road, Fotang Town, Yiwu, 322000, China

Telephone number: +86-579-85072522

Fax number: +86-579-85072522

Email: lb@luca-bossi.com



Zhejiang Meizhiyuan Cosmetics Co., Ltd

浙江美之源化妆品有限公司

9. Physical and Chemical Properties

Physical State: Clear liquid

Colour: Characteristic

Odour: Characteristic

Viscosity: <200 cp @ 20 deg C

pH: 6.1

Decomposition Temperature: Not available.

Solubility: Soluble in water.

Specific Density: 0.86@ 20°C

Flash point (°C) : >=38°C and <=60°C

10. Stability and Reactivity

This product is stable at normal conditions of storage and appropriate handling. Reacts with strong oxidizers.

Reactivity: May react violently with strong oxidizing agents

Conditions to be avoided: Do not allow fire and sparkles. Avoid direct sun heat.

Slowly decomposed by moisture

Substances to be avoided: peroxides, strong acids, strong alkalis, strong oxidizers, amides and self-burning materials. Some attack of plastic, rubber and coatings may happen.

Hazardous products of dissociation: not expected under normal conditions of storage. Under fire conditions carbon oxides are formed

11) Toxicological Information

Acute effects on humans

Inhalation: mucous membranes and upper respiratory tract

Skin irritation : Not irritant Prolonged exposure may result in skin degreasing.

Eye irritation : May cause irritation, redness, and pain in case of direct contact.

Sensitization: not a skin sensitizer

Ingestion: Causes irritation to the gastrointestinal tract

Special Remarks on toxicity to animals: N/A

Special Remarks on chronic effects on humans: N/A

EXPERIENCE IN MAN: irritates the eyes and respiratory tract High concentrations may cause dizziness and sleepiness. Repeated exposure has narcotic effect and may cause loss of hypodermic fat. Causes pain with eyes contact.

Acute toxicity: not determined

Ethanol acute toxicity

LD 50 Oral, rat: 6,2-15g/kg OECD 401

Zhejiang Meizhiyuan Cosmetics Co., Ltd

Address:Building F, No.139,Fangshan Road,Fotang Town,Yiwu,322000, China

Telephone number: +86-579-85072522

Fax number: +86-579-85072522

Email: lb@luca-bossi.com



Zhejiang Meizhiyuan Cosmetics Co., Ltd

浙江美之源化妆品有限公司

LC 50 Inhalation, rat: >50 mg/l 4 hrs OECD 403

Available data indicate that classification criteria are not met.

Additional toxicological information: Non mutagenic, carcinogenic, does not harm fertility.

12) Ecological Information

Eco toxicity: Avoid leak into water supply system and ground water. This preparation is classified by the conventional method. Not environmentally dangerous.

Mobility: Soluble in water, disperse in term of 24 hours by vaporisation and digestion

Stability and dissociation: can be dissociated easily by biological way. Integration period of semi-disintegration in the environment is expected to be 100% up to 28 days.

Environmental behaviour: not expected to cause long term harmful effects over the environment. Not toxic to the ozone. Class of hazard concerning the water: hazardous to water.

Other unwanted effects: not known

13) Disposal Considerations

Dispose of container and unused contents in accordance with environmental local regulations for chemical waste. Do not allow runoff to sewer, waterway or ground. Contact specialist disposal companies.

Chemical refuse disposal: Can be stored in tightly closed vessels temporarily. It is required to be given for further disposal to law certified structures. In case of water supply system's contamination inform the required institutions.

14) Transport Information

LAND-ROAD TRANSPORT: Ambient temperature and pressure

ADR/RID

CLASS 3

UN-No: 1266

Group III

LABEL No 3 Perfumery Products

UN proper shipping name: Perfumery Products, 3, UN1266, PG III, Mixture

Special precautions for user: Normal transport according to the hazards of the product

SEA TRANSPORT: Ambient temperature and pressure

IMDG

CLASS 3

UN number: 1266

Packing group III

EmS: F-E, S-D

LABEL No 3 Perfumery Products

UN proper shipping name: Perfumery Products, 3, UN1266, PG III, Mixture

Zhejiang Meizhiyuan Cosmetics Co., Ltd

Address: Building F, No.139, Fangshan Road, Fotang Town, Yiwu, 322000, China

Telephone number: +86-579-85072522

Fax number: +86-579-85072522

Email: lb@luca-bossi.com



Zhejiang Meizhiyuan Cosmetics Co., Ltd

浙江美之源化妆品有限公司

Special precautions for user: Normal transport according to the hazards of the product

AIR TRANSPORT

IATA

UN No: 1266

Class: 3

Packing group: III

Label: No 3 Perfumery Products

Packing instruction: Y341 (Passenger and Cargo) 364(Cargo only)

UN proper shipping name: Perfumery Products, 3, UN1266, PG III, Mixture

Special precautions for user: Normal transport according to the hazards of the product

15) Regulatory Information



Warning

H226 Flammable liquid and vapor

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

Safety Phrases:

Keep away from sources of ignition. No smoking. Do not expose to temperatures above 50°. Keep away from the reach of children. Keep container in a well-ventilated place. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

16) Other Information

The information in this publication is believed to be accurate, is based on the existing level of knowledge and experience and is given in good faith. Users are responsible for determining the suitability of the product for their own particular purpose

Zhejiang Meizhiyuan Cosmetics Co., Ltd

Address: Building F, No.139, Fangshan Road, Fotang Town, Yiwu, 322000, China

Telephone number: +86-579-85072522

Fax number: +86-579-85072522

Email: lb@luca-bossi.com