Great Tasting Soft Chews!

Different Ingredient:
Magnesium Hydroxide

From the Makers of *MiraLAX*®

Online Exclusive Pack

MiraFAST™
Magnesium Hydroxide 1200mg Saline Laxative
soft chews

GENTLE
CONSTIPATION RELIEF

CRAMP & STIMULANT FREE

• Gentle relief in 30 minutes to 6 hours
• Works naturally with your body

60 soft chews
individually wrapped

Blueberry & Raspberry
Flavored

actual size

Bayer

Dist by: Bayer HealthCare LLC
Whippany, NJ 07981
C00013446

Pat: patents.jnwell.bayer.com
© 2024 Bayer.   Product of Israel

Bayer, the Bayer Cross, MiraLAX and MiraFAST are trademarks of Bayer.

Questions or comments? 1-800-647-2529

Inactive ingredients corn syrup, FD&C red no. 40 aluminum lake, flavors, glycerin, hydrogenated coconut oil, soy lecithin, sucrose, water.

Other information
■ **each chew contains:** magnesium 500 mg, sodium 1 mg ■ store between 20° to 25° C (68° to 77° F). Avoid excessive heat and humidity. ■ Do not use if pouch is torn or open

Directions
■ drink a full glass (8 oz) of liquid with each dose.
■ dose may be taken as a single daily dose, in divided doses, or as directed by a doctor.
■ do not exceed the maximum recommended daily dose in a 24 hour period

adults and children 12 years of age and older	2 to 4 chews
children 6 to under 12 years of age	1 to 2 chews
children 4 to under 6 years of age	1 chew
children under 4 years of age	ask a doctor

Drug Facts

Active ingredient (in each chew)	**Purpose**
Magnesium hydroxide USP 1200 mg	Saline laxative

Use relieves occasional constipation (irregularity). This product usually produces bowel movement in ½ to 6 hours.

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have ■ kidney disease ■ a magnesium-restricted diet ■ stomach pain, nausea, or vomiting ■ a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if ■ you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. ■ you need to use a laxative for more than 1 week.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

FOR BEST RESULTS
remember to drink one glass
of liquid with every dose!

MiraFAST

how2recycle.info
POUCH (MULTI-LAYER) US ONLY

0 41100 60459 0