

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

SECTION 1. IDENTIFICATION

Product name : MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Formula Center Reference : G3311 2

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
133, Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read label before use.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

| Chemical name | CAS-No. | Concentration (% w/w) |
|-------------------------------|------------|-----------------------|
| MICA | 12001-26-2 | >= 30 - < 50 |
| CALCIUM ALUMINUM BOROSILICATE | 65997-17-3 | >= 20 - < 30 |
| IRON OXIDES | 1317-61-9 | >= 20 - < 30 |
| SYNTHETIC FLUORPHLOGOPITE | 12003-38-2 | >= 20 - < 30 |
| TALC | 14807-96-6 | >= 20 - < 30 |
| TITANIUM DIOXIDE | 13463-67-7 | >= 20 - < 30 |
| IRON OXIDES | 1309-37-1 | >= 10 - < 20 |
| MANGANESE VIOLET | 10101-66-3 | >= 10 - < 20 |
| HYDROGENATED POLYDECENE | 68037-01-4 | >= 5 - < 10 |
| MAGNESIUM STEARATE | 557-04-0 | >= 5 - < 10 |
| SILICA | 7631-86-9 | >= 5 - < 10 |
| SYNTHETIC WAX | 8002-74-2 | >= 3 - < 5 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
Call a physician if symptoms develop or persist.
- In case of skin contact : Get medical attention if irritation develops and persists.
- In case of eye contact : Rinse with water.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Hazardous combustion products : No hazardous combustion products are known.
- Further information : Prevent fire extinguishing water from contaminating surface

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

water or the ground water system.
Standard procedure for chemical fires.

Special protective equipment : Wear self-contained breathing apparatus for firefighting if necessary for fire-fighters

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.

Environmental precautions : Should not be released into the environment.

Methods and materials for containment and cleaning up : Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : For personal protection see section 8.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : Keep in a dry place. No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------------------------|------------|-------------------------------------|--|-----------|
| MICA | 12001-26-2 | TWA (Respirable particulate matter) | 0.1 mg/m ³ | ACGIH |
| | | TWA (Dust) | 20 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (Respirable) | 3 mg/m ³ | NIOSH REL |
| CALCIUM ALUMINUM BOROSILICATE | 65997-17-3 | TWA (fibers) | 1 fibres per cubic centimeter | ACGIH |
| | | TWA (Inhal-) | 5 mg/m ³ | ACGIH |

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version
1.1

Revision Date:
11/18/2024

SDS Number:
00-71-
410000001458

Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

| | | | | |
|---------------------------|------------|-------------------------------------|-------------------------------------|-----------|
| | | able particulate matter) | | |
| SYNTHETIC FLUORPHLOGOPITE | 12003-38-2 | TWA | 2.5 mg/m3 (Fluorine) | OSHA Z-1 |
| | | TWA | 2.5 mg/m3 (Fluorine) | ACGIH |
| | | TWA (Respirable particulate matter) | 1 mg/m3 (Aluminum) | ACGIH |
| TALC | 14807-96-6 | TWA (Dust) | 20 Million particles per cubic foot | OSHA Z-3 |
| TITANIUM DIOXIDE | 13463-67-7 | TWA (total dust) | 15 mg/m3 | OSHA Z-1 |
| | | TWA | 10 mg/m3 (Titanium dioxide) | ACGIH |
| IRON OXIDES | 1309-37-1 | TWA (Respirable particulate matter) | 5 mg/m3 | ACGIH |
| | | TWA (dust and fume) | 5 mg/m3 (Iron) | NIOSH REL |
| | | TWA (total dust) | 15 mg/m3 | OSHA Z-1 |
| | | TWA (respirable fraction) | 5 mg/m3 | OSHA Z-1 |
| MANGANESE VIOLET | 10101-66-3 | C | 5 mg/m3 (Manganese) | OSHA Z-1 |
| | | TWA (Inhalable particulate matter) | 0.1 mg/m3 (Manganese) | ACGIH |
| | | TWA (Respirable particulate matter) | 0.02 mg/m3 (Manganese) | ACGIH |
| | | C | 5 mg/m3 (Manganese) | OSHA P0 |
| | | TWA | 1 mg/m3 (Manganese) | NIOSH REL |
| | | ST | 3 mg/m3 (Manganese) | NIOSH REL |
| MAGNESIUM STEARATE | 557-04-0 | TWA (Inhalable particulate matter) | 10 mg/m3 | ACGIH |
| | | TWA (Respirable particulate matter) | 3 mg/m3 | ACGIH |
| SILICA | 7631-86-9 | TWA (Dust) | 20 Million particles per cubic foot | OSHA Z-3 |

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

| | | | | |
|---------------|-----------|-------------|---------------------------|-----------|
| | | | (Silica) | |
| | | TWA (Dust) | 80 mg/m3 / %SiO2 (Silica) | OSHA Z-3 |
| | | TWA | 6 mg/m3 (Silica) | NIOSH REL |
| SYNTHETIC WAX | 8002-74-2 | TWA (Fumes) | 2 mg/m3 | ACGIH |
| | | TWA (Fumes) | 2 mg/m3 | NIOSH REL |

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only. Safety glasses

Skin and body protection : Applicable for industrial settings only. Work uniform or laboratory coat.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : powder

Color : Shaded

Odor : Unscented.

pH : Not applicable

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

Melting point/freezing point : Not applicable
Boiling point/boiling range : Not available

Flash point : Not applicable
Fire Point : Not applicable
Flammability (solid, gas) : Will not burn
Upper explosion limit / Upper flammability limit : Not applicable
Lower explosion limit / Lower flammability limit : Not applicable
Vapor pressure : Not applicable
Relative vapor density : No data available
Relative density : 0.994 - 1.006 (68 °F / 20 °C)
Solubility(ies)
 Water solubility : insoluble
Partition coefficient: n-octanol/water : Not applicable
Autoignition temperature : No data available
Decomposition temperature : Not applicable
Viscosity
 Viscosity, kinematic : Not applicable
Particle characteristics
 Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
Conditions to avoid : No data available
Incompatible materials : Not applicable

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

HYDROGENATED POLYDECENE:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): 5.00 mg/l
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

HYDROGENATED POLYDECENE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

Components:

HYDROGENATED POLYDECENE:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Components:

HYDROGENATED POLYDECENE:

Routes of exposure : Skin contact
Species : Guinea pig
Method : Maximization Test
Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

HYDROGENATED POLYDECENE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

HYDROGENATED POLYDECENE:

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

HYDROGENATED POLYDECENE:

Species : Rat
NOAEL : > 1000 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

HYDROGENATED POLYDECENE:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

HYDROGENATED POLYDECENE:

Toxicity to fish : LL50 (Fish): > 1,000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

Toxicity to algae/aquatic plants : NOELR (algae): > 1,000 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 125 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Persistence and degradability

Components:

HYDROGENATED POLYDECENE:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

HYDROGENATED POLYDECENE:

Partition coefficient: n-octanol/water : log Pow: > 6.5
Method: OECD Test Guideline 117

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

| | | |
|-----------|------------|----------------|
| MANGANESE | 10101-66-3 | >= 10 - < 20 % |
| VIOLET | | |

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

| | | |
|------------------|------------|----------------|
| MANGANESE VIOLET | 10101-66-3 | >= 10 - < 20 % |
|------------------|------------|----------------|

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SAFETY DATA SHEET


MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

Version 1.1 Revision Date: 11/18/2024 SDS Number: 00-71-410000001458 Date of last issue: 03/12/2024
Date of first issue: 03/12/2024

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA : 8-hour, time-weighted average
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / C : Ceiling limit
OSHA Z-1 / TWA : 8-hour time weighted average
OSHA Z-1 / C : Ceiling
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

SAFETY DATA SHEET

MAYBELLINE NEW YORK EXPERT WEAR EYE SHADOW

| | | | |
|---------|----------------|--------------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 03/12/2024 |
| 1.1 | 11/18/2024 | 00-71-410000001458 | Date of first issue: 03/12/2024 |

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 11/18/2024

US / EN