



# SAFETY DATA SHEET

## 1. Identification

Product identifier	CHAPSTICK LIP MOISTURIZER ORIGINAL (OCTINOXATE FREE)
Other means of identification	
Product code	WH-2197-0001
Synonyms	WH-2197-0001
Recommended use	Consumer Healthcare Product

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

Recommended restrictions No other uses are advised.

### Manufacturer/Importer/Supplier/Distributor information

COMPANY NAME	GlaxoSmithKline US
Address:	5 Moore Drive Research Triangle Park, NC 27709 USA
Telephone:	+1-888-825-5249 (General Inquiries)
Email:	msds@gsk.com
Website:	www.gsk.com

## EMERGENCY CONTACTS

Telephone:	VERISK 3E GLOBAL INCIDENT RESPONSE +(1) 760 476 3971 (In country) +(1) 760 476 3962 or +(1) 866 519 4752 (International) 24/7; multi-language response
Contract Number:	334878

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	

### Label elements



Signal word	Warning
Hazard statement	May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves.
Response	If on skin: Wash with plenty of water/. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Collect spillage.

<b>Storage</b>	Not available.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	29.1% of the mixture consists of component(s) of unknown acute oral toxicity. 30.1% of the mixture consists of component(s) of unknown acute dermal toxicity. 32.1% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 26.5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
PHARMACEUTICAL GRADE PETROLATUM	PETROLEUM JELLY VASELINE WHITE PETROLEUM JELLY WHITE PETROLEUM USP PETROLATO (PETROLIO) PETROLATUM PRETOLATO PÉTROLATUM VASELIN WHITE PETROLATUM USP YELLOW PETROLATUM SOFT PARAFFIN	8009-03-8	38.4
PHARMACEUTICAL GRADE PARAFFIN WAX	PARAFFIN HARD PARAFFIN PARAFFIN WAXES AND HYDROCARBON WAXES WHITE SOFT PARAFFIN	8002-74-2	23
2-ETHYLHEXYL SALICYLATE	OCTYL SALICYLATE BENZOIC ACID, 2-HYDROXY-, 2-ETHYLHEXYL ESTER SALICYLIC ACID, 2-ETHYLHEXYL ESTER R 2-ETHYLHEXYLSALICYLATE 2-ETHYL-N-HEXYL SALICYLATE 2-HYDROXYBENZOIC ACID, 2-ETHYLHEXYL ESTER RTECS VO3150000	118-60-5	4.5
AVOBENZONE	BUTYL METHOXYDIBENZOYLMETHANE 1,3-PROPANEDIONE, 1-(4-(1,1-DIMETHYLETHYL)PHENYL)-3-( 4-METHOXYPHENYL)- 4-TERT-BUTYL-4'-METHOXY DIBENZOYLMETHANE L-(4-TERT-BUTYLPHENYL)-3-(4-METHOXY XYPHENYL)PROPANE-L,3-DIONE/AVO BENZONE	70356-09-1	3
BEESWAX	YELLOW BEESWAX WHITE BEESWAX BEESWAX (WHITE) BEESWAX ABSOLUTE BEESWAX BLEACHED (WHITE), SYNTHETIC 619 BEESWAX OIL, ABSOLUTE BEESWAX YELLOW OHS02556	8012-89-3	3

Chemical name	Common name and synonyms	CAS number	%
OCTOCRYLENE	2-ETHYLHEXYL-2-CYANO-3,3-DIPHENYL LACRYLATE 2-PROPENOIC ACID, 2-CYANO-3,3-DIPHENYL-, 2-ETHYLHEXYL ESTER ACRYLIC ACID, 2-CYANO-3,3-DIPHENYL-, 2-ETHYLHEXYL ESTER 2-CYANO-3,3-DIPHENYLACRYLIC ACID, 2-ETHYLHEXYL ESTER 2-CYANO-3,3-DIPHENYL-2-PROPENOI C ACID, 2-ETHYLHEXYL ESTER UV ABSORBER-3 UVINUL N 539	6197-30-4	2.6
ISOPROPYL LANOLATE	ISOPROPYL LANOLIN Fatty acids, lanolin, iso-Pr esters	63393-93-1	2
DL-ALPHA-TOCOPHERYL ACETATE	DL-ALPHA TOCOPHERYL ACETATE VITAMIN E ACETATE D,L-ALPHA-TOCOPHEROLACETAT DL-VITAMINE E ACETATE DL-.ALPHA.-TOCOPHERYL ACETATE DL--ALPHA-TOCOPHEROL ACETATE DL-.ALPHA.-TOCOPHEROL ACETATE 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12- trimethyltridecyl)-2H-benzopyran-6-yl acetate [ENTRY 2]	7695-91-2	1
MINERAL OIL U.S.P.	WHITE MINERAL OIL WHITE MINERAL OIL, (PETROLEUM) WHITE OIL(REFINED PETROLEUM OIL) LIQUID PARAFFIN BP MINERAL OIL, WHITE PARAFFIN OIL	8042-47-5	0.9
COCOA BUTTER IFRA 49TH (SYMRISE)	COCOA BUTTER FRAGRANCE IFRA 49TH (SYMRISE)	Mixture	0.5
CETYL ALCOHOL	1-HEXADECANOL HEXADECYL ALCOHOL N-1-HEXADECANOL N-CETYL ALCOHOL 1-HEXADECYL ALCOHOL CETEARYL ALCOHOL PALMITYL ALCOHOL	36653-82-4	0.475
STEARYL ALCOHOL	1-OCTADECANOL 1-HYDROXYOCTADECANE OCTADECANOL N-OCTADECANOL OCTADECYL ALCOHOL N-OCTADECYL ALCOHOL C18H38O OHS21876 RTECS RG2010000	112-92-5	0.02
BUTYLATED HYDROXYTOLUENE (BHT)	BHT 3,5-DI-TERT.-BUTYL-4-HYDROXY- TOLUOL 2,6-DI-TERT.-BUTYL-4-METHYL-PHENO L 2,6-DI-T-BUTYL-4-METHYLPHENOL	128-37-0	0.0005
Other components below reportable levels			20.6045

#### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.

<b>Most important symptoms/effects, acute and delayed</b>	May cause an allergic skin reaction. Dermatitis. Rash.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Foam. Dry powder. Dry sand. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

<b>GSK Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
2-ETHYLHEXYL SALICYLATE (CAS 118-60-5)	OHC	1	PROVISIONAL
AVOBENZONE (CAS 70356-09-1)	OHC	1	PROVISIONAL
BEESWAX (CAS 8012-89-3)	OHC	1	
CETYL ALCOHOL (CAS 36653-82-4)	OHC	2	>5 - <=50 ppm
COCOA BUTTER IFRA 49T H (SYMRISE)	OHC	3	>10 - <=100 mcg/m3 SKIN SENSITISER

<b>GSK Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
DL-ALPHA-TOCOPHERYL ACETATE (CAS 7695-91-2)	OHC	1	>1000 - ≤5000 mcg/m3
STEARYL ALCOHOL (CAS 112-92-5)	8 HR TWA	5000 mcg/m3	
	OHC	1	

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
MINERAL OIL U.S.P. (CAS 8042-47-5)	PEL	5 mg/m3	Mist.
PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)	PEL	5 mg/m3	Mist.

**US. ACGIH Threshold Limit Values**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	TWA	2 mg/m3	Inhalable fraction and vapor.
MINERAL OIL U.S.P. (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.
PHARMACEUTICAL GRADE PARAFFIN WAX (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)	TWA	5 mg/m3	Inhalable fraction.

**US. NIOSH: Pocket Guide to Chemical Hazards**

<b>Components</b>	<b>Type</b>	<b>Value</b>	<b>Form</b>
BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0)	TWA	10 mg/m3	
MINERAL OIL U.S.P. (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
PHARMACEUTICAL GRADE PARAFFIN WAX (CAS 8002-74-2)	TWA	2 mg/m3	Fume.
PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Appropriate engineering controls</b>	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles). Face shield is recommended.
<b>Skin protection</b>	
<b>Hand protection</b>	Suitable gloves can be recommended by the glove supplier.
<b>Other</b>	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**9. Physical and chemical properties****Appearance**

Physical state Solid.

Form Solid.

Color Pale yellow

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

**Upper/lower flammability or explosive limits**

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

**Solubility(ies)**

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

**Other information**

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

**10. Stability and reactivity**

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products No hazardous decomposition products are known.

**11. Toxicological information****Information on likely routes of exposure**

Inhalation Not likely, due to the form of the product.

Skin contact May cause an allergic skin reaction.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics** May cause an allergic skin reaction.

**Information on toxicological effects**

**Acute toxicity** Not known.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
-------------------	----------------	---------------------

BEESWAX (CAS 8012-89-3)

**Acute**

**Oral**

LD50	Rat	> 5 g/kg
------	-----	----------

CETYL ALCOHOL (CAS 36653-82-4)

**Acute**

**Oral**

LD50	Rat	5 g/kg
------	-----	--------

ISOPROPYL LANOLATE (CAS 63393-93-1)

**Acute**

**Dermal**

LD50	Rat	> 2000 mg/kg, 24 Hours
------	-----	------------------------

**Oral**

LD50	Rat	> 1851 mg/kg
------	-----	--------------

MINERAL OIL U.S.P. (CAS 8042-47-5)

**Acute**

**Oral**

LD50	Rat	> 5000 mg/kg
------	-----	--------------

PHARMACEUTICAL GRADE PARAFFIN WAX (CAS 8002-74-2)

**Acute**

**Oral**

LD50	Rat	> 5000 mg/kg
------	-----	--------------

PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)

**Acute**

**Oral**

LD50	Rat	> 5000 mg/kg
------	-----	--------------

> 15 g/kg

**Chronic**

**Oral**

NOAEL	Rat	>= 3000 mg/kg, 2 years
-------	-----	------------------------

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

PHARMACEUTICAL GRADE PETROLATUM	>= 3000 mg/kg/day 2 year bioassay, oral administration Result: NOAEL Species: Rat Dermal application Result: Negative Species: Mouse
---------------------------------	---

## IARC Monographs. Overall Evaluation of Carcinogenicity

BUTYLATED HYDROXYTOLUENE (BHT) (CAS 128-37-0) 3 Not classifiable as to carcinogenicity to humans.  
MINERAL OIL U.S.P. (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

## US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.  
**Specific target organ toxicity - single exposure** Not classified.  
**Specific target organ toxicity - repeated exposure** Not classified.  
**Aspiration hazard** Not an aspiration hazard.  
**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Components		Species	Test Results
<b>CETYL ALCOHOL (CAS 36653-82-4)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Green algae ( <i>Scenedesmus subspicatus</i> )	676 mg/l, 96 hours
Fish	EC50	Bluegill sunfish (Adult <i>Lepomis macrochirus</i> )	> 1000 mg/l, 96 hours
		Fathead minnow (Adult <i>Pimephales promelas</i> )	> 500 mg/l, 5 days
<b>DL-ALPHA-TOCOPHERYL ACETATE (CAS 7695-91-2)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Green algae ( <i>Selenastrum capricornutum</i> )	> 25.5 mg/l, 72 hours
	NOEC	Green algae ( <i>Selenastrum capricornutum</i> )	25.5 mg/l, 72 hours
Fish	EC50	Rainbow trout (Adult <i>Oncorhynchus mykiss</i> )	> 91.1 mg/l, 96 hours
	NOEC	Rainbow trout (Adult <i>Oncorhynchus mykiss</i> )	91.1 mg/l, 96 hours
<b>STEARYL ALCOHOL (CAS 112-92-5)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Green algae ( <i>Scenedesmus subspicatus</i> )	235 mg/l, 96 hours
Crustacea	EC50	Water flea ( <i>Daphnia magna</i> )	1666 mg/l, 48 hours Static test
Fish	EC50	Zebra fish (Adult <i>Brachydanio rerio</i> )	> 10000 mg/l, 96 hours

## Persistence and degradability

### Photolysis

#### Half-life (Photolysis-atmospheric)

CETYL ALCOHOL 16.7 Hours Estimated

### Biodegradability

#### Percent degradation (Aerobic biodegradation-inherent)

CETYL ALCOHOL 0.4 %, < 1 day Other degradation test system, Activated sludge  
30 - 60 %, 5 days BOD5

## Biodegradability

### Percent degradation (Aerobic biodegradation-inherent)

DL-ALPHA-TOCOPHERYL ACETATE 84 %, 28 days Modified MITI (II) Test.

### Percent degradation (Aerobic biodegradation-ready)

DL-ALPHA-TOCOPHERYL ACETATE 17 %, 28 days Manometric Respirometry Test

PHARMACEUTICAL GRADE PARAFFIN WAX < 50 %

STEARYL ALCOHOL 69 %, 28 days Closed bottle test, Mixed Residential/Industrial

## Bioaccumulative potential

### Partition coefficient n-octanol / water (log Kow)

DL-ALPHA-TOCOPHERYL ACETATE 12.2 (Calculated).

### Bioconcentration factor (BCF)

CETYL ALCOHOL > 9999 Measured

STEARYL ALCOHOL > 2000 Estimated

**Mobility in soil** No data available.

### Adsorption

#### Soil/sediment sorption - log Koc

CETYL ALCOHOL 3.58 - 4.67 Estimated

STEARYL ALCOHOL 5.27 Estimated

## Mobility in general

### Volatility

#### Henry's law

CETYL ALCOHOL 0.000073 atm m<sup>3</sup>/mol Estimated

STEARYL ALCOHOL 0.00084 atm m<sup>3</sup>/mol Estimated

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

**UN number** UN3077

**UN proper shipping name** Environmentally hazardous substances, solid, n.o.s. (OCTOCRYLENE), MARINE POLLUTANT

**Transport hazard class(es)**

**Class** 9

**Subsidiary risk** -

**Label(s)** 9

**Packing group** III

**Environmental hazards**

**Marine pollutant** Yes

**Special provisions** 8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33

Read safety instructions, SDS and emergency procedures before handling.

### IATA

**UN number** UN3077

**UN proper shipping name** Environmentally hazardous substance, solid, n.o.s. (OCTOCRYLENE)

**Transport hazard class(es)** 9

**Subsidiary class(es)** -

**Packaging group** III

**Labels required** Not available.

Environmental hazards Yes  
ERG Code 9L

**IMDG**

UN number UN3077  
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (OCTOCRYLENE), MARINE POLLUTANT

**Transport hazard class(es)**

Class 9  
Subsidiary risk -

Packing group III

**Environmental hazards**

Marine pollutant Yes


EmS F-A, S-F

274,335,966,967,969

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

DOT; IATA; IMDG



Marine pollutant



General information IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

**15. Regulatory information**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)**

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)  
Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical Yes

**Classified hazard categories** Respiratory or skin sensitization

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**  
Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**  
Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations**

**California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

MINERAL OIL U.S.P. (CAS 8042-47-5)  
PHARMACEUTICAL GRADE PETROLATUM (CAS 8009-03-8)

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 02-16-2022  
**Version #** 01  
**HMIS® ratings** Health: 2  
Flammability: 0  
Physical hazard: 0  
**NFPA ratings** Health: 2  
Flammability: 0  
Instability: 0

**Disclaimer** GlaxoSmithKline cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.