

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200) and Canada Hazardous Products Act (HPA) and the  
Hazardous Products Regulation (HPR), as amended

Issuing Date 13-Feb-2026

Revision date 13-Feb-2026

Revision Number 1

## 1. Identification

### Product identifier

Product Name Liquid Bandage

### Other means of identification

Product Code(s) 1093258

UN number or ID number UN1993

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use Liquid Bandage

Restrictions on use No information available

### Details of the supplier of the safety data sheet

Supplier Name Premier Brands of America

### Supplier Address

170 Hamilton Ave  
White Plains  
NY  
10601  
US

### Emergency telephone number

Supplier Phone Number Phone:914-667-6200

Fax:718-325-1250

24 Hour Emergency Phone Number 201-220-3291

Emergency Telephone No information available

## 2. Hazard(s) identification

### Classification of the substance or mixture

Flammable liquids	Category 2
Serious eye damage/eye irritation	Category 2A
Specific target organ toxicity (single exposure)	Category 3
Category 3 Target organ effects: Narcotic effects.	
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

**Danger****Hazard statements**

Highly flammable liquid and vapor.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
May cause damage to organs through prolonged or repeated exposure.

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Do not breathe dust.  
Ground and bond container and receiving equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.  
Use explosion-proof electrical, ventilating and lighting equipment.  
Wear protective gloves, protective clothing, eye protection and face protection.  
Keep cool.

**Precautionary Statements - Response**

Get medical advice/attention if you feel unwell.

**Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice and attention.

**Skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor if you feel unwell.

**Fire**

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.

**Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

**Hazards classified under paragraph (d)(1)(ii) of 1910.1200**

No information available.

**Other information**

May be harmful if inhaled. Causes mild skin irritation. Harmful to aquatic life.

**3. Composition/information on ingredients****Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Acetone	67-64-1	35	-	-
Ethyl acetate	141-78-6	25	-	-
Nitrocellulose	9004-70-0	20	-	-
Amyl acetate	628-63-7	8	-	-
Ethanol	64-17-5	6.05	-	-
Benzethonium chloride	121-54-0	0.2	-	-

#### 4. First-aid measures

##### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.

##### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation.
<b>Effects of Exposure</b>	May cause damage to organs through prolonged or repeated exposure.

##### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

#### 5. Fire-fighting measures

<b><u>Suitable Extinguishing Media</u></b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b><u>Specific hazards arising from the chemical</u></b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Hazardous combustion products** Carbon oxides.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** Yes.

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## **6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## **7. Handling and storage**

**Precautions for safe handling**

**Advice on safe handling** Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static

electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.

## 8. Exposure controls/personal protection

### Control Parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Acetone 67-64-1	STEL = 750 ppm TWA: 500 ppm	TWA: 1000 ppm TWA: 2400 mg/m <sup>3</sup> (vacated) TWA: 1800 mg/m <sup>3</sup> (vacated) TWA: 750 ppm (vacated) STEL: 1000 ppm (vacated) STEL: 2400 mg/m <sup>3</sup>	IDLH: 2500 ppm 10% LEL TWA: 250 ppm TWA: 590 mg/m <sup>3</sup>
Ethyl acetate 141-78-6	TWA: 400 ppm	TWA: 400 ppm TWA: 1400 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 1400 mg/m <sup>3</sup>	TWA: 400 ppm; TWA: 1400 mg/m <sup>3</sup> ; IDLH: 2000 ppm
Amyl acetate 628-63-7	TWA: 50 ppm STEL: 100 ppm	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup> (vacated) TWA: 100 ppm (vacated) TWA: 525 mg/m <sup>3</sup>	TWA: 100 ppm; TWA: 525 mg/m <sup>3</sup> ; IDLH: 1000 ppm
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>

Chemical name	Alberta	British Columbia	Ontario	Quebec
Acetone 67-64-1	TWA: 500 ppm; TWA: 1200 mg/m <sup>3</sup> ; STEL: 750 ppm; STEL: 1800 mg/m <sup>3</sup> ;	TWA: 250 ppm; STEL: 500 ppm;	TWA: 250 ppm; STEL: 500 ppm;	TWAEV: 500 ppm; TWAEV: 1190 mg/m <sup>3</sup> ; STEV: 1000 ppm; STEV: 2380 mg/m <sup>3</sup> ;
Ethyl acetate 141-78-6	TWA: 400 ppm; TWA: 1440 mg/m <sup>3</sup> ;	TWA: 150 ppm;	TWA: 400 ppm;	TWAEV: 400 ppm; TWAEV: 1440 mg/m <sup>3</sup> ;
Amyl acetate 628-63-7	TWA: 50 ppm; TWA: 266 mg/m <sup>3</sup> ; STEL: 100 ppm; STEL: 532 mg/m <sup>3</sup> ;	TWA: 50 ppm; STEL: 100 ppm;	TWA: 50 ppm; STEL: 100 ppm;	TWAEV: 50 ppm; STEV: 100 ppm;
Ethanol 64-17-5	TWA: 1000 ppm; TWA: 1880 mg/m <sup>3</sup> ;	STEL: 1000 ppm;	STEL: 1000 ppm;	STEV: 1000 ppm;

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Acetone	TWA: 250 ppm; STEL: 500 ppm;			
Ethyl acetate	TWA: 400 ppm;	TWA: 400 ppm;	TWA: 400 ppm;	TWA: 400 ppm;
Amyl acetate	TWA: 50 ppm; STEL: 100 ppm;			
Ethanol	STEL: 1000 ppm;	STEL: 1000 ppm;	STEL: 1000 ppm;	STEL: 1000 ppm;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Acetone	TWA: 500 ppm;	TWA: 250 ppm;	TWA: 500 ppm;	TWA: 1000 ppm;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
	STEL: 750 ppm;	STEL: 500 ppm;	STEL: 750 ppm;	TWA: 2400 mg/m <sup>3</sup> ; STEL: 1250 ppm; STEL: 3000 mg/m <sup>3</sup> ;
Ethyl acetate	TWA: 400 ppm; STEL: 500 ppm;	TWA: 400 ppm;	TWA: 400 ppm; STEL: 500 ppm;	TWA: 400 ppm; TWA: 1400 mg/m <sup>3</sup> ; STEL: 400 ppm; STEL: 1400 mg/m <sup>3</sup> ;
Amyl acetate	TWA: 50 ppm; STEL: 100 ppm;	TWA: 50 ppm; STEL: 100 ppm;	TWA: 50 ppm; STEL: 100 ppm;	TWA: 100 ppm; TWA: 525 mg/m <sup>3</sup> ; STEL: 150 ppm; STEL: 780 mg/m <sup>3</sup> ;
Ethanol	TWA: 1000 ppm; STEL: 1250 ppm;	STEL: 1000 ppm;	TWA: 1000 ppm; STEL: 1250 ppm;	TWA: 1000 ppm; TWA: 1900 mg/m <sup>3</sup> ; STEL: 1000 ppm; STEL: 1900 mg/m <sup>3</sup> ;

**Note** See section 16 for terms and abbreviations.

**Other information on limit values** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Biological occupational exposure limits

Chemical name	ACGIH
Acetone 67-64-1	25 mg/L - urine (Acetone) - end of shift

#### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing. Antistatic boots. Chemical resistant apron. Wear fire/flame resistant/retardant clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

## 9. Physical and chemical properties

#### Information on basic physical and chemical properties

**Physical state** Liquid  
**Color** No information available  
**Odor (includes odor threshold)** Acetic  
**Odor threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point (or initial boiling point or boiling range)	56 °C / 132.8 °F	
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	-20 °C / -4 °F	No data available
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
pH	No data available	
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	
Partition coefficient n-octanol/water (log value)	0	
Vapor pressure (includes evaporation rate)	No data available	None known
Evaporation rate	No data available	None known
Density and/or relative density	0.9	
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		None known
Particle Size	No data available	
Particle Size Distribution	No data available	
<u>Other information</u>		
Miscible	No	

## 10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	Carbon oxides.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. May cause drowsiness or dizziness. May be harmful if inhaled.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

**Skin contact** Specific test data for the substance or mixture is not available. Prolonged contact may cause redness and irritation. Causes mild skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause redness and tearing of the eyes. Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation.

**Acute toxicity** No information available.

### Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	8,904.10 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	31.00 mg/l
ATEmix (inhalation-dust/mist)	16.40 mg/l

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone	= 5800 mg/kg ( Rat )	> 15700 mg/kg ( Rabbit )	= 50100 mg/m <sup>3</sup> ( Rat ) 8 h
Ethyl acetate	= 5620 mg/kg ( Rat )	> 18000 mg/kg ( Rabbit )	= 4000 ppm ( Rat ) 4 h
Nitrocellulose	> 5 g/kg ( Rat )	-	-
Amyl acetate	= 6500 mg/kg ( Rat )	-	-
Alcohol Denatured (Ethanol)	= 7060 mg/kg ( Rat )	-	= 116.9 mg/L ( Rat ) 4 h = 133.8 mg/L ( Rat ) 4 h
Benzethonium chloride	= 295 mg/kg ( Rat )	-	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes mild skin irritation.

**Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage. Based on available data, the classification criteria are not met.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Acetone	A4 - Not classifiable as a human carcinogen	-	-	-
Nitrocellulose	-	Group 2A - Probably carcinogenic to humans	-	X
Alcohol Denatured (Ethanol)	A3 - Confirmed animal carcinogen (with unknown relevance to humans)	Group 1 - Carcinogenic to humans	Known human carcinogen	X

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	May cause drowsiness or dizziness.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Aspiration hazard</b>	No information available.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life.

### Aquatic ecotoxicity

#### Component Information

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Acetone	96h LC50: 4.74 - 6.33 mL/L (Oncorhynchus mykiss) 96h LC50: 6210 - 8120 mg/L (Pimephales promelas) 96h LC50: = 8300 mg/L (Lepomis macrochirus)	48h EC50: 10294 - 17704 mg/L (Daphnia magna) 48h EC50: 12600 - 12700 mg/L (Daphnia magna)	-	EC50 = 14500 mg/L 15 min
Ethyl acetate	96h LC50: 220 - 250 mg/L (Pimephales promelas) 96h LC50: = 484 mg/L (Oncorhynchus mykiss) 96h LC50: 352 - 500 mg/L (Oncorhynchus mykiss)	48h EC50: = 560 mg/L (Daphnia magna)	-	EC50 = 1180 mg/L 5 min EC50 = 1500 mg/L 15 min EC50 = 5870 mg/L 15 min EC50 = 7400 mg/L 2 h
Amyl acetate	96h LC50: = 650 mg/L (Lepomis macrochirus)	-	-	-
Alcohol Denatured (Ethanol)	96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas)	48h LC50: 9268 - 14221 mg/L (Daphnia magna) 48h EC50: = 2 mg/L (Daphnia magna)	-	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min

### Terrestrial ecotoxicity

#### Component Information

Chemical name	Earthworm	Avian	Honeybees
Acetone	Acute Toxicity: LC50 200 - 1000 µg/cm <sup>2</sup> (Eisenia foetida, 48 h filter paper)	Dietary Toxicity: LC50 > 40000 ppm (Phasianus colchicus, 5 Days) Dietary Toxicity: LC50 > 40000 ppm (Coturnix coturnix japonica, 5 Days)	-
Alcohol Denatured (Ethanol)	Acute Toxicity: LC50 0.1 - 1 mg/cm <sup>2</sup> (Eisenia foetida, 48 h filter paper)	-	-

**Persistence and degradability** No information available.

**Bioaccumulative potential**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Acetone	-0.24	0.69	-
Ethyl acetate	0.73	30	-
Alcohol Denatured (Ethanol)	-0.35	-	-
Benzethonium chloride	1.08	-	-

**Mobility in soil** No information available.

**Other adverse effects** No information available.

**13. Disposal considerations**

**Disposal methods**

- Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
- Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
- California waste information** This product contains one or more substances that are listed with the State of California as a hazardous waste.

**14. Transport information**

**DOT**

- UN number or ID number** UN1993
- Proper shipping name** FLAMMABLE LIQUIDS, N.O.S.
- Transport hazard class(es)** 3
- Packing group** II
- Reportable quantity (lbs)** Acetone: RQ (lb)= 5000.00, Ethyl acetate: RQ (lb)= 5000.00
- Reportable quantity (lbs) (calculated)** Acetone: RQ (lb)= 14286.00, Ethyl acetate: RQ (lb)= 20000.00
- Reportable quantity (kg)** (Acetone: RQ (kg)= 2270.00, Ethyl acetate: RQ (kg)= 2270.00)
- Reportable quantity (kg) (calculated)** Acetone: RQ (kg)= 6485.71, Ethyl acetate: RQ (kg)= 9080.00
- DOT Marine Pollutant** NP
- Description** UN1993, FLAMMABLE LIQUIDS, N.O.S., 3, II, Limited Quantity
- Special Provisions** IB2, T7, TP1, TP8, TP28
- Emergency Response Guide Number** 128

**TDG**

- UN number or ID number** UN1993
- UN proper shipping name** FLAMMABLE LIQUID, N.O.S.
- Transport hazard class(es)** 3

**Packing group** II  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S., 3, II, Limited Quantity

**MEX**

**UN number or ID number** UN1993  
**UN proper shipping name** FLAMMABLE LIQUID, N.O.S.  
**Transport hazard class(es)** 3  
**Packing group** II  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S., 3, II  
**Special Provisions** 274

**ICAO (air)**

**UN number or ID number** UN1993  
**UN proper shipping name** FLAMMABLE LIQUID, N.O.S.  
**Transport hazard class(es)** 3  
**Packing group** II  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S., 3, II, Limited Quantity  
**Special Provisions** A3

**IATA**

**UN number or ID number** UN1993  
**UN proper shipping name** FLAMMABLE LIQUID, N.O.S.  
**Technical Name** Acetone, Ethyl acetate  
**Transport hazard class(es)** 3  
**Packing group** II  
**Environmental hazards** No  
**ERG Code** 3H  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S., 3, II, Limited Quantity

**IMDG**

**UN number or ID number** UN1993  
**UN proper shipping name** FLAMMABLE LIQUID, N.O.S.  
**Technical Name** Acetone, Ethyl acetate  
**Transport hazard class(es)** 3  
**Packing group** II  
**Marine pollutant indicator** NP  
**EmS-No.** F-E, S-E  
 Underlined EMS codes indicate additional advice is given in the emergency response procedures  
**Description** UN1993, FLAMMABLE LIQUID, N.O.S., 3, II, Limited Quantity

## 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

#### International Inventories

**TSCA** Contact supplier for inventory compliance status.

**DSL/NDSL** Contact supplier for inventory compliance status.

**EINECS/ELINCS** Contact supplier for inventory compliance status.

**ENCS** Contact supplier for inventory compliance status.

<b>IECSC</b>	Contact supplier for inventory compliance status.
<b>KECL</b>	Contact supplier for inventory compliance status.
<b>PICCS</b>	Contact supplier for inventory compliance status.
<b>AIIC</b>	Contact supplier for inventory compliance status.
<b>NZIoC</b>	Contact supplier for inventory compliance status.
<b>TCSI</b>	Contact supplier for inventory compliance status.

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing Chemicals Inventory  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals  
**TCSI** - Taiwan Chemical Substance Inventory

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Amyl acetate	5000 lb	-	-	X

**CAA (Clean Air Act)**

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Acetone	5000 lb	-
Ethyl acetate	5000 lb	-
Amyl acetate	5000 lb	-

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical name	California Proposition 65
Alcohol Denatured (Ethanol)	Carcinogen Developmental

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Acetone	X	X	X

Ethyl acetate	X	X	X
Nitrocellulose	X	X	X
Amyl acetate	X	X	X
Alcohol Denatured (Ethanol)	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. Other information**

**NFPA** Health hazards 2 Flammability 3 Instability 0 Special hazards -  
**HMIS** Health hazards 2\* Flammability 3 Physical hazards 0 Personal protection X  
 Chronic Hazard Star Legend \* = Chronic Health Hazard

**Key or legend to abbreviations and acronyms used in the safety data sheet**

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate

NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

**Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 U.S. Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AELG(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications

International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program

International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set

United Nations World Health Organization (WHO)

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501.

**Issuing Date** 13-Feb-2026

**Revision date** 13-Feb-2026

**Revision Note** No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**