



SAFETY DATA SHEET

1. Identification

Product identifier	SENSODYNE EXTRA WHITENING COOL MINT
Other means of identification	
Product code	MFC05684
Synonyms	MFC05684
Recommended use	Consumer Healthcare Product Oral Care This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.
Recommended restrictions	No other uses are advised.
Manufacturer/Importer/Supplier/Distributor information	

COMPANY NAME	GlaxoSmithKline US
Address:	5 Moore Drive Research Triangle Park, NC 27709 USA
Telephone:	+1-888-825-5249 (General Inquiries)
Email:	msds@gsk.com
Website:	www.gsk.com

EMERGENCY CONTACTS

Telephone:	VERISK 3E GLOBAL INCIDENT RESPONSE +(1) 760 476 3971 (In country) +(1) 760 476 3962 or +(1) 866 519 4752 (International) 24/7; multi-language response
Contract Number:	334878

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life.

Precautionary statement**Prevention**

Avoid breathing mist/vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.

Response

If on skin: Wash with plenty of water/. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage

Not available.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

44.2% of the mixture consists of component(s) of unknown acute oral toxicity. 47.2% of the mixture consists of component(s) of unknown acute dermal toxicity. 57.2% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 57.2% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SILICA, AMORPHOUS HYDRATED	SILICON DIOXIDE HYDRATE SILICA, HYDRATE HYDRATED AMORPHOUS SILICA Zeodent 113 Zeodent 153	10279-57-9	21
GLYCERIN	GLYCEROL GLYCERIN ANHYDROUS GLYCERINE GLYCERITOL GLYCYL ALCOHOL 1,2,3-PROPANETRIOL PROPANETRIOL GLYROL GLYSANIN TRIHIDROXYPROPANE 1,2,3-TRIHIDROXYPROPANE OSMOGLYN	56-81-5	10
POTASSIUM NITRATE	NITRIC ACID POTASSIUM SALT NITRIC ACID POTASSIUM SALT (1:1)	7757-79-1	5
SODIUM TRIPOLYPHOSPHATE	TRIPHOSPHORIC ACID, PENTASODIUM SALT PENTASODIUM TRIPHOSPHATE PENTASODIUM TRIPOLYPHOSPHATE SODIUM TRIPHOSPHATE SODIUM POLYPHOSPHATE SODIUM PHOSPHATE	7758-29-4	5

Chemical name	Common name and synonyms	CAS number	%
POLYETHYLENE GLYCOL (LIQUID)	ALPHA-HYDRO-OMEGA-HYDROXY-PO LY(OXY-1,2-ETHANEDIYL) ETHYLENE GLYCOL HOMOPOLYMER ETHYLENE GLYCOL POLYMER GLYCOLS, POLYETHYLENE PEG PEG 1000 PEG 1450 PEG 200 PEG 300 PEG 400 PEG 4000 PEG 600 PEG 6000 POLY(ETHYLENE ETHER)GLYCOL POLY(OXY-1,2-ETHANEDIYL), .ALPHA.-HYDRO.-OMEGA. POLYETHYLENE GLYCOL POLYETHYLENE GLYCOL 1000 POLYETHYLENE GLYCOL 1450 POLYETHYLENE GLYCOL 200 POLYETHYLENE GLYCOL 300 POLYETHYLENE GLYCOL 400 POLYETHYLENE GLYCOL 4000 POLYETHYLENE GLYCOL 600 POLYETHYLENE GLYCOL 6000 POLYETHYLENGLYKOLE (PEG) (MOLMASSE 200-600) RTECS TQ3630000	25322-68-3	3
OPTAMINT COLORADO FLAVOUR	OPTAMINT COLORADO 731546	Mixture	1.4
COCOAMIDOPROPYL BETAINE	COCOAMIDO BETAINE N-(COCO ALKYL) AMIDO PROPYL DIMETHYL BETAINE COCONUT OIL AMIDOPROPYL BETAIN E 1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DI M 1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DI METHYL-, N-COCO ACYL DERIVATIVES, HYDROXIDES, INNER SALTS 1-PROPANAMINIUM,3-AMINO-N-(CARB OXYMETHYL)-N,N-DIMETHYL-,N-COCO ACYL DERIVS.,HYDROXIDES,INNER SALTS Tego Betain CK D	61789-40-0	1.2
SODIUM METHYL COCOYL TAURATE	TAURANOL WS-HP SODIUM N-COCOYL N-METHYL TAURATE TAURINE, N-METHYL-N-OLEOYL, SODIUM SALT ADINOL T IGEPON T-43 IGEPON T-71 IGEPON T-73 IGEPON T-77 IGEPON T IGEPON T-51 IGEPON T-33 IGEPON TE METAUPON PASTE OLEOYL METHYL TAURIDE SODIUM 2-(N-METHYL OLEAMIDO)ETHANE-1-SULFONATE SODIUM OLEOYLMETHYLTAURIDE	61791-42-2	0.8

Chemical name	Common name and synonyms	CAS number	%
XANTHAN GUM	ACTIGUM CX 9 BIOPOLYMER XB-23 XANTHAN GUM BIOZAN R ENORFLO X FLOCON 1035 GALAXY XB KELFLO KELTROL (GUM) KELZAN KENTROL POLYSACCHARIDE B 1459 RHODOPOL 23 XANFLOOD XANTHOMONAS GUM	11138-66-2	0.7
SODIUM HYDROXIDE	CAUSTIC SODA LYE SODIUM HYDRATE HIDROXIDO SODICO HIDRÓXIDO DE SÓDIO CAUSTIC SODA SOLUTION Caustic soda (as NaOH) Soda lye Soda, caustic	1310-73-2	0.65
TITANIUM DIOXIDE	TITANIUM OXIDE TITANIUM(IV) OXIDE TITANIUM PEROXIDE (TiO ₂) PIGMENT WHITE 6	13463-67-7	0.6
SODIUM FLUORIDE	SODIUM MONOFLUORIDE NATURAL VILLIAUMITE	7681-49-4	0.3152
SUCRALOSE	MICRONIZED SUCRALOSE POWDERED SUCRALOSE NEAT SUCRALOSE	56038-13-2	0.04
Other components below reportable levels			50.2948

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Dry powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

GSK

Components	Type	Value	Form
COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)	OHC	1	>1000 - ≤5000 mcg/m3
	PDE	3000 mcg/day 10000 mcg/day	Parenteral, Inhalation Oral, Dermal
OPTAMINT COLORADO FLAVOUR	OHC	3	>10 - ≤100 mcg/m3 SKIN SENSITISER
POTASSIUM NITRATE (CAS 7757-79-1)	OHC	3	>10 - ≤100 mcg/m3 PROVISIONAL
SODIUM METHYL COCOYL TAURATE (CAS 61791-42-2)	OHC	3	>10 - ≤100 mcg/m3
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)	OHC	1	
SUCRALOSE (CAS 56038-13-2)	OHC	1	
XANTHAN GUM (CAS 11138-66-2)	OHC	1	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3 15 mg/m3	Respirable fraction. Total dust.
SODIUM FLUORIDE (CAS 7681-49-4)	PEL	2.5 mg/m3	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
SODIUM HYDROXIDE (CAS 1310-73-2)	PEL	2 mg/m3	
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.

US. OSHA Table Z-2 (29 CFR 1910.1000)

Components	Type	Value	Form
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3	Dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
SILICA, AMORPHOUS HYDRATED (CAS 10279-57-9)	TWA	0.8 mg/m3	
		20 mppcf	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3
SODIUM HYDROXIDE (CAS 1310-73-2)	Ceiling	2 mg/m3
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
SILICA, AMORPHOUS HYDRATED (CAS 10279-57-9)	TWA	6 mg/m3
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3
SODIUM HYDROXIDE (CAS 1310-73-2)	Ceiling	2 mg/m3

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
POLYETHYLENE GLYCOL (LIQUID) (CAS 25322-68-3)	TWA	10 mg/m3	Aerosol.

Biological limit values
ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
SODIUM FLUORIDE (CAS 7681-49-4)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection	If contact is likely, safety glasses with side shields are recommended.
Skin protection	
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties**Appearance**

Physical state	Liquid.
Form	Liquid. Paste.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
--	----------------

Auto-ignition temperature	Not available.
----------------------------------	----------------

Decomposition temperature	Not available.
----------------------------------	----------------

Viscosity	Not available.
------------------	----------------

Other information

Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	32.2 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.

Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Chlorine. Fluorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction.

Information on toxicological effects

Acute toxicity Not known.

Components	Species	Test Results
COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)		
<u>Acute</u>		
Oral		
LD50	Mouse	> 2000 mg/kg
GLYCERIN (CAS 56-81-5)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
POLYETHYLENE GLYCOL (LIQUID) (CAS 25322-68-3)		
<u>Acute</u>		
Oral		
LD50	Rat	> 20 g/kg
SODIUM FLUORIDE (CAS 7681-49-4)		
<u>Acute</u>		
Oral		
LD50	Rat	51.6 mg/kg
SODIUM HYDROXIDE (CAS 1310-73-2)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	1350 mg/kg
Oral		
LD50	Rat	104 - 340 mg/kg
SODIUM METHYL COCOYL TAURATE (CAS 61791-42-2)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)		
<u>Acute</u>		
Oral		
LD50	Rat	3120 mg/kg

Components	Species	Test Results
SUCRALOSE (CAS 56038-13-2)		
<u>Acute</u>		
Oral		
LD50	Rat	10000 mg/kg
TITANIUM DIOXIDE (CAS 13463-67-7)		
<u>Acute</u>		
Inhalation		
LC50	Rat	6820 mcg/m3
Oral		
LD50	Rat	> 5000 mg/kg > 24 g/kg
<u>Chronic</u>		
Inhalation		
LOEC	Rat	8.6 mg/m3, 1 years TiO2 accumulated in interstitial macrophages, aggregated interstitial cells and particle laden macrophrages in lymphoid tissue.
NOAEC	Rat	250 mg/m3, 2 years Highest dose 5 mg/m3, 24 months
<u>Subacute</u>		
Inhalation		
LOEL	Rat	0.1 - 35 mg/m3, 4 weeks Mild macrophage hyperplasia, no change in bronchio-alveolar lavage fluid.
NOAEC	Guinea pig	26 mg/m3, 3 weeks No evidence of significant inflammation in respiratory tract.
Oral		
NOAEL	Rat	100000 ppm, 14 Day Dietary study, highest dose tested.
<u>Subchronic</u>		
Inhalation		
LOEC	Rat	3.2 - 20 mg/m3, 8 min Accumulation of TiO2 in macrophages and evidence of pulmonary inflammation.
XANTHAN GUM (CAS 11138-66-2)		
<u>Acute</u>		
Inhalation		
LC50	Rat	> 21 mg/l, 1 hour exposure
Oral		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Corrosivity		
SODIUM HYDROXIDE		Literature search Result: Causes severe burns.
Irritation Corrosion - Skin		
TITANIUM DIOXIDE		0, Literature data Result: Non-irritant Species: Guinea pig 0, Literature data Result: Non-irritant Species: Human Acute dermal irritation; OECD 404, Literature data Result: Non-irritant Species: Rabbit
Irritation Corrosion - Skin: P.I.I. value		
SUCRALOSE		0

Serious eye damage/eye irritation Causes serious eye irritation.

Eye

SODIUM METHYL COCOYL TAURATE

Acute ocular irritation; OECD 405, ECHA
Result: Irritant
Species: Rabbit
Literature search
Result: Causes severe burns.
OECD 405, Literature data
Result: Mild irritant
Species: Rabbit

SODIUM HYDROXIDE

TITANIUM DIOXIDE

Eye / Kay and Calandra class - Intact

SUCRALOSE

4

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

May cause an allergic skin reaction.

Sensitization

TITANIUM DIOXIDE

5 % Optimisation Test, Literature data - Vehicle: petrolatum
Result: Negative
Species: Guinea pig
Test Duration: 48 hour exposure
Patch test, Literature data
Result: Negative
Species: Human

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

TITANIUM DIOXIDE

Ames, Literature data
Result: Negative
Micronucleus Assay in vitro, CHO cells, Literature data
Result: Negative
Micronucleus Assay in vitro, cultured human peripheral lymphocytes, Literature data
Result: Positive
Syrian Hamster Embryo (SHE) cell transformation assay
Result: Negative
WIL2-NS HPRT/ t-Thioguanidine - Human B-Cell lymphoblastoid, Literature data
Result: Positive

Carcinogenicity

Carcinogenic effects are not expected as a result of occupational exposure. Contains a material (Titanium dioxide, Potassium nitrate) classified as a carcinogen by external agencies.

TITANIUM DIOXIDE

0.5 mg/m3, Literature data
Result: Negative
Species: Rat
Test Duration: 24 months
0.72 - 14.8 mg/m3, Literature data
Result: Negative
Species: Mouse
10 - 250 mg/m3, Dietary study - Literature data.
Result: Inflammation at all doses with alveolar/bronchiolar adenoma at the highest concentration.
Species: Rat
Test Duration: 24 months
25000 - 50000 ppm, Dietary study - Literature data.
Result: Negative
Species: Rat
25000 - 50000 ppm, Dietary study
Result: Negative
Species: Mouse
7.2 - 14.8 mg/m3, Literature data
Result: Lung tumour
Species: Rat
Test Duration: 24 months

IARC Monographs. Overall Evaluation of Carcinogenicity

POTASSIUM NITRATE (CAS 7757-79-1)	2A Probably carcinogenic to humans.
SILICA, AMORPHOUS HYDRATED (CAS 10279-57-9)	3 Not classifiable as to carcinogenicity to humans.
SODIUM FLUORIDE (CAS 7681-49-4)	3 Not classifiable as to carcinogenicity to humans.
TITANIUM DIOXIDE (CAS 13463-67-7)	2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	Harmful to aquatic life.
--------------------	--------------------------

Components		Species	Test Results
COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)			
Aquatic			
Acute			
Algae	EC50	Green algae (Scenedesmus subspicatus)	0.55 mg/l, 96 hours
	NOEC	Green algae (Scenedesmus subspicatus)	0.09 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	6.5 mg/l, 48 hours
	NOEC	Water flea (Daphnia magna)	1.6 mg/l, 48 hours
Fish	EC50	Zebra fish (Adult Brachydanio rerio)	2 mg/l, 96 hours semi-static test conditions
	NOEC	Zebra fish (Adult Brachydanio rerio)	1.7 mg/l, 96 hours semi-static test conditions
Microtox	MIC	Pseudomonas	> 3000 mg/l, 16 hours
Chronic			
Crustacea	LOEC	Water flea (Daphnia magna)	3.6 mg/l, 21 days
	NOEC	Water flea (Daphnia magna)	0.9 mg/l, 21 days
POLYETHYLENE GLYCOL (LIQUID) (CAS 25322-68-3)			
Aquatic			
Acute			
Fish	LC50	Atlantic salmon (Salmo salar)	> 1000 mg/l, 96 hours
		Crucian carp (Carassius carassius)	> 20000 mg/l, 96 hours
		Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 20000 mg/l, 96 hours
POTASSIUM NITRATE (CAS 7757-79-1)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	490 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	420 mg/l, 96 hours Static test
		Guppy (Juvenile Poecilia reticulata)	180 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	22.5 mg/l, 96 hours Static test

Components		Species	Test Results
SODIUM FLUORIDE (CAS 7681-49-4)			
<i>Acute</i>			
	IC50	Activated sludge	2930 mg/L, 3 hours
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	272 mg/L, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	340 mg/L, 48 hours Static test
Fish	EC50	Fathead minnow (Juvenile Pimephales promelas)	180 mg/L, 96 hours Static renewal test
		Mosquito fish (Adult Gambusia affinis)	418 mg/L, 96 hours Static test
		Rainbow trout (Juvenile Oncorhynchus mykiss)	108 mg/L, 96 hours Static test
SODIUM HYDROXIDE (CAS 1310-73-2)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Mosquito fish (Adult Gambusia affinis)	125 mg/l, 96 hours Static test
		Rainbow trout (Adult Oncorhynchus mykiss)	45.4 mg/l, 96 hours Static test
SODIUM METHYL COCOYL TAURATE (CAS 61791-42-2)			
<i>Acute</i>			
	IC50	Activated sludge	> 3200 mg/l, 3 hours Nominal
	NOEC	Activated sludge	100 mg/l, 3 hours Nominal
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	14 mg/l, 48 hours Nominal
	NOEC	Water flea (Daphnia magna)	10 mg/l, 48 hours Nominal
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)			
<i>Acute</i>			
	IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	60 - 120 mg/l
Crustacea	EC50	Water flea (Daphnia magna)	1089 mg/l, 50 hours
Fish	EC50	Golden ide/orfe (Adult Leuciscus idus)	1650 mg/l, 48 hours
		Orange-red killfish (Adult Oryzias latipes)	590 mg/l, 48 hours Static test
SUCRALOSE (CAS 56038-13-2)			
<i>Acute</i>			
	IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/l, 48 hours Static test
	NOEC	Water flea (Daphnia magna)	100 mg/l, 48 hours Static test
TITANIUM DIOXIDE (CAS 13463-67-7)			
Aquatic			
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours Static test

Components	Species	Test Results
XANTHAN GUM (CAS 11138-66-2)		
Aquatic		
Acute		
Fish	EC50	Rainbow trout (Adult Oncorhynchus mykiss)
		420 mg/l, 96 hours Static test
Persistence and degradability		
Biodegradability		
Percent degradation (Aerobic biodegradation-inherent)		
COCOAMIDOPROPYL BETAINE		97 %, 28 days Modified Zahn-Wellens, DOC removal., Activated sludge
		99 %, 28 days Modified Zahn-Wellens, DOC removal., Activated sludge
SODIUM METHYL COCOYL TAURATE		100 %, 28 days Modified Zahn-Wellens, Activated sludge
SUCRALOSE		1 %, 28 days Modified Zahn-Wellens, Activated sludge
Percent degradation (Aerobic biodegradation-ready)		
COCOAMIDOPROPYL BETAINE		100 %, 20 Days Modified Sturm test., Activated sludge
		84 %, 30 days Closed bottle test, Activated sludge
Bioaccumulative potential		
Partition coefficient n-octanol / water (log Kow)		
GLYCERIN		-1.76
Bioconcentration factor (BCF)		
SODIUM FLUORIDE		2.3 Measured
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal considerations		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
Local disposal regulations	Dispose in accordance with all applicable regulations.	
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		
DOT		
Not regulated as a dangerous good.		
Read safety instructions, SDS and emergency procedures before handling.		
IATA		
Not regulated as dangerous goods.		
IMDG		
Not regulated as dangerous goods.		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.	
15. Regulatory information		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substances Control Act (TSCA)		

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SODIUM FLUORIDE (CAS 7681-49-4) Listed.

SODIUM HYDROXIDE (CAS 1310-73-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical

Classified hazard categories Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
POTASSIUM NITRATE	7757-79-1	5

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Contains component(s) regulated under the Safe Drinking Water Act.**FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace**

GLYCERIN (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

US state regulations**California Proposition 65**

WARNING: This product can expose you to TITANIUM DIOXIDE, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

SODIUM HYDROXIDE (CAS 1310-73-2)

TITANIUM DIOXIDE (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	10-05-2021
Version #	01
HMIS® ratings	Health: 1* Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
Disclaimer	GlaxoSmithKline cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.