

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

SECTION 1. IDENTIFICATION

Product name : ESSIE NAIL POLISH

Formula Center Reference : G2014379

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
133, Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Eye irritation : Category 2A

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 3 (Central nervous system)
- single exposure

GHS label elements

Hazard pictograms :



SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H361 Suspected of damaging fertility or the unborn child.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read label before use.

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing mist or vapors.
P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
ETHYL ACETATE	141-78-6	>= 30 - < 50
BUTYL ACETATE	123-86-4	>= 20 - < 30
NITROCELLULOSE	9004-70-0	>= 10 - < 20
TRIMETHYL PENTANYL DIISOBUTYRATE	6846-50-0	>= 3 - < 5
ISOPROPYL ALCOHOL	67-63-0	>= 3 - < 5
TITANIUM DIOXIDE	13463-67-7	>= 3 - < 5
MICA	12001-26-2	>= 1 - < 3

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
Consult a physician after significant exposure.
- In case of skin contact : Get medical attention if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
May cause drowsiness or dizziness.
Suspected of damaging fertility or the unborn child.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

- Hazardous combustion products : No hazardous combustion products are known.
- Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Use only explosion-proof equipment.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid contact with eyes.
Avoid formation of aerosol.
Avoid exposure - obtain special instructions before use.
For personal protection see section 8.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
- Further information on storage stability : No decomposition if stored and applied as directed.
-

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version
1.0

Revision Date:
06/03/2024

SDS Number:
30-81-
410000001297

Date of last issue: -
Date of first issue: 06/03/2024

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ETHYL ACETATE	141-78-6	TWA	400 ppm	ACGIH
		TWA	400 ppm 1,400 mg/m ³	NIOSH REL
		TWA	400 ppm 1,400 mg/m ³	OSHA Z-1
		TWA	400 ppm 1,400 mg/m ³	OSHA P0
BUTYL ACETATE	123-86-4	TWA	150 ppm 710 mg/m ³	NIOSH REL
		ST	200 ppm 950 mg/m ³	NIOSH REL
		TWA	150 ppm 710 mg/m ³	OSHA Z-1
		STEL	200 ppm 950 mg/m ³	OSHA P0
		TWA	150 ppm 710 mg/m ³	OSHA P0
		TWA	50 ppm	ACGIH
		STEL	150 ppm	ACGIH
ISOPROPYL ALCOHOL	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		ST	500 ppm 1,225 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	NIOSH REL
		TWA	400 ppm 980 mg/m ³	OSHA Z-1
		TWA	400 ppm 980 mg/m ³	OSHA P0
TITANIUM DIOXIDE	13463-67-7	STEL	500 ppm 1,225 mg/m ³	OSHA P0
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA	10 mg/m ³ (Titanium dioxide)	ACGIH
MICA	12001-26-2	TWA (Respirable particulate matter)	0.1 mg/m ³	ACGIH
		TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	3 mg/m ³	NIOSH REL

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
ISOPROPYL ALCOHOL	67-63-0	Acetone	Urine	End of shift at end of work-week	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Safety glasses

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : Shaded

Melting point/freezing point : No data available

Boiling point/boiling range : > 95 °F / > 35 °C

Flash point : 39.2 °F / 4.0 °C
Method: ISO 3679

Fire Point : < 100 °C
Method:ISO 2592

Flammability (liquids) : Sustains combustion

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Upper explosion limit / Upper flammability limit : 11.5 %(V)
(for a component of this mixture)

Lower explosion limit / Lower flammability limit : 2 %(V)
(for a component of this mixture)

Vapor pressure : 10.3 hPa (70 °F / 21 °C)
(for a component of this mixture)

Relative vapor density : No data available

Relative density : 0.993 - 0.999 (68 °F / 20 °C)

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : 1472 °F / 800 °C
(for a component of this mixture)

Decomposition temperature : Not applicable

Viscosity
Viscosity, kinematic : No data available

Dust explosion class : Not applicable

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Not applicable

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

ETHYL ACETATE:

Acute oral toxicity : LD50 (Rabbit, male and female): 4,934 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LCLo (Rat, male and female): > 6,000 mg/l
Exposure time: 6 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male): > 20,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

BUTYL ACETATE:

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat, male and female): 0.74 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 14,000 mg/kg
Method: OECD Test Guideline 402

NITROCELLULOSE:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

TRIMETHYL PENTANYL DIISOBUTYRATE:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LCLo (Rat): > 0.12 mg/l
Exposure time: 6 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Assessment: The substance or mixture has no acute dermal toxicity

ISOPROPYL ALCOHOL:

Acute oral toxicity : LD50 (Rat): 5.48 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 10000 ppm
Exposure time: 6 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): 16,400 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

ETHYL ACETATE:

Species : Rabbit
Result : No skin irritation

BUTYL ACETATE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

TRIMETHYL PENTANYL DIISOBUTYRATE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

ISOPROPYL ALCOHOL:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Product:

Remarks : May irritate eyes.

Components:

ETHYL ACETATE:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405

BUTYL ACETATE:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

TRIMETHYL PENTANYL DIISOBUTYRATE:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

ISOPROPYL ALCOHOL:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

ETHYL ACETATE:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

BUTYL ACETATE:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

TRIMETHYL PENTANYL DIISOBUTYRATE:

Routes of exposure : Skin contact
Species : Humans
Result : Does not cause skin sensitization.

ISOPROPYL ALCOHOL:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

ETHYL ACETATE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

BUTYL ACETATE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

TRIMETHYL PENTANYL DIISOBUTYRATE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

ETHYL ACETATE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

BUTYL ACETATE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ETHYL ACETATE:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 230 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,090 mg/l
Exposure time: 24 h
Method: DIN 38412
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 5,600 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 75.6 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.4 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

BUTYL ACETATE:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 18 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 397 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 23.2 mg/l
Exposure time: 12 d
Method: OECD Test Guideline 211

NITROCELLULOSE:

- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 730 mg/l
Exposure time: 96 h

TRIMETHYL PENTANYL DIISOBUTYRATE:

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

- Toxicity to fish : NOEC (Lepomis macrochirus (Bluegill sunfish)): ≥ 6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.46 mg/l
Exposure time: 48 h
Method: Regulation (EC) No. 440/2008, Annex, C.2
Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 7.49 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.7 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

ISOPROPYL ALCOHOL:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): $> 10,000$ mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202
- Toxicity to fish (Chronic toxicity) : NOELR (Danio rerio (zebra fish)): $> 1,000$ mg/l
Exposure time: 28 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): $> 1,000$ mg/l
Exposure time: 21 d

Persistence and degradability

Components:

ETHYL ACETATE:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 69 %
Exposure time: 15 d

BUTYL ACETATE:

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 96 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

NITROCELLULOSE:

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Biodegradability : Biodegradation: 20 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

TRIMETHYL PENTANYL DIISOBUTYRATE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 70.73 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

ISOPROPYL ALCOHOL:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 53 %
Exposure time: 5 d

Bioaccumulative potential

Components:

ETHYL ACETATE:

Bioaccumulation : Bioconcentration factor (BCF): 30

BUTYL ACETATE:

Bioaccumulation : Bioconcentration factor (BCF): 15

TRIMETHYL PENTANYL DIISOBUTYRATE:

Bioaccumulation : Bioconcentration factor (BCF): 1.95
Method: OECD Test Guideline 305

ISOPROPYL ALCOHOL:

Partition coefficient: n-octanol/water : log Pow: 0.05
pH: 7

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste Code : D001: Ignitability

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Send to a licensed waste management company.

Contaminated packaging : Dispose of as unused product.
Do not reuse empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

UN/ID/NA number : UN 1266

Proper shipping name : Perfumery products

Class : 3

Packing group : II

Labels : FLAMMABLE LIQUID

ERG Code : 127

Marine pollutant : no

International Regulations

IATA-DGR

UN/ID No. : UN 1266

Proper shipping name : Perfumery products

Class : 3

Packing group : II

Labels : Flammable Liquids

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

Packing instruction (cargo aircraft) : 364

Packing instruction (passenger aircraft) : 353

IMDG-Code

UN number : UN 1266

Proper shipping name : PERFUMERY PRODUCTS

Class : 3

Packing group : II

Labels : 3

EmS Code : F-E, S-D

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Materials packaged as a finished good may be offered as ID8000, Consumer Commodity by IATA.
Materials may be offered as a limited quantity when in containers of 5 liters or less, except for IATA.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
ETHYL ACETATE	141-78-6	100	100 (F003)

A characteristic waste RQ of 100 lbs applies to this product in a waste form: D001

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Reproductive toxicity
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

ISOPROPYL 67-63-0 $\geq 1 - < 5 \%$
ALCOHOL

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated)

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version 1.0 Revision Date: 06/03/2024 SDS Number: 30-81-410000001297 Date of last issue: -
Date of first issue: 06/03/2024

OSHA Z-1	: values)
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / STEL	: 8-hour, time-weighted average
NIOSH REL / TWA	: Short-term exposure limit
NIOSH REL / ST	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA P0 / STEL	: 8-hour time weighted average
OSHA Z-1 / TWA	: Short-term exposure limit
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific

SAFETY DATA SHEET

ESSIE NAIL POLISH

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/03/2024	30-81- 410000001297	Date of first issue: 06/03/2024

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 06/03/2024

US / EN