

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200) and Canada Hazardous Products Act (HPA) and the  
Hazardous Products Regulation (HPR), as amended

Issuing Date 08-Jan-2026

Revision date 09-Apr-2025

Revision Number 1

## 1. Identification

### Product identifier

Product Name 430100 MINI GLAM CUBE GLITTER BALM ASST

### Other means of identification

Product Code(s) 1848433

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use Cosmetic Concealer (Solid)

Restrictions on use No information available

### Details of the supplier of the safety data sheet

Supplier Name MGA Entertainment Inc.

### Supplier Address

9220 Winnetka Ave  
Chatsworth  
CA  
CA 91311  
US

### Emergency telephone number

Supplier Phone Number Phone:(800) 2224685  
Fax:(818) 2214409

24 Hour Emergency Phone Number (800) 2224685

Emergency Telephone No information available

## 2. Hazard(s) identification

### Classification of the substance or mixture

Skin corrosion/irritation	Category 2
Aspiration hazard	Category 1

### Label elements



**Danger**

**Hazard statements**

Causes skin irritation.  
May be fatal if swallowed and enters airways.

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.  
Wear protective gloves.

**Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label).

**Skin**

IF ON SKIN: Wash with plenty of water and soap.  
If skin irritation occurs: Get medical advice and attention.  
Take off contaminated clothing and wash it before reuse.

**Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
Do NOT induce vomiting.

**Precautionary Statements - Storage**

Store locked up.

**Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

**Hazards classified under paragraph (d)(1)(ii) of 1910.1200**

No information available.

**Other information**

No information available.

**3. Composition/information on ingredients**

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Polybutene	9003-29-6	10	-	-
Silicon Dioxide - hydrated	7631-86-9	3.5	-	-
Paraffin waxes and Hydrocarbon waxes	8002-74-2	2.48	-	-
Titanium dioxide	13463-67-7	1.3	-	-

**4. First-aid measures**

**Description of first aid measures**

**General advice**

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

<b>Inhalation</b>	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Erythema (skin redness). May cause redness and tearing of the eyes.
<b>Effects of Exposure</b>	No information available.

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.
---------------------------	---

**5. Fire-fighting measures**

<b><u>Suitable Extinguishing Media</u></b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b><u>Specific hazards arising from the chemical</u></b>	No information available.
<b>Hazardous combustion products</b>	Carbon oxides.
<b><u>Explosion data</u></b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b><u>Special protective equipment and precautions for fire-fighters</u></b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal
-----------------------------	--

protective equipment as required.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**7. Handling and storage**

**Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from other materials.

**8. Exposure controls/personal protection**

**Control Parameters**

**Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Silicon Dioxide - hydrated 7631-86-9	10 mg/m <sup>3</sup>	20 mppcf TWA; ((80))/(% SiO <sub>2</sub> ) mg/m <sup>3</sup> )	TWA: 6 mg/m <sup>3</sup> ; IDLH: 3000 mg/m <sup>3</sup>
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m <sup>3</sup> fume	(vacated) TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> ; fume
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>

Chemical name	Alberta	British Columbia	Ontario	Quebec
Paraffin waxes and Hydrocarbon waxes 8002-74-2	TWA: 2 mg/m <sup>3</sup> ; fume	TWA: 2 mg/m <sup>3</sup> ; fume	TWA: 2 mg/m <sup>3</sup> ; fume	TWAEV: 2 mg/m <sup>3</sup> ; fume
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup> ;	TWA: 10 mg/m <sup>3</sup> ; total dust TWA: 3 mg/m <sup>3</sup> ; respirable fraction	TWA: 10 mg/m <sup>3</sup> ;	TWAEV: 10 mg/m <sup>3</sup> ; total dust

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Paraffin waxes and Hydrocarbon waxes	TWA: 2 mg/m <sup>3</sup> ; fume	TWA: 2 mg/m <sup>3</sup> ; fume	TWA: 2 mg/m <sup>3</sup> ; fume	TWA: 2 mg/m <sup>3</sup> ; fume
Titanium dioxide	TWA: 0.2 mg/m <sup>3</sup> ; nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> ; finescale respirable particulate matter	TWA: 10 mg/m <sup>3</sup> ;	TWA: 0.2 mg/m <sup>3</sup> ; nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> ; finescale respirable particulate matter	TWA: 0.2 mg/m <sup>3</sup> ; nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> ; finescale respirable particulate matter

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Silicon Dioxide - hydrated	-	-	-	TWA: 300 particle/mL; TWA: 20 mppcf; TWA: 2 mg/m <sup>3</sup> ; respirable mass
Paraffin waxes and Hydrocarbon waxes	TWA: 2 mg/m <sup>3</sup> ; STEL: 4 mg/m <sup>3</sup> ;	TWA: 2 mg/m <sup>3</sup> ; fume	TWA: 2 mg/m <sup>3</sup> ; STEL: 4 mg/m <sup>3</sup> ;	TWA: 2 mg/m <sup>3</sup> ; fume STEL: 6 mg/m <sup>3</sup> ; fume
Titanium dioxide	TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;	TWA: 0.2 mg/m <sup>3</sup> ; nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> ; finescale respirable particulate matter	TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;	TWA: 30 mppcf; TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;

**Note** See section 16 for terms and abbreviations.

**Other information on limit values** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Biological occupational exposure limits** This product, as supplied, contains materials that do not have reportable biological exposure limits or are not subject to the reporting requirements of the local jurisdiction.

**Appropriate engineering controls**

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing. Long sleeved clothing.

**Respiratory protection** Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

**9. Physical and chemical properties**

**Information on basic physical and chemical properties**

Physical state	Solid
Color	No information available
Odor (includes odor threshold)	Odorless
Odor threshold	No data available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point (or initial boiling point or boiling range)	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	No data available	None known
Water solubility	No data available	
Partition coefficient n-octanol/water (log value)	No data available	
Vapor pressure (includes evaporation rate)	No data available	None known
Evaporation rate	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		None known
Particle Size	No data available	
Particle Size Distribution	No data available	

**Other information**

Miscible No

**10. Stability and reactivity**

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

**11. Toxicological information**

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. May cause irritation.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). Repeated exposure may cause skin dryness or cracking.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Erythema (skin redness). May cause redness and tearing of the eyes.
<b>Acute toxicity</b>	No information available.

**Numerical measures of toxicity**

The following ATE values have been calculated for the mixture

ATEmix (oral)	99,999.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Polybutene	-	> 2000 mg/kg ( Rat )	> 19171 mg/m <sup>3</sup> ( Rat ) 4 h
Silicon Dioxide - hydrated	= 7900 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 5.01 mg/L ( Rat ) 4 h
Paraffin waxes and Hydrocarbon waxes	> 5000 mg/kg ( Rat )	> 3600 mg/kg ( Rabbit )	-
Titanium dioxide	> 2000 mg/kg ( Rat )	-	> 5.09 mg/L ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Classification based on data available for ingredients. Causes skin irritation.
<b>Serious eye damage/eye irritation</b>	No information available.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met. Classification based on data available for ingredients. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Silicon Dioxide - hydrated	-	Group 3 - Not	-	-

		classifiable as to its carcinogenicity to humans		
Titanium dioxide	A3 - Confirmed animal carcinogen (with unknown relevance to humans)	Group 2B - Possibly carcinogenic to humans	-	X

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

**12. Ecological information**

**Ecotoxicity** Based on available data, the classification criteria are not met.

**Aquatic ecotoxicity**

**Component Information**

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Polybutene	-	48h EC50: > 100 mg/L (Daphnia magna)	-	-
Silicon Dioxide - hydrated	96h LC50: = 5000 mg/L (Brachydanio rerio)	48h EC50: = 7600 mg/L (Ceriodaphnia dubia)	72h EC50: = 440 mg/L (Pseudokirchneriella subcapitata)	-

**Persistence and degradability** No information available.

**Bioaccumulative potential**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Polybutene	7.8	-	-

**Mobility in soil** No information available.

**Other adverse effects** No information available.

**13. Disposal considerations**

**Disposal methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

## 14. Transport information

<b>DOT</b> Transport hazard class(es)	NOT REGULATED N/A
<b>TDG</b>	Not applicable
<b>MEX</b>	Not applicable
<b>ICAO (air)</b>	Not applicable
<b>IATA</b> Transport hazard class(es)	Not applicable N/A
<b>IMDG</b> Transport hazard class(es)	Not applicable N/A

## 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

#### International Inventories

**TSCA** Contact supplier for inventory compliance status.

**DSL/NDSL** Contact supplier for inventory compliance status.  
**EINECS/ELINCS** Contact supplier for inventory compliance status.  
**ENCS** Contact supplier for inventory compliance status.  
**IECSC** Contact supplier for inventory compliance status.  
**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AIIC** Contact supplier for inventory compliance status.  
**NZIoC** Contact supplier for inventory compliance status.  
**TCSI** Contact supplier for inventory compliance status.

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals  
**TCSI** - Taiwan Chemical Substance Inventory

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CAA (Clean Air Act)**

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Titanium dioxide	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Silicon Dioxide - hydrated	-	X	X
Paraffin waxes and Hydrocarbon waxes	X	X	X
Titanium dioxide	X	X	X
Tin oxide	X	X	-
C.I. Acid Blue 9 (42090)	-	X	-

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 2	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 3	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal protection</b> X

**Key or legend to abbreviations and acronyms used in the safety data sheet**

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
-------	---

ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure

TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

**Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
U.S. Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
United Nations World Health Organization (WHO)

**Prepared By** Product Stewardship  
23 British American Blvd.  
Latham, NY 12110  
1-800-572-6501.

**Issuing Date** 08-Jan-2026

**Revision date** 09-Apr-2025

**Revision Note** No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**