

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

SECTION 1. IDENTIFICATION

Product name : NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Formula Center Reference : G2062253

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
30 Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available
24 hours a day. SDS/Product information may not be available
for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

Other hazards

None known.

GHS label elements

Not a hazardous substance or mixture.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity:
2.5421 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 2.5421 %

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 2.5421 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
MICA	12001-26-2*	$\geq 3 - \leq 7$
SILICA	7631-86-9*	$\geq 3 - \leq 7$
TITANIUM DIOXIDE	13463-67-7*	$\geq 3 - \leq 7$
ALUMINUM HYDROXIDE	21645-51-2*	$\geq 3 - \leq 7$
IRON OXIDES	1309-37-1*	$\geq 3 - \leq 7$
SYNTHETIC WAX	8002-74-2*	$\geq 3 - \leq 7$
PARAFFIN	8002-74-2*	$\geq 1 - \leq 5$
IRON OXIDES	1317-61-9*	$\geq 1 - \leq 5$
BARIUM SULFATE	7727-43-7*	$\geq 1 - \leq 5$

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air. Call a physician if symptoms develop or persist.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	: Rinse with water. If eye irritation persists, consult a specialist.
If swallowed	: Rinse mouth with water. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

Hazardous combustion products	:	No hazardous combustion products are known.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system. Standard procedure for chemical fires.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Environmental precautions	:	Should not be released into the environment.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8.
Materials to avoid	:	No materials to be especially mentioned.
Further information on storage stability	:	No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
MICA	12001-26-2	TWA (Respirable particulate matter)	0.1 mg/m ³	ACGIH

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version 1.0 Revision Date: 06/18/2025 SDS Number: 00-63-410000002267 Date of last issue: -
Date of first issue: 06/18/2025

		TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	3 mg/m3	NIOSH REL
SILICA	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
		TWA	6 mg/m3 (Silica)	NIOSH REL
TITANIUM DIOXIDE	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
ALUMINUM HYDROXIDE	21645-51-2	TWA (Respirable particulate matter)	1 mg/m3 (Aluminum)	ACGIH
IRON OXIDES	1309-37-1	TWA (Respirable particulate matter)	5 mg/m3	ACGIH
		TWA (dust and fume)	5 mg/m3 (Iron)	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
SYNTHETIC WAX	8002-74-2	TWA (Fumes)	2 mg/m3	ACGIH
		TWA (Fumes)	2 mg/m3	NIOSH REL
PARAFFIN	8002-74-2	TWA (Fumes)	2 mg/m3	ACGIH
		TWA (Fumes)	2 mg/m3	NIOSH REL
		TWA (Fumes)	2 mg/m3	OSHA P0
BARIUM SULFATE	7727-43-7	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version 1.0 Revision Date: 06/18/2025 SDS Number: 00-63-410000002267 Date of last issue: -
Date of first issue: 06/18/2025

		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Safety glasses

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : Pencil

Color : Shaded

Odor : Unscented.

pH : Not applicable

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

Flash point : > 199 °F / > 93 °C
Method: ISO 3679

Fire Point : Not applicable

Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	0.994 - 1.006 (68 °F / 20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	Not applicable
Viscosity	:	
Viscosity, kinematic	:	Not applicable
Dust explosion class	:	Not applicable
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

Components:

BARIUM SULFATE:

Acute oral toxicity	:	LD50 (Rat, male): 307,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

BARIUM SULFATE:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

BARIUM SULFATE:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Components:

BARIUM SULFATE:

Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

Components:

BARIUM SULFATE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

BARIUM SULFATE:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

BARIUM SULFATE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

SILICA:

Routes of exposure : Inhalation
Target Organs : Respiratory Tract
Assessment : Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

Repeated dose toxicity

Components:

BARIUM SULFATE:

Species	:	Rat, male and female
NOAEL	:	80 mg/kg
Application Route	:	Oral
Exposure time	:	92 d

Species	:	Rat
NOAEL	:	0.3 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	8 Weeks

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks	:	The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.
---------	---	--

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

BARIUM SULFATE:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 152 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	---

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 58.8 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	---	--

Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.15 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
----------------------------------	---	---

Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): >= 100 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
-------------------------------------	---	--

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 21 d

Persistence and degradability

No data available

Bioaccumulative potential

Components:

BARIUM SULFATE:

Bioaccumulation : Bioconcentration factor (BCF): 37.6

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION


Further information

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

NFPA 704:



Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -

SAFETY DATA SHEET

NYX PROFESSIONAL MAKEUP FAT MATTE CLICK STICKS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/18/2025	00-63- 410000002267	Date of first issue: 06/18/2025

Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 06/18/2025

US / EN