

Safety Data Sheet

OSHA-compliant

Section 1: IDENTIFICATION:

Product name: JIAGE Rechargeable Sealed Lead-Acid Battery
Model: GS 6-5.5
Generic Description: Lead acid battery
Manufacturer: JOYIN US CORP
Address: 315 W Elliot Rd #107-168 Tempe, AZ 85284
E-mail: zhaishuhong@joyintoy.cn
Telephone: 1-623-252-5829

Section 2: HAZARD(S) IDENTIFICATION:

Emergency Overview: may cause eye and skin irritation. Do not inhale. May cause respiratory tract irritation. Do not swallow. May cause digestive tract irritation, nausea, vomiting, and diarrhea. Primary routes of exposure: Eye, skin, inhalation (breathing)

In case of accident or if you feel unwell seek medical advice immediately

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear suitable clothing, gloves and eye/face protection.

Do not breathe vapor.

Section 3: COMPOSITION/ INFORMATION ON INGREDIENTS:

Chemical Name	CAS	Content (%)
Lead peroxide	1309-60-0	33.9
Lead	7439-92-1	31.1
Sulfuric acid	7664-93-9	20
ABS resin	9003-56-9	13
Silica, fused	60676-86-0	2

Section 4: FIRST AID MEASURES:

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

Skin contact: If skin contact occurs, use FCF 7X hand cleaner to remove, followed by washing with soap and water. Remove contaminated clothing. Get prompt medical attention if irritation persists. Professionally wash contaminated clothing separately before re-use.

Inhalation: Remove to fresh air. If breathing is distressed – provide oxygen. Perform artificial respiration if not breathing. Get medical attention if cough or other symptoms develop.

Ingestion: If swallowed, get immediate medical attention. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Treatment should be directed at preventing absorption, administering to symptoms (if they occur), and providing supportive therapy.

Section 5: FIRE FIGHTING MEASURES:

Flash point: >320°C (608°F)

Safety Data Sheet

OSHA-compliant

Method: Setflash closed cup

Explosive limits: LEL (%) Not determined; UEL (%) Not determined.

Auto ignition: Not determined.

Fire and explosion hazards: High temperatures can cause sealed containers to rupture due to a build up of internal pressure. Cool with water. Vapors can travel to a source of ignition (Flame, Electric motor, hot surface, cigarette, ect) and flash back.

During a fire, irritating and toxic gases may be generated during combustion or decomposition.

Extinguishing media: For small fire, use dry chemical, carbon dioxide, halon, or foam. For large fires, use fog, or alcohol foam.

Fire fighting procedures/ equipment: Fire fighters and others who may be exposed to the products of combustion should be equipped with NIOSH_OSHA approved positive pressure self-contained breathing apparatus (SCBA) and full protective clothing.

Section 6: ACCIDENTAL RELEASE MEASURES:

Evacuation: Isolate hazard area. Keep unnecessary and unprotected personnel from entering. Eliminate all sources of ignition.

Containment: Safely stop discharge. Contain material, as necessary, with a dike or barrier. If a substantial quantity is spilled, recover with pump or vacuum truck. Use an absorbent such as fuller's earth, clay, or other appropriate synthetic absorbent. Place contaminated material in suitable container for disposal. Appropriate safety measures and protective equipment should be used. Stop material from contaminating soil, or from entering sewers or bodies of water.

Clean – up/Personal protection equipment: Appropriate safety measures and protective equipment should be used. Use supplied air respirator or self-containing breathing apparatus in enclosed spaces or if airborne exposure limits can be exceeded.

Collection and Disposal: Stop discharge, if safe to do so. Use proper protective equipment. Use non-sparking tools and/ or explosion – Proof equipment. Stop ignition sources. Cover spills with absorbent clay or sawdust and place in closed chemical waste containers. Dispose of according to applicable local, state and federal regulations.

Reporting: Spills of this material in excess of a component's RQ must be reported to the National Response Center(1800-4248802) and to the appropriate state and local emergency response organizations.

Section 7: HANDLING AND STORAGE:

Storage conditions: Store in cool, dry, well-ventilated area away from heat, ignition sources, and direct sunlight. Keep containers tightly closed.

Personal hygiene: If skin contact occurs, use FCF 7X hand cleaner to remove, followed by washing with soap and water. Wash thoroughly after handling, especially before eating, drinking, smoking, and using restroom facilities. Wash contaminated goggles, face shield, and gloves. Wash contaminated clothing before re-use.

Empty container precautions: This container may be hazardous when empty. Do not use heat, sparks, open flames, torches, and cigarettes on or near empty container.

Section 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Safety Data Sheet

OSHA-compliant

Eye protection: Wear protective clothing and appropriate impervious gloves. If skin contact occurs, use FCF 7X hand cleaner to remove, followed by washing with soap and water.

Respiratory protection: Use NIOSH-OSHA approved self-contained breathing apparatus or vapor cartridge respirator (must be worn if PEL and TLV levels are exceeded)

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Rectangle

Physical state: Solid

PH value: Not applicable

Odor: No odor

Solubility: Soluble in water

Boiling Point: Not applicable

% Volatiles: 0.0%

Specific gravity: >.93 – 0.99

Section 10: STABILITY AND REACTIVITY:

Chemical stability: Stable under normal conditions of use

Corrosion to metals: No corrosive effect on metal.

Hazardous polymerization: Will not occur

Conditions to avoid: High temperatures

May react with reducing agents to liberate free or aromatic amines.

Section 11: TOXICOLOGICAL INFORMATION:

Acute Toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation. Virtually nontoxic after a single ingestion. Not drink.

Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect.

Aspiration hazard

No aspiration hazard expected.

Other relevant toxicity information

The product has not been tested. The statement has been derived from products of a similar structure or composition.

Section 12: ECOLOGICAL INFORMATION

Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Persistence and degradability

Safety Data Sheet

OSHA-compliant

Assessment biodegradation and elimination (H₂O): Poorly biodegradable.
Elimination information: Poorly biodegradable.

Bioaccumulative potential

Assessment bioaccumulation potential: Does not significantly accumulate in organisms.

Section 13: DISPOSAL CONSIDERATIONS:

Dispose and transport in accordance with all local, state, and federal regulations, and around the world.

Section 14: TRANSPORT INFORMATION:

Land transport

ADR: Not classified as a dangerous good under transport regulations

RID: Not classified as a dangerous good under transport regulations

Inland waterway transport

AND: Not classified as a dangerous good under transport regulations

Sea transport

IMDG: Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO: Not classified as a dangerous good under transport regulations

Section 15: REGULATORY INFORMATION:

SARA Title III - Section 311/312 - Hazard Categories:

N – Fire hazard

N – Sudden release of pressure hazard

N – Reactivity hazard

Y – Immediate (acute) health hazard

Y – Delayed (chronic) health hazard

This product does not contain any Section 313 reportable ingredients.

Shipping Regulations – Not regulated by the DOT, IATA, IMDG

Section 16: OTHER INFORMATION:

Created: /1/2023

Use's responsibility: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if, or where, precautions – in addition to those described herein – are required. Any health hazard and safety information herein should be passed on to customers or employees.

Disclaimer of Liability: The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Final determination of suitability of the chemical is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made

Safety Data Sheet

OSHA-compliant

hereunder with respect to the information contained herein or the chemical to which the information refers. It is the responsibility of the user to comply with all applicable federal, state and local laws and regulations.

** HMIS Personal Protection X – check with your manager for the local S.O.P handling instructions*