

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

SECTION 1. IDENTIFICATION

Product name : AZZARO FOREVER WANTED ELIXIR

Formula Center Reference : 2042276 08

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
133, Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 2

Eye irritation : Category 2A

Skin sensitization : Category 1

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

Signal Word : Danger

Hazard Statements : H225 Highly flammable liquid and vapor.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read label before use.

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing mist or vapors.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version 1.0 Revision Date: 08/13/2024 SDS Number: 30-41-400000195858 Date of last issue: -
Date of first issue: 08/13/2024

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:
1.6617 %

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
ALCOHOL	64-17-5	$\geq 70 - < 90$
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALE NES	54464-57-2	$\geq 3 - < 5$
2,6-DIMETHYL-7-OCTEN-2-OL	18479-58-8	$\geq 1 - < 3$
2-METHYL-3-(3,4- METHYLENEDIOXYPHENYL)PROP ANAL	1205-17-0	$\geq 0.1 - < 1$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If symptoms persist, call a physician.

In case of skin contact : Get medical attention if irritation develops and persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.
If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known.
Further information	:	For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.
Advice on safe handling	:	Avoid contact with eyes. Avoid exposure - obtain special instructions before use. For personal protection see section 8. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version 1.0 Revision Date: 08/13/2024 SDS Number: 30-41-400000195858 Date of last issue: -
Date of first issue: 08/13/2024

Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALCOHOL	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m ³	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m ³	OSHA Z-1

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Safety glasses

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : yellow

Odor : characteristic

pH : Not applicable

Melting point/freezing point : No data available

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

Boiling point/boiling range	: > 100 °F / > 38 °C
Flash point	: 55.4 °F / 13.0 °C Method: ISO 3679 Information taken from reference works and the literature.
Fire Point	: < 100 °C Method: ISO 2592
Flammability (liquids)	: Sustains combustion
Upper explosion limit / Upper flammability limit	: 19 %(V) (for a component of this mixture)
Lower explosion limit / Lower flammability limit	: 3.3 %(V) (for a component of this mixture)
Vapor pressure	: 59.5 hPa (68 °F / 20 °C) (for a component of this mixture)
Relative vapor density	: No data available
Relative density	: 0.8424 - 0.8484 (68 °F / 20 °C)
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: 689 °F / 365 °C (for a component of this mixture)
Decomposition temperature	: Not applicable
Viscosity Viscosity, kinematic	: No data available
Dust explosion class	: Not applicable
Particle characteristics Particle size	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
---------------------	---	--

Components:

ALCOHOL:

Acute oral toxicity	:	LD50 (Rat, male and female): 10,470 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat, male and female): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): 15,800 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES:

Acute oral toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

2,6-DIMETHYL-7-OCTEN-2-OL:

Acute oral toxicity	:	LD50 (Rat, male and female): 3,020 mg/kg
---------------------	---	--

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Acute oral toxicity	:	LD50 (Rat, male and female): 3,561 mg/kg Method: OECD Test Guideline 401
---------------------	---	---

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May irritate eyes.

Components:

ALCOHOL:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES:

Result : No eye irritation
Remarks : The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

2,6-DIMETHYL-7-OCTEN-2-OL:

Species : Rabbit
Result : Eye irritation

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks : May cause sensitization.

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

Components:

ALCOHOL:

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES:

Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: The product is a skin sensitizer, sub-category 1B.

2,6-DIMETHYL-7-OCTEN-2-OL:

Routes of exposure	: Skin contact
Species	: Guinea pig
Assessment	: Does not cause skin sensitization.
Method	: OECD Test Guideline 406

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Routes of exposure	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: The product is a skin sensitizer, sub-category 1B.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

ALCOHOL:

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES:

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

2,6-DIMETHYL-7-OCTEN-2-OL:

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

ALCOHOL:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

ALCOHOL:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2,6-DIMETHYL-7-OCTEN-2-OL:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Effects on fertility : Species: Rat
Fertility: NOAEL: 100 mg/kg body weight
Method: OECD Test Guideline 422

Effects on fetal development : Species: Rat
Developmental Toxicity: 250
Method: OECD Test Guideline 414

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

2,6-DIMETHYL-7-OCTEN-2-OL:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Species	: Rat, male and female
NOAEL	: 100 mg/kg
Application Route	: Oral
Exposure time	: 42 d
Method	: OECD Test Guideline 422

Species	: Rat, male and female
NOAEL	: 50 mg/kg
Application Route	: Dermal
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 411

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ALCOHOL:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 11,200 mg/l Exposure time: 24 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): 250 mg/l Exposure time: 5 d Method: OECD Test Guideline 212
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 9.6 mg/l Exposure time: 10 d

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.38 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): > 2.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): >= 2.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Danio rerio (zebra fish)): 0.54 mg/l Exposure time: 30 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EC10 (Daphnia magna (Water flea)): 0.044 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

2,6-DIMETHYL-7-OCTEN-2-OL:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 27.8 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 38 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 80 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.5 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 5.3 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 17 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 28 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 6.25 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

Persistence and degradability

Components:

ALCOHOL:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 84 % Exposure time: 20 d
------------------	---

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 96.3 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

2,6-DIMETHYL-7-OCTEN-2-OL:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES:

Bioaccumulation : Bioconcentration factor (BCF): 391
Method: OECD Test Guideline 305

2,6-DIMETHYL-7-OCTEN-2-OL:

Partition coefficient: n-octanol/water : log Pow: 3.25
pH: 7
Method: OECD Test Guideline 117

2-METHYL-3-(3,4-METHYLENEDIOXYPHENYL)PROPANAL:

Partition coefficient: n-octanol/water : log Pow: 2.4
Method: OECD Test Guideline 117

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste Code : D001: Ignitability

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Send to a licensed waste management company.

Contaminated packaging : Dispose of as unused product.
Do not reuse empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41-400000195858	Date of first issue: 08/13/2024

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

UN/ID/NA number	: UN 1266
Proper shipping name	: Perfumery products
Class	: 3
Packing group	: II
Labels	: FLAMMABLE LIQUID
ERG Code	: 127
Marine pollutant	: no

International Regulations

IATA-DGR

UN/ID No.	: UN 1266
Proper shipping name	: Perfumery products
Class	: 3
Packing group	: II
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 364
Packing instruction (passenger aircraft)	: 353

IMDG-Code

UN number	: UN 1266
Proper shipping name	: PERFUMERY PRODUCTS
Class	: 3
Packing group	: II
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks	: Materials packaged as a finished good may be offered as ID8000, Consumer Commodity by IATA. Materials may be offered as a limited quantity when in containers of 5 liters or less, except for IATA.
---------	--

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41- 400000195858	Date of first issue: 08/13/2024

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

A characteristic waste RQ of 100 lbs applies to this product in a waste form: D001
This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Respiratory or skin sensitization
Reproductive toxicity
Serious eye damage or eye irritation


SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41- 400000195858	Date of first issue: 08/13/2024

NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / STEL	:	Short-term exposure limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 08/13/2024

SAFETY DATA SHEET

AZZARO FOREVER WANTED ELIXIR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/13/2024	30-41- 400000195858	Date of first issue: 08/13/2024

US / EN