



OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According to Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules and Regulations and according to the Hazardous Products Regulation (December 15, 2022).

Revision Date: 2/6/2026 Date of Issue: 3/3/2025

Version: 1.1

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Product Code: 42019650

Synonyms: OxiClean™ Max Force™

Intended Use of the Product

Use Of The Substance/Mixture : Laundry Stain Remover

Restrictions On Use : No additional information available

Name, Address, and Telephone of the Responsible Party

Company

Church & Dwight Co. Inc.
500 Charles Ewing Blvd
Ewing Township, NJ 08628
T 1-800-524-1328

www.churchdwight.com

Company

Church and Dwight Canada Corp.
5485 Ferrier
Montreal, Qc, H4P 1M6

www.churchdwight.ca

www.econsumeraffairs.com/churchdwight/contactus

Emergency Telephone Number

Emergency Number : For Medical Emergency: 1-888-234-1828 (USA and Canada), 952-853-1925 (Outside USA and Canada)
For Chemical Emergency: VelocityEHS (800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

Classification of the Substance or Mixture

GHS-US/CA Classification

Acute toxicity (oral), Category 4	H302
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment, Acute Hazard, Category 2	H401

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Signal Word (GHS-US/CA)

: Danger

Hazard Statements (GHS-US/CA)

: H302 - Harmful if swallowed.
H318 - Causes serious eye damage.
H401 - Toxic to aquatic life.

Precautionary Statements (GHS-US/CA)

: P264 - Wash hands, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection.
P301+P312 - IF SWALLOWED: Call a POISON CENTER or a doctor if you feel unwell.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

P310 - Immediately call a POISON CENTER or a doctor.

P330 - Rinse mouth.

P501 - Dispose of local, regional, national, territorial, provincial, and international regulations. to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

Hazards associated with known or reasonably anticipated uses

If this product is used in unforeseeable chemical processes and not used as intended or reasonable, the hazards listed in Section 2.3 cannot cover all chemistries. Therefore, a Process Hazard Analysis (PHA) or other hazard assessment for additional specific end uses should be performed to ensure that hazards are fully understood, and adequate safety measures are in place. See Section 10 for relevant reactivity and stability information.

Other hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Unknown Acute Toxicity (GHS-US/CA)

No additional information available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Name	Product Identifier	% *	GHS Ingredient Classification
Disodium carbonate	(CAS-No.) 497-19-8	30 - 60	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2A, H319
Sodium percarbonate	(CAS-No.) 15630-89-4	15 - 40	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Aquatic Acute 2, H401
Alcohols, C12-16, ethoxylated	(CAS-No.) 68551-12-2	≤ 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Alcohols, C10-16, ethoxylated	(CAS-No.) 68002-97-1	≤ 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Alcohols, C12-15, ethoxylated	(CAS-No.) 68131-39-5	≤ 5	Eye Dam. 1, H318 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Ethylene glycol	(CAS-No.) 107-21-1	0.05 – 0.1	Acute Tox. 4 (Oral), H302 STOT RE 1, H372
Kaolin	(CAS-No.) 1332-58-7	< 0.1	Not classified.
Titanium dioxide	(CAS-No.) 13463-67-7	< 0.1	Carc. 2, H351
Cellulose	(CAS-No.) 9004-34-6	< 0.1	Comb. Dust 1
1,2-Propanediol	(CAS-No.) 57-55-6	< 0.1	Not classified.
Polyethylene glycol	(CAS-No.) 25322-68-3	< 0.1	STOT SE 3, H335
Subtilisin	(CAS-No.) 9014-01-1	< 0.1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Resp. Sens. 1, H334 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%). The actual concentration of ingredient(s) is withheld as a trade secret in accordance with the Hazardous Products Regulations (HPR) SOR/2022-272 and 29 CFR 1910.1200.

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: Using proper respiratory protection, immediately move the exposed person to fresh air. Encourage exposed person to cough, spit out, and blow nose to remove dust. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

Most Important Symptoms and Effects Both Acute and Delayed

General: Harmful if swallowed. Causes serious eye damage.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂). Sodium oxides. Oxygen.

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe dust.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Avoid generation of dust during clean-up of spills.

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Methods for Cleaning Up: Clean up spills and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Vacuum clean-up is preferred. If sweeping is required use water mist as a dust suppressant. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Precautions for Safe Handling: Do not get in eyes, on skin, or on clothing. Avoid breathing dust. Handle empty containers with care because they may still present a hazard. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

Specific End Use(s)

Laundry Stain Remover

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Subtilisin (9014-01-1)		
USA ACGIH	ACGIH® TLV® C	0.00006 mg/m ³ (Subtilisins)
USA NIOSH	NIOSH REL STEL	0.00006 mg/m ³ (Subtilisins)
Alberta	OEL C	0.00006 mg/m ³
British Columbia	OEL C	0.00006 mg/m ³
Manitoba	OEL C	0.00006 mg/m ³ (Subtilisins)
New Brunswick	OEL C	0.00006 mg/m ³ (Subtilisins)
Newfoundland & Labrador	OEL C	0.00006 mg/m ³ (Subtilisins)
Nova Scotia	OEL C	0.00006 mg/m ³ (Subtilisins)
Nunavut	OEL C	0.00006 mg/m ³
Northwest Territories	OEL C	0.00006 mg/m ³
Ontario	OEL C	0.00006 mg/m ³
Prince Edward Island	OEL C	0.00006 mg/m ³ (Subtilisins)
Québec	Plafond (OEL C)	0.00006 ppm (Proteolytic enzymes)
Saskatchewan	OEL C	0.00006 mg/m ³
Yukon	OEL C	0.00006 mg/m ³ (Proteolytic enzymes)
Kaolin (1332-58-7)		
USA ACGIH	ACGIH® TLV® TWA	2 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-respirable particulate matter)
USA ACGIH	ACGIH® chemical category	Not Classifiable as a Human Carcinogen
USA OSHA	OSHA PEL TWA	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA NIOSH	NIOSH REL TWA	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Alberta	OEL TWA	2 mg/m ³ (respirable)
British Columbia	OEL TWA	2 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-respirable particulate)
Manitoba	OEL TWA	2 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-particulate matter, respirable)

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

		particulate matter)
New Brunswick	OEL TWA	2 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica)
Newfoundland & Labrador	OEL TWA	2 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-particulate matter, respirable particulate matter)
Nova Scotia	OEL TWA	2 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-particulate matter, respirable particulate matter)
Nunavut	OEL STEL	4 mg/m ³ (respirable fraction)
Nunavut	OEL TWA	2 mg/m ³ (respirable fraction)
Northwest Territories	OEL STEL	4 mg/m ³ (respirable fraction)
Northwest Territories	OEL TWA	2 mg/m ³ (respirable fraction)
Ontario	OEL TWAEV	2 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-respirable particulate matter)
Prince Edward Island	OEL TWA	2 mg/m ³ (particulate matter containing no Asbestos and <1% Crystalline silica-particulate matter, respirable particulate matter)
Québec	VEMP (OEL TWAEV)	2 mg/m ³ (containing no Asbestos and <1% Crystalline silica-respirable dust)
Saskatchewan	OEL STEL	4 mg/m ³ (respirable fraction)
Saskatchewan	OEL TWA	2 mg/m ³ (respirable fraction)
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf 10 mg/m ³
Titanium dioxide (13463-67-7)		
USA ACGIH	ACGIH® TLV® TWA	0.2 mg/m ³ (nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale respirable particulate matter)
USA ACGIH	ACGIH® chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
USA OSHA	OSHA PEL TWA	15 mg/m ³ (total dust)
USA NIOSH	NIOSH REL TWA	2.4 mg/m ³ (CIB 63-fine) 0.3 mg/m ³ (CIB 63-ultrafine, including engineered nanoscale)
USA IDLH	IDLH	5000 mg/m ³
Alberta	OEL TWA	10 mg/m ³
British Columbia	OEL TWA	10 mg/m ³ (total dust) 3 mg/m ³ (respirable fraction)
Manitoba	OEL TWA	0.2 mg/m ³ (nanoscale-nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale-finescale respirable particulate matter)
New Brunswick	OEL TWA	10 mg/m ³
Newfoundland & Labrador	OEL TWA	0.2 mg/m ³ (nanoscale-nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale-finescale respirable particulate matter)
Nova Scotia	OEL TWA	0.2 mg/m ³ (nanoscale-nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale-finescale respirable particulate matter)
Nunavut	OEL STEL	20 mg/m ³
Nunavut	OEL TWA	10 mg/m ³

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Northwest Territories	OEL STEL	20 mg/m ³
Northwest Territories	OEL TWA	10 mg/m ³
Ontario	OEL TWAEV	10 mg/m ³
Prince Edward Island	OEL TWA	0.2 mg/m ³ (nanoscale-nanoscale respirable particulate matter) 2.5 mg/m ³ (finescale-finescale respirable particulate matter)
Québec	VEMP (OEL TWAEV)	10 mg/m ³ (containing no Asbestos and <1% Crystalline silica-total dust)
Saskatchewan	OEL STEL	20 mg/m ³
Saskatchewan	OEL TWA	10 mg/m ³
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf 10 mg/m ³
Cellulose (9004-34-6)		
USA ACGIH	ACGIH® TLV® TWA	10 mg/m ³
USA OSHA	OSHA PEL TWA	15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
USA NIOSH	NIOSH REL TWA	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
Alberta	OEL TWA	10 mg/m ³
British Columbia	OEL TWA	10 mg/m ³ (total dust) 3 mg/m ³ (respirable fraction)
Manitoba	OEL TWA	10 mg/m ³
New Brunswick	OEL TWA	10 mg/m ³
Newfoundland & Labrador	OEL TWA	10 mg/m ³
Nova Scotia	OEL TWA	10 mg/m ³
Nunavut	OEL STEL	20 mg/m ³
Nunavut	OEL TWA	10 mg/m ³
Northwest Territories	OEL STEL	20 mg/m ³
Northwest Territories	OEL TWA	10 mg/m ³
Ontario	OEL TWAEV	10 mg/m ³
Prince Edward Island	OEL TWA	10 mg/m ³
Québec	VEMP (OEL TWAEV)	10 mg/m ³ (paper fibres-total dust)
Saskatchewan	OEL STEL	20 mg/m ³
Saskatchewan	OEL TWA	10 mg/m ³
Yukon	OEL STEL	20 mg/m ³
Yukon	OEL TWA	30 mppcf 10 mg/m ³
Ethylene glycol (107-21-1)		
USA ACGIH	ACGIH® TLV® TWA	25 ppm (vapor fraction)
USA ACGIH	ACGIH® TLV® STEL	10 mg/m ³ (inhalable particulate matter, aerosol only)
USA ACGIH	ACGIH® TLV® STEL	50 ppm (vapor fraction)
USA ACGIH	ACGIH® chemical category	Not Classifiable as a Human Carcinogen
Alberta	OEL C	100 mg/m ³
British Columbia	OEL C	100 mg/m ³ (total; aerosol only)
British Columbia	OEL C	50 ppm (vapour)
British Columbia	OEL STEL	20 mg/m ³ (total; aerosol only)
British Columbia	OEL TWA	10 mg/m ³ (total; aerosol only)
Manitoba	OEL STEL	10 mg/m ³ (inhalable particulate matter, aerosol only)
Manitoba	OEL STEL	50 ppm (vapor fraction)
Manitoba	OEL TWA	25 ppm (vapor fraction)

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

New Brunswick	OEL C	100 mg/m ³ (aerosol only)
Newfoundland & Labrador	OEL STEL	10 mg/m ³ (inhalable particulate matter, aerosol only)
Newfoundland & Labrador	OEL STEL	50 ppm (vapor fraction)
Newfoundland & Labrador	OEL TWA	25 ppm (vapor fraction)
Nova Scotia	OEL STEL	10 mg/m ³ (inhalable particulate matter, aerosol only)
Nova Scotia	OEL STEL	50 ppm (vapor fraction)
Nova Scotia	OEL TWA	25 ppm (vapor fraction)
Nunavut	OEL C	100 mg/m ³ (aerosol)
Northwest Territories	OEL C	100 mg/m ³ (aerosol)
Ontario	OEL TWAEV	10 mg/m ³ (inhalable particulate matter, aerosol only)
Ontario	OEL TWAEV	50 ppm (vapor fraction)
Ontario	OEL TWAEV	25 ppm (vapor fraction)
Prince Edward Island	OEL STEL	10 mg/m ³ (inhalable particulate matter, aerosol only)
Prince Edward Island	OEL STEL	50 ppm (vapor fraction)
Prince Edward Island	OEL TWA	25 ppm (vapor fraction)
Québec	Plafond (OEL C)	127 mg/m ³ (mist and vapour)
Québec	Plafond (OEL C)	50 ppm (mist and vapour)
Saskatchewan	OEL C	100 mg/m ³ (aerosol)
Yukon	OEL STEL	20 mg/m ³ (particulate) 325 mg/m ³ (vapour)
Yukon	OEL STEL	10 ppm (particulate) 125 ppm (vapour)
Yukon	OEL TWA	10 mg/m ³ (particulate) 250 mg/m ³ (vapour)
Yukon	OEL TWA	100 ppm (vapour)
Polyethylene glycol (25322-68-3)		
USA AIHA	WEEL TWA	10 mg/m ³ (molecular weight >200-aerosol)
1,2-Propanediol (57-55-6)		
USA AIHA	WEEL TWA	10 mg/m ³
Ontario	OEL TWAEV	10 mg/m ³ (for assessing the visibility in a work environment where 1,2-Propylene glycol aerosol is present-aerosol only) 155 mg/m ³ (aerosol and vapor)
Ontario	OEL TWAEV	50 ppm (aerosol and vapor)

Exposure Controls

Appropriate Engineering Controls: For occupational/workplace settings: Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment: For occupational/workplace settings and bulk quantities: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: For occupational/workplace settings: Chemically resistant materials and fabrics.

Hand Protection: For occupational/workplace settings: Wear protective gloves.

Eye Protection: For occupational/workplace settings: Chemical safety goggles or safety glasses with side shields.

Skin and Body Protection: For occupational/workplace settings: Wear suitable protective clothing.

Respiratory Protection: For occupational/workplace settings: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	: Solid
Color	: White Powder with Blue Specks
Odor	: None
Odor Threshold	: No data available
pH	: 10.7
Evaporation Rate	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: Not applicable
Lower Flammable Limit	: No data available
Upper Flammable Limit	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: No data available
Relative Density	: No data available
Specific Gravity	: No data available
Solubility	: Water: Soluble
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity, Kinematic	: No data available
Particle characteristics	: No data available
Oxidizing Properties	: When tested according to the UN Test for Oxidizing Solids O.1 this product does not meet the definition of an oxidizing solid.

SECTION 10: STABILITY AND REACTIVITY

Reactivity:

Hazardous reactions will not occur under normal conditions.

Chemical Stability:

Stable under recommended handling and storage conditions (see section 7).

Hazards associated with known or reasonably anticipated uses

Hazardous polymerization will not occur.

Conditions to Avoid:

Direct sunlight, extremely high or low temperatures, and incompatible materials. Avoid creating or spreading dust.

Incompatible Materials:

Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition Products:

Thermal decomposition may produce: Carbon oxides (CO, CO₂). Sodium oxides. oxygen.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Likely routes of exposure: Dermal, Eye Contact, Inhalation, Oral.

Acute Toxicity (Oral): Harmful if swallowed.

Acute Toxicity (Dermal): Not classified.

Acute Toxicity (Inhalation): Not classified.

LD50 and LC50 Data:

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

ATE US/CA (oral)	1,972.17 mg/kg body weight
------------------	----------------------------

Skin Corrosion/Irritation: Not classified.

pH: 10.7

Eye Damage/Irritation: Causes serious eye damage.

pH: 10.7

02/06/2026

EN (English US)

8/17

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Respiratory or Skin Sensitization: Not classified.

Germ Cell Mutagenicity: Not classified.

Carcinogenicity: Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): Not classified.

Aspiration Hazard: Not classified.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Skin contact with large amounts of dust may cause mechanical irritation.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: This material is harmful orally and can cause adverse health effects or death in significant amounts.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Alcohols, C10-16, ethoxylated (68002-97-1)	
ATE US/CA (oral)	500.00 mg/kg body weight
Alcohols, C12-15, ethoxylated (68131-39-5)	
LD50 Oral Rat	> 2000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
Subtilisin (9014-01-1)	
LD50 Oral Rat	1800 mg/kg (Species: Wistar)
LC50 Inhalation Rat	0.0177 mg/l/4h
Kaolin (1332-58-7)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5000 mg/kg (Source: NLM_HSDB)
LD50 Dermal Rabbit	> 5000 mg/kg
Titanium dioxide (13463-67-7)	
LD50 Oral Rat	> 2000 mg/kg (Source: ECHA)
LC50 Inhalation Rat	> 5.09 mg/l/4h
Cellulose (9004-34-6)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 5800 mg/m ³ (Exposure time: 4 h Source: NLM_CIP)
Disodium carbonate (497-19-8)	
LD50 Oral Rat	4090 mg/kg (Source: NLM_HSDB)
LD50 Dermal Rabbit	> 2000 mg/kg (Source: ECHA)
LC50 Inhalation Rat	2300 mg/m ³ (Exposure time: 2 h Source: ECHA_API)
Sodium percarbonate (15630-89-4)	
LD50 Oral Rat	1034 mg/kg (Source: OECD_SIDS)
LD50 Dermal Rabbit	> 2000 mg/kg (Source: OECD_SIDS)
Ethylene glycol (107-21-1)	
LD50 Oral Rat	4700 mg/kg (Source: NLM_CIP)
LD50 Dermal Rat	10600 mg/kg (Source: JAPAN_GHS)
LC50 Inhalation Rat	> 2.5 mg/l (Exposure time: 6 h)
ATE US/CA (oral)	500.00 mg/kg body weight
Polyethylene glycol (25322-68-3)	
LD50 Oral Rat	22 g/kg (Source: NLM_CIP)
LD50 Dermal Rabbit	> 20 g/kg (Source: NLM_CIP)
1,2-Propanediol (57-55-6)	
LD50 Oral Rat	20 g/kg (Source: NLM_CIP)

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

LD50 Dermal Rabbit	20800 mg/kg (Source: NLM_CIP)
Titanium dioxide (13463-67-7)	
IARC Group	2B
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Ecology - General: Toxic to aquatic life.

Alcohols, C10-16, ethoxylated (68002-97-1)	
LC50 Fish 1	> 1 mg/l
EC50 - Crustacea [1]	0.238 mg/l
ErC50 algae	0.254 mg/l
NOEC Chronic Fish	> 0.1 mg/l
NOEC Chronic Algae	0.077 mg/l
Alcohols, C12-16, ethoxylated (68551-12-2)	
LC50 Fish 1	> 1 mg/l
NOEC Chronic Fish	> 0.1
Alcohols, C12-15, ethoxylated (68131-39-5)	
LC50 Fish 1	5 – 10 mg/l
EC50 - Crustacea [1]	5 – 10 mg/l
ErC50 algae	10 – 100 mg/l
NOEC Chronic Fish	> 0.1 mg/l
NOEC Chronic Crustacea	> 0.1 mg/l
NOEC Chronic Algae	> 100 mg/l
Subtilisin (9014-01-1)	
LC50 Fish 1	14.6 mg/l
EC50 - Crustacea [1]	0.306 mg/l
ErC50 algae	0.513 (0.513 – 1.48) mg/l
NOEC Chronic Fish	0.024 mg/l
NOEC Chronic Crustacea	0.324 mg/l
Disodium carbonate (497-19-8)	
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
EC50 - Crustacea [1]	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
Sodium percarbonate (15630-89-4)	
LC50 Fish 1	70.7 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	4.9 mg/l (Exposure time: 48 h - Species: Daphnia pulex)
NOEC Chronic Fish	7.4 mg/l
NOEC Chronic Crustacea	2 mg/l
Ethylene glycol (107-21-1)	
LC50 Fish 1	41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: IUCLID)
EC50 - Crustacea [1]	46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 Fish 2	14 – 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
NOEC Chronic Crustacea	4.2 mg/l
1,2-Propanediol (57-55-6)	
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
EC50 - Crustacea [1]	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)
LC50 Fish 2	41 – 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
EC50 - Crustacea [2]	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
ErC50 algae	1000 mg/l
NOEC Chronic Crustacea	1000 mg/l

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

NOEC Chronic Algae	1000 mg/l
---------------------------	-----------

Persistence and Degradability

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)	
--	--

Persistence and Degradability	Not established.
--------------------------------------	------------------

Bioaccumulative Potential

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)	
--	--

Bioaccumulative Potential	Not established.
----------------------------------	------------------

Subtilisin (9014-01-1)	
-------------------------------	--

Log POW	-3.1 (at 25 °C (at pH 9.2))
----------------	-----------------------------

Disodium carbonate (497-19-8)	
--------------------------------------	--

BCF Fish 1	(no bioaccumulation)
-------------------	----------------------

Sodium percarbonate (15630-89-4)	
---	--

BCF Fish 1	(no bioaccumulation)
-------------------	----------------------

Ethylene glycol (107-21-1)	
-----------------------------------	--

Log POW	-1.36
----------------	-------

1,2-Propanediol (57-55-6)	
----------------------------------	--

BCF Fish 1	(1 dimensionless)
-------------------	-------------------

Log POW	-0.92
----------------	-------

Mobility in Soil

No additional information available

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations: Do not dispose of waste into sewer. Do not empty into drains.

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

In Accordance with DOT

Not regulated for transport

In Accordance with IMDG

Not regulated for transport

In Accordance with IATA

Not regulated for transport

In Accordance with TDG

Not regulated for transport

SECTION 15: REGULATORY INFORMATION

US Federal and International Regulations

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)	
--	--

SARA Section 311/312 Hazard Classes	Health hazard - Acute toxicity (any route of exposure) Health hazard - Serious eye damage or eye irritation
--	--

Alcohols, C10-16, ethoxylated (68002-97-1)	
---	--

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EU NLP (No Longer Polymers) inventory
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Alcohols, C12-16, ethoxylated (68551-12-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EU NLP (No Longer Polymers) inventory
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Alcohols, C12-15, ethoxylated (68131-39-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EU NLP (No Longer Polymers) inventory
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

Subtilisin (9014-01-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on KECL/KECI (Korean Existing Chemicals Inventory)

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Kaolin (1332-58-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)	
Titanium dioxide (13463-67-7)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on IARC (International Agency for Research on Cancer) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)	
Cellulose (9004-34-6)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active Listed on the Canadian DSL (Domestic Substances List) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on KECL/KECI (Korean Existing Chemicals Inventory) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on INSQ (Mexican National Inventory of Chemical Substances) Listed on the TCSI (Taiwan Chemical Substance Inventory) Listed on the NCI (Vietnam - National Chemical Inventory) Listed on Thailand Existing Chemicals Inventory (DIW)	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).
Disodium carbonate (497-19-8)	

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Sodium percarbonate (15630-89-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

Ethylene glycol (107-21-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Subject to reporting requirements of United States SARA Section 313
Listed on EPA Hazardous Air Pollutant (HAPS)
Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on KECL/KECI (Korean Existing Chemicals Inventory)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)
Listed on the NCI (Vietnam - National Chemical Inventory)
Listed on Thailand Existing Chemicals Inventory (DIW)

CERCLA RQ	5000 lb
------------------	---------

SARA Section 313 - Emission Reporting	1 %
--	-----

Polyethylene glycol (25322-68-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
Listed on the Canadian DSL (Domestic Substances List)
Listed on the EU NLP (No Longer Polymers) inventory

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)
 Listed on the NCI (Vietnam - National Chemical Inventory)
 Listed on Thailand Existing Chemicals Inventory (DIW)

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule, (40 CFR 711).

1,2-Propanediol (57-55-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory - Status: Active
 Listed on the Canadian DSL (Domestic Substances List)
 Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
 Listed on the Canadian IDL (Ingredient Disclosure List)
 Listed introduction on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)
 Listed on the NCI (Vietnam - National Chemical Inventory)
 Listed on Thailand Existing Chemicals Inventory (DIW)

US State Regulations

California Proposition 65

 **WARNING:** This product can expose you to chemicals including Titanium dioxide, which is known to the State of California to cause cancer, and Ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental Toxicity	Female Reproductive Toxicity	Male Reproductive Toxicity
Titanium dioxide (13463-67-7)	X			
Ethylene glycol (107-21-1)		X		

Kaolin (1332-58-7)

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Massachusetts - Right To Know List

Titanium dioxide (13463-67-7)

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Massachusetts - Right To Know List

Cellulose (9004-34-6)

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List
 U.S. - Massachusetts - Right To Know List

Ethylene glycol (107-21-1)

U.S. - New Jersey - Right to Know Hazardous Substance List
 U.S. - Pennsylvania - RTK (Right to Know) List

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

U.S. - Massachusetts - Right To Know List
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

1,2-Propanediol (57-55-6)

U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

Canadian Regulations

Alcohols, C10-16, ethoxylated (68002-97-1)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-16, ethoxylated (68551-12-2)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, C12-15, ethoxylated (68131-39-5)

Listed on the Canadian DSL (Domestic Substances List)

Kaolin (1332-58-7)

Listed on the Canadian DSL (Domestic Substances List)

Titanium dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

Cellulose (9004-34-6)

Listed on the Canadian DSL (Domestic Substances List)

Disodium carbonate (497-19-8)

Listed on the Canadian DSL (Domestic Substances List)

Sodium percarbonate (15630-89-4)

Listed on the Canadian DSL (Domestic Substances List)

Ethylene glycol (107-21-1)

Listed on the Canadian DSL (Domestic Substances List)

Polyethylene glycol (25322-68-3)

Listed on the Canadian DSL (Domestic Substances List)

1,2-Propanediol (57-55-6)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 02/06/2026

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2022-272.
This product is labeled in accordance with regulations administered by the Consumer Product Safety Commission (CPSC). The use pattern and exposure in the workplace are generally not consistent with those experienced by consumers. The requirements of the Occupational Safety and Health Administration applicable to this SDS differ from the labeling requirements of the CPSC and, as a result, this SDS may contain additional health hazard information not pertinent to consumer use and not found on the product label.

GHS Full Text Phrases:

H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer.

OxiClean™ Max Force™ Laundry Stain Remover Powder (NA GHS 2024)

Safety Data Sheet

According To Federal Register / Vol. 89, No. 98 / Monday, May 20, 2024 / Rules And Regulations And According To The Hazardous Products Regulation (December 15, 2022).

H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Glossary of Data Source Abbreviations

ATSDR: Agency for Toxic Substances and Disease Registry (U.S. Department of Health and Human Services)

AU_WES: Australia WES

CHEMVIEW: ChemView (U.S. Environmental Protection Agency)

EC_RAR: European Commission Renewal Assessment Report

EC_SCOEL: European Commission Scientific Committee on Occupational Exposure Limits

ECETOC: European Centre for Ecotoxicology and Toxicology of Chemicals Reports

ECHA_API: European Chemicals Agency API

ECHA_RAC: ECHA Committee for Risk Assessment

EFSA: European Food Safety Authority

EPA: U.S. Environmental Protection Agency

EPA_AEGL: Acute Exposure Guideline Levels (U.S. Environmental Protection Agency)

EPA_FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act Reregistration Eligibility Decision (U.S. Environmental Protection Agency)

EPA_HPVC: High Production Volume Chemicals (U.S. Environmental Protection Agency)

EPA_TRED: Risk Assessment for Tolerance Reassessment Eligibility Decision (U.S. Environmental Protection Agency)

EU_CLH: European Union Harmonised Classification and Labelling Proposal

EU_RAR: European Union Risk Assessment Report

FOOD_JOURN: Food Research Journal (1956)

IARC: The International Agency for Research on Cancer

IDLH: National Institute for Occupational Health and Safety Immediately Dangerous to Life or Health Value Profiles

IUCLID: International Uniform Chemical Information Database

JAPAN_GHS: Japan GHS Basis for Classification Data

JP_J-CHECK: Japan J-Check

KR_NIER: South Korea National Institute of Environmental Research Evaluations

NICNAS: Australia National Industrial Chemicals Notification and Assessment Scheme

NIOSH: National Institute for Occupational Health and Safety (U.S. Department of Health and Human Services)

NLM_CIP: National Library of Medicine ChemID plus database

NLM_HSDB: National Library of Medicine Hazardous Substance Data Bank

NLM_PUBMED: National Library of Medicine PubMed database

NTP: National Toxicology Program

NZ_CCID: New Zealand Chemical Classification and Information Database

OECD_EHSP: Environment, Health, and Safety Publication (Organisation for Economic Co-operation and Development)

OECD_SIDS: Screening Information Data Sets (Organisation for Economic Co-operation and Development)

WHO: World Health Organization

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS (Can, US)