

SAFETY DATA SHEET

1. Identification

Product identifier MAYBELLINE NEW YORK SUPERSTAY INK CRAYON

Other means of identification

SDS number 00-64-0000419

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
POLYETHYLENE		9002-88-4	< 14

Chemical name	Common name and synonyms	CAS number	%
ISOHEXADECANE		4390-04-9	< 13
IRON OXIDES		1309-37-1	< 11
TITANIUM DIOXIDE		13463-67-7	< 10
ISODODECANE		31807-55-3	< 9
BLUE 1 LAKE		68921-42-6	< 4
RED 33 LAKE		3567-66-6	< 3
HYDROGENATED POLYISOBUTENE		68937-10-0	< 3
ISODODECANE		13475-82-6	< 3
MICA		12001-26-2	< 2
ISODODECANE		93685-81-5	< 2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water spray. Foam. Powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
IRON OXIDES (CAS 1309-37-1)	PEL	10 mg/m3	Fume.
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
IRON OXIDES (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
MICA (CAS 12001-26-2)	TWA	20 mppcf	
POLYETHYLENE (CAS 9002-88-4)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
BLUE 1 LAKE (CAS 68921-42-6)	TWA	1 mg/m3	Respirable fraction.
IRON OXIDES (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.
MICA (CAS 12001-26-2)	TWA	0.1 mg/m3	Respirable fraction.
RED 33 LAKE (CAS 3567-66-6)	TWA	1 mg/m3	Respirable fraction.
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
BLUE 1 LAKE (CAS 68921-42-6)	TWA	2 mg/m3	
IRON OXIDES (CAS 1309-37-1)	TWA	5 mg/m3	Dust and fume.
MICA (CAS 12001-26-2)	TWA	3 mg/m3	Respirable.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Applicable for industrial settings only. Wear safety glasses with side shields (or goggles).

Skin protection	
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.
Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing.
Respiratory protection	Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Solid.
Color	Shaded
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	167.0 °F (75.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not Readily Combustible

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)

Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information

Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Alkaline metals.
Hazardous decomposition products	Carbon monoxide. Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	No adverse effects due to eye contact are expected.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics None expected

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
MAYBELLINE NEW YORK SUPERSTAY INK CRAYON		
<u>Acute</u>		
Dermal		
ATEmix		21330 mg/kg
Inhalation		
<i>Vapor</i>		
ATEmix		86.67 mg/l
Oral		
ATEmix		11170 mg/kg
Components	Species	Test Results
BLUE 1 LAKE (CAS 68921-42-6)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
HYDROGENATED POLYISOBUTENE (CAS 68937-10-0)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg OECD 423
IRON OXIDES (CAS 1309-37-1)		
<u>Acute</u>		
Inhalation		
<i>Aerosol</i>		
MLD	Rat	> 5 mg/L air, 4 h OECD 403
Oral		
LD50	Rat	> 5000 mg/kg bw EU B.1
ISODODECANE (CAS 13475-82-6)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg OECD 402
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 5000 mg/m3, 8 h OECD 403
Oral		
LD50	Rat	> 5000 mg/kg OECD 401
ISODODECANE (CAS 31807-55-3)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg OECD 402

Components	Species	Test Results
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 21.3 mg/l, 1 h
Oral		
LD50	Rat	> 5000 mg/kg OECD 401
ISODODECANE (CAS 93685-81-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg OECD 402
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 21.3 mg/l, 1 h
Oral		
LD50	Rat	> 5000 mg/kg OECD 401
ISOHEXADECANE (CAS 4390-04-9)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 3160 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	1.73 mg/l, 4 h OECD 403
Oral		
LD50	Rat	> 5000 mg/kg OECD 401
MICA (CAS 12001-26-2)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg bw
POLYETHYLENE (CAS 9002-88-4)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2500 mg/kg bw
RED 33 LAKE (CAS 3567-66-6)		
<u>Acute</u>		
Oral		
LD50	Rat	> 20000 mg/kg Based on test data for structurally similar materials.
TITANIUM DIOXIDE (CAS 13463-67-7)		
<u>Acute</u>		
Dermal		
LD50	-	>= 10000 mg/kg
Inhalation		
LC50	Rat	> 6.82 mg/L air, 4 hours
Oral		
LD50	Rat	> 25000 mg/kg
Skin corrosion/irritation		
Due to partial or complete lack of data the classification is not possible. No adverse effects due to skin contact are expected.		
Irritation Corrosion - Skin		
HYDROGENATED POLYISOBUTENE		OECD 404 Result: Not Irritating Species: Rabbit

Irritation Corrosion - Skin

IRON OXIDES

OECD 404

Result: Not Irritating

Species: Rabbit

ISODODECANE

OECD 404

Result: Not Irritating

Species: Rabbit

ISOHEXADECANE

OECD 404

Result: Not Irritating

Species: Rabbit

RED 33 LAKE

OECD 439

Result: Not Irritating

Species: RhE

ISODODECANE

Result: Not Irritating

Species: Human

BLUE 1 LAKE

Result: Not Irritating

Species: Rabbit

Serious eye damage/eye irritation

Due to partial or complete lack of data the classification is not possible. No adverse effects due to eye contact are expected.

Irritation Corrosion - Eye

HYDROGENATED POLYISOBUTENE

OECD 405

Result: Not Irritating

Species: Rabbit

IRON OXIDES

OECD 405

Result: Not Irritating

Species: Rabbit

ISODODECANE

OECD 405

Result: Not Irritating

Species: Rabbit

ISOHEXADECANE

OECD 405

Result: Not Irritating

Species: Rabbit

RED 33 LAKE

OECD 492

Result: Not Irritating

Species: RhCE

MICA

Result: Mechanical irritation of the eyes is possible.

BLUE 1 LAKE

Result: Not Irritating

Species: Rabbit

Respiratory or skin sensitization**Respiratory sensitization**

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Skin sensitization

HYDROGENATED POLYISOBUTENE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

ISODODECANE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

ISOHEXADECANE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

IRON OXIDES

Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Mutagenicity

IRON OXIDES

Result: In vitro and in vivo tests did not show mutagenic effects.

ISODODECANE

Result: In vitro and in vivo tests did not show mutagenic effects.

ISOHEXADECANE

Result: In vitro and in vivo tests did not show mutagenic effects.

BLUE 1 LAKE

Result: In vitro tests did not show mutagenic effects

HYDROGENATED POLYISOBUTENE

Result: In vitro tests did not show mutagenic effects

RED 33 LAKE

Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

IRON OXIDES (CAS 1309-37-1) 3 Not classifiable as to carcinogenicity to humans.
POLYETHYLENE (CAS 9002-88-4) 3 Not classifiable as to carcinogenicity to humans.
TITANIUM DIOXIDE (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Developmental effects

ISOHEXADECANE > 5000 mg/kg bw/d OECD 414
Result: NOAEL
Species: Rat
ISODODECANE >= 2000 mg/kg bw/d OECD 414
Result: NOAEL
Species: Rat
>= 5220 mg/m3 air OECD 414
Result: NOAEL
Species: Rat

Reproductivity

ISODODECANE >= 1000 mg/kg bw/d OECD 414
Result: NOAEL
Species: Rat
>= 3000 mg/kg bw/d OECD 415
Result: NOAEL
Species: Rat
ISOHEXADECANE >= 3000 mg/kg bw/d OECD 415
Result: NOAEL
Species: Rat

Specific target organ toxicity - single exposure Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure Due to partial or complete lack of data the classification is not possible.

IRON OXIDES > 30 mg/m3 air
Result: NOAEC
Species: Rat
Test Duration: 5 d
ISODODECANE >= 200 ppm OECD 413, Inhalation
Result: NOAEL
Species: Rat
ISOHEXADECANE >= 5000 mg/kg bw/d OECD 408
Result: NOAEL
Species: Rat
Test Duration: 13 weeks
ISODODECANE >= 5000 mg/kg bw/d OECD 408, Oral
Result: NOAEL
Species: Rat
Test Duration: 90 d

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Further information The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
BLUE 1 LAKE (CAS 68921-42-6)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Algae 125.46 mg/l, 72 h OECD 201

Components		Species	Test Results
Crustacea	EC50	Daphnia magna	792.86 mg/l, 48 h
Fish	LC50	Oryzias latipes	> 3000 mg/l, 48 h
HYDROGENATED POLYISOBUTENE (CAS 68937-10-0)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 220 mg/l, 48 h OECD 202
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 180 h OECD 209
IRON OXIDES (CAS 1309-37-1)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia magna	> 100 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	> 50000 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	> 10000 mg/l, 3 h ISO 8192
ISODODECANE (CAS 13475-82-6)			
Aquatic			
<i>Acute</i>			
Algae	EL50	Pseudokirchneriella subcapitata	> 1000 mg/l, 72 h OECD 201
Crustacea	EL50	Daphnia magna	> 1000 mg/l, 48 h OECD 202
Fish	LL50	Oncorhynchus mykiss	> 1000 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOAEL	Daphnia magna	1 mg/l, 21 d OECD 211
ISODODECANE (CAS 31807-55-3)			
Aquatic			
<i>Acute</i>			
Algae	EL50	Pseudokirchneriella subcapitata	> 1000 mg/l, 72 h OECD 201
Crustacea	EL50	Daphnia magna	> 1000 mg/l, 48 h OECD 202
Fish	LL50	Oncorhynchus mykiss	> 1000 mg/l, 96 h OECD 203
Other	EC0	Pseudomonas putida	> 100 mg/l, 24 h
ISODODECANE (CAS 93685-81-5)			
Aquatic			
<i>Acute</i>			
Algae	EL50	Pseudokirchneriella subcapitata	> 1000 mg/l, 72 h OECD 201
Crustacea	EL50	Daphnia magna	> 1000 mg/l, 48 h OECD 202
Fish	LL50	Oncorhynchus mykiss	> 1000 mg/l, 96 h OECD 203
Other	EC0	Pseudomonas putida	> 100 mg/l, 24 h
ISOHEXADECANE (CAS 4390-04-9)			
Aquatic			
<i>Acute</i>			
Algae	EL50	Skeletonema costatum	> 10000 mg/l, 72 h ISO 10253
Crustacea	LL50	Acartia tonsa	> 3193 mg/l, 48 h ISO 14669
Fish	LL50	Scophthalmus maximus	> 1028 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 100 mg/l, 3 h OECD 209
<i>Chronic</i>			
Fish	NOEC	Oncorhynchus mykiss	> 1000 mg/l, 28 d

Components	Species		Test Results
RED 33 LAKE (CAS 3567-66-6)			
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	330.2 mg/l, 72 h OECD 201
Fish	LC50	Danio rerio	> 100 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 24 h
TITANIUM DIOXIDE (CAS 13463-67-7)			
Aquatic			
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
Acute			
Algae	EC50	Lemna minor	> 100 mg/l, 7 d OECD 221
Crustacea	EC50	Daphnia magna	> 100 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	> 1.1 mg/l, 14 d OECD 204
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	>= 5 mg/l, 21 d OECD 211
Fish	NOEC	Danio rerio	> 160 mg/l, 6 d OECD 210

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

HYDROGENATED POLYISOBUTENE

30 - 40 % OECD 301 B
Result: Not Readily Biodegradable
Test Duration: 28 h

ISODODECANE

20.6 %
Result: Not Readily Biodegradable
Test Duration: 28 d

ISOHEXADECANE

31.3 % OECD 301 F
Result: Not Readily Biodegradable
74 % OECD 306
Result: Readily Biodegradable
Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

HYDROGENATED POLYISOBUTENE

8.2 - 10.2

ISODODECANE

6.4

6.96 QSAR

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information**US federal regulations**

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date 09-13-2022

Version # 01

NFPA ratings Health: 0
Flammability: 2
Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.