

SAFETY DATA SHEET

Issuing Date 08-Jan-2025

Revision Date 08-Jan-2025

Revision Number 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L24D4PC0 by SUNWODA

Other means of identification

Product Code(s) 1834297

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696
shanghai
shanghai
201203
CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone Number 18116118603

2. HAZARDS IDENTIFICATION

Classification

| | |
|-----------------------------------|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1B |



| | |
|--|------------|
| Specific target organ toxicity (repeated exposure) | Category 1 |
|--|------------|

This is a battery. In case of rupture: the above hazards exist.

Appearance Black

Physical state Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

- Causes skin irritation
- Causes serious eye irritation
- May cause an allergic skin reaction
- May cause cancer
- Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Contaminated work clothing must not be allowed out of the workplace
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

Precautionary Statements - Response

- IF exposed or concerned: Get medical advice/attention
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Skin

- IF ON SKIN: Wash with plenty of water and soap
- Take off contaminated clothing and wash it before reuse
- If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

- Store locked up

Precautionary Statements - Disposal

- Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 45.11 % of the mixture consists of ingredient(s) of unknown toxicity
42.11 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

45.11 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 45.11 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 45.11 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 45.11 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------------|------------|----------|--|---|
| Lithium Cobalt Oxide (CoLiO2) | 12190-79-3 | 43.83 | - | - |
| Graphite | 7782-42-5 | 23.11 | - | - |
| Propylene carbonate | 108-32-7 | 10 | - | - |
| Ethylene carbonate | 96-49-1 | 10 | - | - |
| Copper | 7440-50-8 | 8.66 | - | - |
| Ci 77000 | 7429-90-5 | 3.98 | - | - |
| Nickel | 7440-02-0 | 2 | - | - |
| Ci 77266 | 1333-86-4 | 2 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 1.61 | - | - |
| Sodium carboxymethyl cellulose | 9004-32-4 | 1 | - | - |
| 1,3-Propane sultone | 1120-71-4 | 0.33 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of sealed battery. In case of rupture:

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Burning sensation.



Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | Product is or contains a sensitizer. May cause sensitization by skin contact. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Other Information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|--------------------------------|--|
| Advice on safe handling | In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. |
|--------------------------------|--|

Conditions for safe storage, including any incompatibilities



Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|--|---|--|---|--|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | - | | |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust | |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ fume | TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust and mist (vacated) TWA: 0.1 mg/m ³ Cu dust, fume, mist | IDLH: 100 mg/m ³ dust, fume and mist TWA: 1 mg/m ³ dust and mist TWA: 0.1 mg/m ³ fume | |
| Ci 77000 7429-90-5 | TWA: 1 mg/m ³ respirable fraction | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust | |
| Nickel 7440-02-0 | TWA: 1.5 mg/m ³ | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ | IDLH: 10 mg/m ³ TWA: 0.015 mg/m ³ | |
| Ci 77266 1333-86-4 | TWA: 3 mg/m ³ inhalable particulate matter | TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³ | IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³ | IDLH: 250 mg/m ³ F | |
| Chemical name | Alberta | British Columbia | Ontario TWAEV | Quebec |
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |
| Ci 77000 | TWA: 10 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ | TWA: 10 mg/m ³ |



| | | | | |
|--|----------------------------|-----------------------------|----------------------------|----------------------------|
| 7429-90-5 | | | | |
| Nickel 7440-02-0 | TWA: 1.5 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 1 mg/m ³ | TWA: 1.5 mg/m ³ |
| Ci 77266 1333-86-4 | TWA: 3.5 mg/m ³ | TWA: 3 mg/m ³ | TWA: 3 mg/m ³ | TWA: 3 mg/m ³ |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ |
| 1,3-Propane sultone 1120-71-4 | | TWA: | TWA: | TWA: |

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance Black
Odor Odorless
Color No information available
Odor Threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|-------------------------------|-------------------|----------------|---------------|
| pH | No data available | None known | |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | No data available | None known | |
| Flash Point | No data available | None known | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |



| | | |
|---|--------------------|------------|
| Relative density | No data available | None known |
| Water Solubility | Insoluble in water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water ¹ | | |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other Information

| | |
|----------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture: |
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Causes skin irritation. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 12,681.70 mg/kg
ATEmix (dermal) 10,228.00 mg/kg

Unknown acute toxicity 45.11 % of the mixture consists of ingredient(s) of unknown toxicity
42.11 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
45.11 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
45.11 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
45.11 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
45.11 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

| Product Information | | | |
|--------------------------------|-----------------------|--------------------------|--------------------------------------|
| Component Information | | | |
| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Graphite | - | - | > 2000 mg/m ³ (Rat) 4 h |
| Propylene carbonate | = 29000 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | - |
| Ethylene carbonate | = 10 g/kg (Rat) | > 26420 mg/kg (Rabbit) | > 730 mg/m ³ (Rat) 8 h |
| Copper | - | - | > 5.11 mg/L (Rat) 4 h |
| Ci 77000 | - | - | > 0.888 mg/L (Rat) 4 h |
| Nickel | > 9000 mg/kg (Rat) | - | > 10.2 mg/L (Rat) 1 h |
| Ci 77266 | > 10000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 4.6 mg/m ³ (Rat) 4 h |
| Sodium carboxymethyl cellulose | = 27000 mg/kg (Rat) | - | > 5800 mg/m ³ (Rat) 4 h |
| 1,3-Propane sultone | = 157 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization May cause sensitization by skin contact.
Germ cell mutagenicity No information available.
Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | A3 | Group 2B | Reasonably Anticipated | X |
| Nickel 7440-02-0 | - | Group 2B | Reasonably Anticipated | X |
| Ci 77266 1333-86-4 | A3 | Group 2B | - | X |
| 1,3-Propane sultone | A3 | Group 2A | Reasonably Anticipated | X |



| | | | |
|-----------|--|--|--|
| 1120-71-4 | | | |
|-----------|--|--|--|

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

| | |
|---------------------------------|---|
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------------|--|---|----------------------------|--|
| Graphite | No data available | 96h LC50: > 100 mg/L (Danio rerio) | No data available | No data available |
| Propylene carbonate | 72h EC50: > 500 mg/L (Desmodesmus subspicatus) | 96h LC50: > 1000 mg/L (Cyprinus carpio) | EC50 > 10000 mg/L 17 h | 48h EC50: > 500 mg/L (Daphnia magna) |
| Ethylene carbonate | No data available | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | No data available | No data available |
| Copper | 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) | No data available | 48h EC50: = 0.03 mg/L (Daphnia magna) |
| Nickel | 72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella) | 96h LC50: > 100 mg/L (Brachydanio rerio) 96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio) | No data available | 48h EC50: > 100 mg/L (Daphnia magna) 48h EC50: = 1 mg/L (Daphnia magna) |



| | | | | |
|--|--------------|--|--|--|
| | subcapitata) | | | |
|--|--------------|--|--|--|

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Propylene carbonate | 0.48 |
| Ethylene carbonate | 0.11 |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|--|----------------------------------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | Toxic |
| Ci 77000 7429-90-5 | Ignitable powder |
| Nickel 7440-02-0 | Toxic powder Ignitable powder |

14. TRANSPORT INFORMATION

Note: The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)
Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT NOT REGULATED



| | |
|--|----------------------------------|
| Proper Shipping Name | NON-REGULATED |
| Hazard Class | N/A |
| Emergency Response Guide Number | 147 |
| TDG | Not applicable |
| MEX | Not applicable |
| ICAO | Not applicable |
| IATA | |
| UN-No. | UN3480 |
| Proper Shipping Name | LITHIUM ION BATTERIES |
| Hazard Class | 9 |
| ERG Code | 12FZ |
| Description | UN3480, LITHIUM ION BATTERIES, 9 |
| IMDG/IMO | Not applicable |
| Proper Shipping Name | NON-REGULATED PER SP 188 |
| Hazard Class | N/A |
| EmS-No. | F-A, S-I |
| RID | Not applicable |
| ADR | Not applicable |
| ADN | Not applicable |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

| | |
|----------------------|---|
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |
| PICCS | Contact supplier for inventory compliance status. |
| AICS | Contact supplier for inventory compliance status. |

Legend

| | |
|----------------------|--|
| TSCA | - United States Toxic Substances Control Act Section 8(b) Inventory |
| DSL/NDSL | - Canadian Domestic Substances List/Non-Domestic Substances List |
| EINECS/ELINCS | - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances |
| ENCS | - Japan Existing and New Chemical Substances |
| KECL | - Korean Existing and Evaluated Chemical Substances |
| PICCS | - Philippines Inventory of Chemicals and Chemical Substances |
| AICS | - Australian Inventory of Chemical Substances |

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|-------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 43.83 | 0.1 |
| Copper - 7440-50-8 | 7440-50-8 | 8.66 | 1.0 |
| Ci 77000 - 7429-90-5 | 7429-90-5 | 3.98 | 1.0 |
| Nickel - 7440-02-0 | 7440-02-0 | 2 | 0.1 |
| 1,3-Propane sultone - 1120-71-4 | 1120-71-4 | 0.33 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Copper 7440-50-8 | | X | X | |
| Nickel 7440-02-0 | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|----------------------------------|--------------------------|------------------------------------|--|
| Copper 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Nickel 7440-02-0 | 100 lb | | RQ 100 lb final RQ RQ 45.4 kg final RQ |
| 1,3-Propane sultone 1120-71-4 | 10 lb | | RQ 10 lb final RQ RQ 4.54 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|---------------------------------|--|
| Ci 77266 - 1333-86-4 | carcinogen, 2/21/2003 (airborne, unbound particles of respirable size) |
| Nickel - 7440-02-0 | carcinogen, 10/1/1989 (metallic) |
| 1,3-Propane sultone - 1120-71-4 | carcinogen, 1/1/1988 |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.



| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | X | X | X |
| Graphite 7782-42-5 | X | X | X | | |
| Ethylene carbonate 96-49-1 | | X | X | | |
| Copper 7440-50-8 | X | X | X | X | X |
| Ci 77000 7429-90-5 | X | X | X | X | |
| Nickel 7440-02-0 | X | X | X | X | X |
| Ci 77266 1333-86-4 | X | X | X | | X |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | X | | | | |
| 1,3-Propane sultone 1120-71-4 | X | X | X | X | X |

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical Properties -
HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 08-Jan-2025

Revision Date 08-Jan-2025

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date No data available

Revision Date 09-Jan-2025

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L24M4PC0 by Simplo

Other means of identification

Product Code(s) 1834293

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696
shanghai
shanghai
201203
CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone Number 18116118603

2. HAZARDS IDENTIFICATION

Classification

| | |
|--|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (repeated exposure) | Category 1 |



This is a battery. In case of rupture: the above hazards exist.

Appearance Black

Physical state Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

Causes skin irritation
Causes serious eye irritation
May cause cancer
Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/protective clothing/eye protection/face protection
Wash face, hands and any exposed skin thoroughly after handling
Do not breathe dust/fume/gas/mist/vapors/spray
Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 29.75 % of the mixture consists of ingredient(s) of unknown toxicity

- 27.57 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 29.75 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 29.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 29.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

29.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------------|------------|----------|--|---|
| Lithium Cobalt Oxide (CoLiO2) | 12190-79-3 | 46.8 | - | - |
| Graphite | 7782-42-5 | 23.95 | - | - |
| Ci 77400 | 7440-50-8 | 7.72 | - | - |
| Aluminum | 7429-90-5 | 6.4 | - | - |
| Propylene carbonate | 108-32-7 | 1.81 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 1.81 | - | - |
| Ethylene carbonate | 96-49-1 | 1.81 | - | - |
| 1,3-Propane sultone | 1120-71-4 | 0.45 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance. First aid is upon rupture of sealed battery. In case of rupture:

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES



| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | No information available. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. |
| Other Information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|--------------------------------|--|
| Advice on safe handling | In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. |
|--------------------------------|--|

Conditions for safe storage, including any incompatibilities

| | |
|---------------------------|--|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. |
|---------------------------|--|

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|--|---|---|--|--|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | - | | |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust | |
| Ci 77400 7440-50-8 | TWA: 0.2 mg/m ³ fume | TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust and mist (vacated) TWA: 0.1 mg/m ³ Cu dust, fume, mist | IDLH: 100 mg/m ³ dust, fume and mist TWA: 1 mg/m ³ dust and mist TWA: 0.1 mg/m ³ fume | |
| Aluminum 7429-90-5 | TWA: 1 mg/m ³ respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³ | IDLH: 250 mg/m ³ F | |
| Chemical name | Alberta | British Columbia | Ontario TWAEV | Quebec |
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Ci 77400 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |
| Aluminum 7429-90-5 | TWA: 10 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ | TWA: 10 mg/m ³ |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ |
| 1,3-Propane sultone 1120-71-4 | | TWA: | TWA: | TWA: |

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls

- Showers
- Eyewash stations
- Ventilation systems.

Individual protection measures, such as personal protective equipment



| | |
|---------------------------------------|--|
| Eye/face protection | If splashes are likely to occur, wear safety glasses with side-shields. |
| Hand protection | Wear suitable gloves. Impervious gloves. |
| Skin and body protection | Wear suitable protective clothing. Long sleeved clothing. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|-----------------------|--------------------------|
| Physical state | Solid |
| Appearance | Black |
| Odor | Odorless |
| Color | No information available |
| Odor Threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks Method</u> |
|---|--------------------|-----------------------|
| pH | No data available | None known |
| Melting / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash Point | No data available | None known |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water Solubility | Insoluble in water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water¹ | | |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other Information

| | |
|-----------------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY



| | |
|---|--|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture: |
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|---|
| Symptoms | Redness. May cause redness and tearing of the eyes. |
|-----------------|---|

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|------------------------|-----------------|
| ATEmix (oral) | 18,095.50 mg/kg |
| ATEmix (dermal) | 11,643.60 mg/kg |

| | |
|-------------------------------|---|
| Unknown acute toxicity | 29.75 % of the mixture consists of ingredient(s) of unknown toxicity |
| | 27.57 % of the mixture consists of ingredient(s) of unknown acute oral toxicity |
| | 29.75 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity |
| | 29.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) |
| | 29.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) |
| | 29.75 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist) |

Product Information

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|-----------|-------------|-----------------|
|---------------|-----------|-------------|-----------------|

| | | | |
|-------------------------------|-----------------------|--------------------------|--------------------------------------|
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Graphite | - | - | > 2000 mg/m ³ (Rat) 4 h |
| Ci 77400 | - | - | > 5.11 mg/L (Rat) 4 h |
| Aluminum | - | - | > 0.888 mg/L (Rat) 4 h |
| Propylene carbonate | = 29000 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | - |
| Ethylene carbonate | = 10 g/kg (Rat) | > 26420 mg/kg (Rabbit) | > 730 mg/m ³ (Rat) 8 h |
| 1,3-Propane sultone | = 157 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

- Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.
- Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.
- Respiratory or skin sensitization** No information available.
- Germ cell mutagenicity** No information available.
- Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | A3 | Group 2B | Reasonably Anticipated | X |
| 1,3-Propane sultone 1120-71-4 | A3 | Group 2A | Reasonably Anticipated | X |

Legend

- ACGIH (American Conference of Governmental Industrial Hygienists)**
A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
- NTP (National Toxicology Program)**
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)**
X - Present

- Reproductive toxicity** No information available.
- STOT - single exposure** No information available.
- STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure.
- Aspiration hazard** No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------|----------------------|----------------------|----------------------------|-------------------|
| Graphite | No data available | 96h LC50: > 100 mg/L | No data available | No data available |



| | | (Danio rerio) | | |
|---------------------|--|---|------------------------|---------------------------------------|
| Ci 77400 | 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) | No data available | 48h EC50: = 0.03 mg/L (Daphnia magna) |
| Propylene carbonate | 72h EC50: > 500 mg/L (Desmodesmus subspicatus) | 96h LC50: > 1000 mg/L (Cyprinus carpio) | EC50 > 10000 mg/L 17 h | 48h EC50: > 500 mg/L (Daphnia magna) |
| Ethylene carbonate | No data available | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | No data available | No data available |

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Propylene carbonate | 0.48 |
| Ethylene carbonate | 0.11 |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---|----------------------------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | Toxic |
| Aluminum | Ignitable powder |



| | |
|-----------|--|
| 7429-90-5 | |
|-----------|--|

14. TRANSPORT INFORMATION

Note: The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

| | |
|---------------------------------|----------------------------------|
| DOT | NOT REGULATED |
| Proper Shipping Name | NON-REGULATED |
| Hazard Class | N/A |
| Emergency Response Guide Number | 147 |
| TDG | Not applicable |
| MEX | Not applicable |
| ICAO | Not applicable |
| IATA | |
| UN-No. | UN3480 |
| Proper Shipping Name | LITHIUM ION BATTERIES |
| Hazard Class | 9 |
| ERG Code | 12FZ |
| Description | UN3480, LITHIUM ION BATTERIES, 9 |
| IMDG/IMO | Not applicable |
| Proper Shipping Name | NON-REGULATED PER SP 188 |
| Hazard Class | N/A |
| EmS-No. | F-A, S-I |
| RID | Not applicable |
| ADR | Not applicable |
| ADN | Not applicable |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable



The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.
 DSL/NDSL Contact supplier for inventory compliance status.
 EINECS/ELINCS Contact supplier for inventory compliance status.
 ENCS Contact supplier for inventory compliance status.
 KECL Contact supplier for inventory compliance status.
 PICCS Contact supplier for inventory compliance status.
 AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|-------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 46.8 | 0.1 |
| Ci 77400 - 7440-50-8 | 7440-50-8 | 7.72 | 1.0 |
| Aluminum - 7429-90-5 | 7429-90-5 | 6.4 | 1.0 |
| 1,3-Propane sultone - 1120-71-4 | 1120-71-4 | 0.45 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Ci 77400 7440-50-8 | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|-----------------------|--------------------------|------------------------------------|--|
| Ci 77400 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |



| | | | |
|----------------------------------|-------|--|--|
| 1,3-Propane sultone 1120-71-4 | 10 lb | | RQ 10 lb final RQ RQ 4.54 kg final RQ |
|----------------------------------|-------|--|--|

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|---------------------------------|---------------------------|
| 1,3-Propane sultone - 1120-71-4 | carcinogen, 1/1/1988 |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|---|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | X | X | X |
| Graphite 7782-42-5 | X | X | X | | |
| Ci 77400 7440-50-8 | X | X | X | X | X |
| Aluminum 7429-90-5 | X | X | X | X | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | X | | | | |
| Ethylene carbonate 96-49-1 | | X | X | | |
| 1,3-Propane sultone 1120-71-4 | X | X | X | X | X |

16. OTHER INFORMATION

| | | | | |
|-------------|------------------|----------------|--------------------|---|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - Personal Protection X |
| HMIS | Health hazards 0 | Flammability 0 | Physical hazards 0 | |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 09-Jan-2025

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date No data available

Revision Date 13-Jan-2025

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L24X4PC0 by CosMX

Other means of identification

Product Code(s) 1834299

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696
shanghai
shanghai
201203
CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone Number 18116118603

2. HAZARDS IDENTIFICATION

Classification

| | |
|-----------------------------------|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1B |



| | |
|--|------------|
| Specific target organ toxicity (repeated exposure) | Category 1 |
|--|------------|

This is a battery. In case of rupture: the above hazards exist.

Appearance Black

Physical state Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

- Causes skin irritation
- Causes serious eye irritation
- May cause an allergic skin reaction
- May cause cancer
- Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Contaminated work clothing must not be allowed out of the workplace
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

Precautionary Statements - Response

- IF exposed or concerned: Get medical advice/attention
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention

Skin

- IF ON SKIN: Wash with plenty of water and soap
- Take off contaminated clothing and wash it before reuse
- If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Storage

- Store locked up

Precautionary Statements - Disposal

- Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 30.31 % of the mixture consists of ingredient(s) of unknown toxicity
27.92 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

30.31 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
30.31 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
30.31 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
30.31 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--|------------|----------|--|---|
| Lithium Cobalt Oxide (CoLiO ₂) | 12190-79-3 | 39.65 | - | - |
| Graphite | 7782-42-5 | 19.3 | - | - |
| Copper | 7440-50-8 | 12.3 | - | - |
| Aluminum | 7429-90-5 | 8.98 | - | - |
| Ethylene carbonate | 96-49-1 | 2.56 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 1.34 | - | - |
| Nickel | 7440-02-0 | 1.12 | - | - |
| 1,3-Propane sultone | 1120-71-4 | 0.35 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

| | |
|---|---|
| General advice | Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of sealed battery. In case of rupture: Remove to fresh air. Get medical attention immediately if symptoms occur. |
| Inhalation | |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area. |
| Skin contact | May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician. |
| Self-protection of the first aider | Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8). |

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | Product is or contains a sensitizer. May cause sensitization by skin contact. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Other Information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|--------------------------------|--|
| Advice on safe handling | In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. |
|--------------------------------|--|

Conditions for safe storage, including any incompatibilities

| | |
|---------------------------|--|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. |
|---------------------------|--|

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|--|---|--|--|--|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | - | | |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust | |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ fume | TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust and mist (vacated) TWA: 0.1 mg/m ³ Cu dust, fume, mist | IDLH: 100 mg/m ³ dust, fume and mist TWA: 1 mg/m ³ dust and mist TWA: 0.1 mg/m ³ fume | |
| Aluminum 7429-90-5 | TWA: 1 mg/m ³ respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³ | IDLH: 250 mg/m ³ F | |
| Nickel 7440-02-0 | TWA: 1.5 mg/m ³ | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ | IDLH: 10 mg/m ³ TWA: 0.015 mg/m ³ | |
| Chemical name | Alberta | British Columbia | Ontario TWAEV | Quebec |
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |
| Aluminum 7429-90-5 | TWA: 10 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ | TWA: 10 mg/m ³ |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ |
| Nickel 7440-02-0 | TWA: 1.5 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 1 mg/m ³ | TWA: 1.5 mg/m ³ |
| 1,3-Propane sultone 1120-71-4 | | TWA: | TWA: | TWA: |



Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance Black
Odor Odorless
Color No information available
Odor Threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks</u> | <u>Method</u> |
|---|--------------------|----------------|---------------|
| pH | No data available | None known | |
| Melting / freezing point | No data available | None known | |
| Boiling point / boiling range | No data available | None known | |
| Flash Point | No data available | None known | |
| Evaporation Rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | | |
| Upper flammability limit | No data available | | |
| Lower flammability limit | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Relative density | No data available | None known | |
| Water Solubility | Insoluble in water | | |
| Solubility(ies) | No data available | None known | |
| Partition coefficient: n-octanol/water ¹ | | | |
| Autoignition temperature | No data available | None known | |
| Decomposition temperature | No data available | None known | |
| Kinematic viscosity | No data available | None known | |
| Dynamic viscosity | No data available | None known | |

Other Information
Explosive properties No information available



| | |
|-----------------------------------|--------------------------|
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture: |
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. May cause sensitization by skin contact. Causes skin irritation. (based on components). Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|------------------------|-----------------|
| ATEmix (oral) | 24,550.40 mg/kg |
| ATEmix (dermal) | 15,602.20 mg/kg |

Unknown acute toxicity 30.31 % of the mixture consists of ingredient(s) of unknown toxicity
 27.92 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 30.31 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 30.31 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 30.31 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 30.31 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Product Information

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------|----------------------|--------------------------|--------------------------------------|
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Graphite | - | - | > 2000 mg/m ³ (Rat) 4 h |
| Copper | - | - | > 5.11 mg/L (Rat) 4 h |
| Aluminum | - | - | > 0.888 mg/L (Rat) 4 h |
| Ethylene carbonate | = 10 g/kg (Rat) | > 26420 mg/kg (Rabbit) | > 730 mg/m ³ (Rat) 8 h |
| Nickel | > 9000 mg/kg (Rat) | - | > 10.2 mg/L (Rat) 1 h |
| 1,3-Propane sultone | = 157 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Irritating to skin.
Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization May cause sensitization by skin contact.
Germ cell mutagenicity No information available.
Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | A3 | Group 2B | Reasonably Anticipated | X |
| Nickel 7440-02-0 | - | Group 2B | Reasonably Anticipated | X |
| 1,3-Propane sultone 1120-71-4 | A3 | Group 2A | Reasonably Anticipated | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.



STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--------------------|--|---|----------------------------|--|
| Graphite | No data available | 96h LC50: > 100 mg/L (Danio rerio) | No data available | No data available |
| Copper | 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) | No data available | 48h EC50: = 0.03 mg/L (Daphnia magna) |
| Ethylene carbonate | No data available | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | No data available | No data available |
| Nickel | 72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: > 100 mg/L (Brachydanio rerio) 96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio) | No data available | 48h EC50: > 100 mg/L (Daphnia magna) 48h EC50: = 1 mg/L (Daphnia magna) |

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|--------------------|-----------------------|
| Ethylene carbonate | 0.11 |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods



Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|--|----------------------------------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | Toxic |
| Aluminum 7429-90-5 | Ignitable powder |
| Nickel 7440-02-0 | Toxic powder Ignitable powder |

14. TRANSPORT INFORMATION

Note: The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)
Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT
Proper Shipping Name NOT REGULATED
Hazard Class NON-REGULATED
Emergency Response Guide Number N/A
 147

TDG Not applicable

MEX Not applicable

ICAO Not applicable

IATA
UN-No. UN3480
Proper Shipping Name LITHIUM ION BATTERIES
Hazard Class 9
ERG Code 12FZ
Description UN3480, LITHIUM ION BATTERIES, 9

IMDG/IMO
Proper Shipping Name Not applicable
Hazard Class NON-REGULATED PER SP 188
 N/A



EmS-No. F-A, S-I
Marine Pollutant This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

RID Not applicable

ADR Not applicable

ADN Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.
DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|-------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 39.65 | 0.1 |
| Copper - 7440-50-8 | 7440-50-8 | 12.3 | 1.0 |
| Aluminum - 7429-90-5 | 7429-90-5 | 8.98 | 1.0 |
| Nickel - 7440-02-0 | 7440-02-0 | 1.12 | 0.1 |
| 1,3-Propane sultone - 1120-71-4 | 1120-71-4 | 0.35 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will



need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Copper 7440-50-8 | | X | X | |
| Nickel 7440-02-0 | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|----------------------------------|--------------------------|------------------------------------|--|
| Copper 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Nickel 7440-02-0 | 100 lb | | RQ 100 lb final RQ RQ 45.4 kg final RQ |
| 1,3-Propane sultone 1120-71-4 | 10 lb | | RQ 10 lb final RQ RQ 4.54 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|---------------------------------|----------------------------------|
| Nickel - 7440-02-0 | carcinogen, 10/1/1989 (metallic) |
| 1,3-Propane sultone - 1120-71-4 | carcinogen, 1/1/1988 |
| Carbon black - 1333-86-4 | Carcinogen |
| Titanium dioxide - 13463-67-7 | Carcinogen |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | X | X | X |
| Graphite 7782-42-5 | X | X | X | | |
| Copper 7440-50-8 | X | X | X | X | X |
| Aluminum 7429-90-5 | X | X | X | X | |
| Ethylene carbonate 96-49-1 | | X | X | | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | X | | | | |
| Nickel 7440-02-0 | X | X | X | X | X |



| | | | | | |
|----------------------------------|---|---|---|---|---|
| 1,3-Propane sultone 1120-71-4 | X | X | X | X | X |
|----------------------------------|---|---|---|---|---|

16. OTHER INFORMATION

| | | | | |
|-------------|-------------------------|-----------------------|---------------------------|---|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 0 | Flammability 0 | Physical hazards 0 | Personal Protection X |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 13-Jan-2025

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date 09-Jan-2025

Revision Date 08-Jan-2025

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L24B4PC0 by BYD

Other means of identification

Product Code(s) 1834292

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696
shanghai
shanghai
201203
CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone Number 18116118603

2. HAZARDS IDENTIFICATION

Classification

| | |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1B |



| | |
|--|------------|
| Specific target organ toxicity (repeated exposure) | Category 1 |
|--|------------|

This is a battery. In case of rupture: the above hazards exist.

Appearance Black

Physical state Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

- Causes severe skin burns and eye damage
- May cause an allergic skin reaction
- May cause cancer
- Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Contaminated work clothing must not be allowed out of the workplace
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

Precautionary Statements - Response

- Immediately call a POISON CENTER or doctor
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing
Immediately call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information



May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 32 % of the mixture consists of ingredient(s) of unknown toxicity
25 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
32 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
32 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
32 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
32 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|--|------------|----------|--|---|
| Lithium Cobalt Oxide (CoLiO ₂) | 12190-79-3 | 45 | - | - |
| Graphite | 7782-42-5 | 25 | - | - |
| Propylene carbonate | 108-32-7 | 10 | - | - |
| Propyl propionate | 106-36-5 | 10 | - | - |
| Ethylene carbonate | 96-49-1 | 10 | - | - |
| Ci 77400 | 7440-50-8 | 10 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 5 | - | - |
| Nickel | 7440-02-0 | 5 | - | - |
| Aluminum foil | 7429-90-5 | 5 | - | - |
| Ci 77266 | 1333-86-4 | 2 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of sealed battery. In case of rupture:

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction.

| | |
|---|--|
| Ingestion | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. |
| Self-protection of the first aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8). |

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up



Methods for containment Prevent further leakage or spillage if safe to do so.
Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|---|--|--|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | - | |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust |
| Ci 77400 7440-50-8 | TWA: 0.2 mg/m ³ fume | TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust and mist (vacated) TWA: 0.1 mg/m ³ Cu dust, fume, mist | IDLH: 100 mg/m ³ dust, fume and mist TWA: 1 mg/m ³ dust and mist TWA: 0.1 mg/m ³ fume |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³ | IDLH: 250 mg/m ³ F |
| Nickel 7440-02-0 | TWA: 1.5 mg/m ³ | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ | IDLH: 10 mg/m ³ TWA: 0.015 mg/m ³ |
| Aluminum foil | TWA: 1 mg/m ³ respirable | TWA: 15 mg/m ³ total dust | TWA: 10 mg/m ³ total dust |



| 7429-90-5 | particulate matter | TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 5 mg/m ³ respirable dust | |
|--|--|--|---|--|
| Ci 77266 1333-86-4 | TWA: 3 mg/m ³ inhalable particulate matter | TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³ | IDLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ TWA: 0.1 mg/m ³ Carbon black in presence of Polycyclic aromatic hydrocarbons PAH | |
| Chemical name | Alberta | British Columbia | Ontario TWAEV | Quebec |
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Ci 77400 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ |
| Nickel 7440-02-0 | TWA: 1.5 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 1 mg/m ³ | TWA: 1.5 mg/m ³ |
| Aluminum foil 7429-90-5 | TWA: 10 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ | TWA: 10 mg/m ³ |
| Ci 77266 1333-86-4 | TWA: 3.5 mg/m ³ | TWA: 3 mg/m ³ | TWA: 3 mg/m ³ | TWA: 3 mg/m ³ |

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Face protection shield.

Hand protection

Wear suitable gloves. Impervious gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES



Information on basic physical and chemical properties

| | |
|----------------|--------------------------|
| Physical state | Solid |
| Appearance | Black |
| Odor | Odorless |
| Color | No information available |
| Odor Threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks Method</u> |
|---|--------------------|-----------------------|
| pH | No data available | None known |
| Melting / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash Point | No data available | None known |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water Solubility | Insoluble in water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water ¹ | | |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other Information

| | |
|----------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|------------------------------------|---|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Exposure to air or moisture over prolonged periods. |
| Incompatible materials | Acids. Bases. Oxidizing agent. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture: |
| Inhalation | Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May be harmful in contact with skin. |
| Ingestion | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|---|
| Symptoms | Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. Hives. |
|-----------------|---|

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|--------------------------------------|----------------|
| ATEmix (oral) | 5,572.90 mg/kg |
| ATEmix (dermal) | 3,932.10 mg/kg |
| ATEmix (inhalation-gas) | 30,600.00 ppm |
| ATEmix (inhalation-dust/mist) | 10.20 mg/L |
| ATEmix (inhalation-vapor) | 74.80 mg/L |

| | |
|-------------------------------|--|
| Unknown acute toxicity | 32 % of the mixture consists of ingredient(s) of unknown toxicity |
| | 25 % of the mixture consists of ingredient(s) of unknown acute oral toxicity |
| | 32 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity |
| | 32 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) |
| | 32 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) |
| | 32 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist) |

Product Information

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------|----------------------|----------------------|--------------------------------------|
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Graphite | - | - | > 2000 mg/m ³ (Rat) 4 h |



| | | | |
|---------------------|-----------------------|--------------------------|-------------------------------------|
| Propylene carbonate | = 29000 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | - |
| Propyl propionate | = 10331 mg/kg (Rat) | = 16 mL/kg (Rabbit) | - |
| Ethylene carbonate | = 10 g/kg (Rat) | > 26420 mg/kg (Rabbit) | > 730 mg/m ³ (Rat) 8 h |
| Ci 77400 | - | - | > 5.11 mg/L (Rat) 4 h |
| Nickel | > 9000 mg/kg (Rat) | - | > 10.2 mg/L (Rat) 1 h |
| Aluminum foil | - | - | > 0.888 mg/L (Rat) 4 h |
| Ci 77266 | > 10000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 4.6 mg/m ³ (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|---|
| Skin corrosion/irritation | Classification based on data available for ingredients. Causes burns. |
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns. |
| Respiratory or skin sensitization | May cause sensitization by skin contact. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | A3 | Group 2B | Reasonably Anticipated | X |
| Nickel 7440-02-0 | - | Group 2B | Reasonably Anticipated | X |
| Ci 77266 1333-86-4 | A3 | Group 2B | - | X |

Legend

- ACGIH (American Conference of Governmental Industrial Hygienists)**
A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**
Group 2B - Possibly Carcinogenic to Humans
- NTP (National Toxicology Program)**
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)**
X - Present

| | |
|---------------------------------|---|
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| | | | | |
|---------------|----------------------|------|-------------|-----------|
| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------|----------------------|------|-------------|-----------|



| | | | microorganisms | |
|---------------------|--|---|------------------------|--|
| Graphite | No data available | 96h LC50: > 100 mg/L (Danio rerio) | No data available | No data available |
| Propylene carbonate | 72h EC50: > 500 mg/L (Desmodesmus subspicatus) | 96h LC50: > 1000 mg/L (Cyprinus carpio) | EC50 > 10000 mg/L 17 h | 48h EC50: > 500 mg/L (Daphnia magna) |
| Ethylene carbonate | No data available | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | No data available | No data available |
| Ci 77400 | 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) | No data available | 48h EC50: = 0.03 mg/L (Daphnia magna) |
| Nickel | 72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: > 100 mg/L (Brachydanio rerio) 96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio) | No data available | 48h EC50: > 100 mg/L (Daphnia magna) 48h EC50: = 1 mg/L (Daphnia magna) |

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Propylene carbonate | 0.48 |
| Ethylene carbonate | 0.11 |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.



California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---|----------------------------------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | Toxic |
| Nickel 7440-02-0 | Toxic powder Ignitable powder |
| Aluminum foil 7429-90-5 | Ignitable powder |

14. TRANSPORT INFORMATION

Note: The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)
Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT NOT REGULATED
Proper Shipping Name NON-REGULATED
Hazard Class N/A
Emergency Response Guide Number 147

TDG Not applicable

MEX Not applicable

ICAO Not applicable

IATA
UN-No. UN3480
Proper Shipping Name LITHIUM ION BATTERIES
Hazard Class 9
ERG Code 12FZ
Description UN3480, LITHIUM ION BATTERIES, 9

IMDG/IMO Not applicable
Proper Shipping Name NON-REGULATED PER SP 188
Hazard Class N/A
EmS-No. F-A, S-I
Marine Pollutant This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

RID Not applicable



ADR Not applicable

ADN Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.
DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|-------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 45 | 0.1 |
| Ci 77400 - 7440-50-8 | 7440-50-8 | 10 | 1.0 |
| Nickel - 7440-02-0 | 7440-02-0 | 5 | 0.1 |
| Aluminum foil - 7429-90-5 | 7429-90-5 | 5 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable | CWA - Toxic Pollutants | CWA - Priority | CWA - Hazardous |
|---------------|------------------|------------------------|----------------|-----------------|
|---------------|------------------|------------------------|----------------|-----------------|



| | Quantities | | Pollutants | Substances |
|-----------------------|------------|---|------------|------------|
| Ci 77400 7440-50-8 | | X | X | |
| Nickel 7440-02-0 | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|----------------------------|--------------------------|------------------------------------|--|
| Ci 77400 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Nickel 7440-02-0 | 100 lb | | RQ 100 lb final RQ RQ 45.4 kg final RQ |
| Aluminum foil 7429-90-5 | | | |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|----------------------|--|
| Nickel - 7440-02-0 | carcinogen, 10/1/1989 (metallic) |
| Ci 77266 - 1333-86-4 | carcinogen, 2/21/2003 (airborne, unbound particles of respirable size) |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | X | X | X |
| Graphite 7782-42-5 | X | X | X | | |
| Propyl propionate 106-36-5 | | X | X | | |
| Ethylene carbonate 96-49-1 | | X | X | | |
| Ci 77400 7440-50-8 | X | X | X | X | X |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | X | | | | |
| Nickel 7440-02-0 | X | X | X | X | X |
| Aluminum foil 7429-90-5 | X | X | X | X | |
| Ci 77266 1333-86-4 | X | X | X | | X |

16. OTHER INFORMATION



| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| <u>NFPA</u> | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| <u>HMIS</u> | Health hazards 0 | Flammability 0 | Physical hazards 0 | Personal Protection X |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 09-Jan-2025

Revision Date 08-Jan-2025

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

SAFETY DATA SHEET

Issuing Date No data available

Revision Date 09-Jan-2025

Revision Number 1

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L24N4PC0 by NVT

Other means of identification

Product Code(s) 1834723

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696
shanghai
shanghai
201203
CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone Number 18116118603

2. HAZARDS IDENTIFICATION

Classification

| | |
|-----------------------------------|---------------------------|
| Acute toxicity - Oral | Category 4 |
| Acute toxicity - Dermal | Category 4 |
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |



| | |
|--|-------------|
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (single exposure) | Category 3 |
| Specific target organ toxicity (repeated exposure) | Category 1 |

This is a battery. In case of rupture: the above hazards exist.

Appearance Black

Physical state Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

- Harmful if swallowed
- Harmful in contact with skin
- Causes severe skin burns and eye damage
- May cause cancer
- May cause respiratory irritation. May cause drowsiness or dizziness
- Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not breathe dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

- Specific treatment (see supplemental first aid instructions on this label)
- Immediately call a POISON CENTER or doctor

Eyes

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- Immediately call a POISON CENTER or doctor

Skin

- Call a POISON CENTER or doctor if you feel unwell
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
- Wash contaminated clothing before reuse

Inhalation

- IF INHALED: Remove person to fresh air and keep comfortable for breathing
- Immediately call a POISON CENTER or doctor

Ingestion

- IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
- Rinse mouth
- Do NOT induce vomiting

Precautionary Statements - Storage



Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 30 % of the mixture consists of ingredient(s) of unknown toxicity

- 25 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 30 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 30 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 30 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 30 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------------|------------|----------|--|---|
| Lithium Cobalt Oxide (CoLiO2) | 12190-79-3 | 40 | - | - |
| Copper | 7440-50-8 | 30 | - | - |
| Aluminum foil | 7429-90-5 | 30 | - | - |
| Graphite | 7782-42-5 | 25 | - | - |
| Propylene carbonate | 108-32-7 | 15 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 15 | - | - |
| Ethylene carbonate | 96-49-1 | 15 | - | - |
| 1,3-Propane sultone | 1120-71-4 | 1 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of sealed battery. In case of rupture:

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present



and easy to do. Continue rinsing. Get immediate medical advice/attention.

| | |
|---|--|
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention. |
| Ingestion | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. |
| Self-protection of the first aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|---|
| Symptoms | Burning sensation. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. |
|-----------------|---|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|--|
| Note to physicians | Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. |
|---------------------------|--|

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Attention! Corrosive material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Other Information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.
Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up. Protect from moisture. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|---|---|--|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | - | |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ fume | TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust and mist (vacated) TWA: 0.1 mg/m ³ Cu dust, fume, mist | IDLH: 100 mg/m ³ dust, fume and mist TWA: 1 mg/m ³ dust and mist TWA: 0.1 mg/m ³ fume |
| Aluminum foil 7429-90-5 | TWA: 1 mg/m ³ respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust |



| | | | |
|--|--|--|--|
| | | (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³ | IDLH: 250 mg/m ³ F |
| Chemical name | Alberta | British Columbia | Ontario TWAEV |
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |
| Aluminum foil 7429-90-5 | TWA: 10 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ |
| 1,3-Propane sultone 1120-71-4 | | TWA: | TWA: |

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Face protection shield.

Hand protection

Wear suitable gloves. Impervious gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|-----------------------|--------------------------|
| Physical state | Solid |
| Appearance | Black |
| Odor | Odorless |
| Color | No information available |



Odor Threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks Method</u> |
|---|--------------------|-----------------------|
| pH | No data available | None known |
| Melting / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash Point | No data available | None known |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water Solubility | Insoluble in water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water ¹ | | |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other Information

| | |
|----------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|------------------------------------|---|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Exposure to air or moisture over prolonged periods. |
| Incompatible materials | Acids. Bases. Oxidizing agent. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|---------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture: |
|---------------------|---|

| | |
|---------------------|--|
| Inhalation | Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause drowsiness or dizziness. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May be absorbed through the skin in harmful amounts. Harmful in contact with skin. |
| Ingestion | Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|------------------------|----------------|
| ATEmix (oral) | 1,943.10 mg/kg |
| ATEmix (dermal) | 1,375.00 mg/kg |

Unknown acute toxicity 30 % of the mixture consists of ingredient(s) of unknown toxicity
 25 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 30 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 30 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 30 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 30 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

| Product Information | | | |
|-------------------------------|-----------------------|--------------------------|--------------------------------------|
| Component Information | | | |
| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Copper | - | - | > 5.11 mg/L (Rat) 4 h |
| Aluminum foil | - | - | > 0.888 mg/L (Rat) 4 h |
| Graphite | - | - | > 2000 mg/m ³ (Rat) 4 h |
| Propylene carbonate | = 29000 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | - |
| Ethylene carbonate | = 10 g/kg (Rat) | > 26420 mg/kg (Rabbit) | > 730 mg/m ³ (Rat) 8 h |
| 1,3-Propane sultone | = 157 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes burns.



| | |
|--|---|
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | A3 | Group 2B | Reasonably Anticipated | X |
| 1,3-Propane sultone 1120-71-4 | A3 | Group 2A | Reasonably Anticipated | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

| | |
|---------------------------------|--|
| Reproductive toxicity | No information available. |
| STOT - single exposure | May cause respiratory irritation. May cause drowsiness or dizziness. |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------|--|---|----------------------------|---------------------------------------|
| Copper | 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.3 mg/L | No data available | 48h EC50: = 0.03 mg/L (Daphnia magna) |



| | | | | |
|---------------------|---|---|------------------------|---|
| | | (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) | | |
| Graphite | No data available | 96h LC50: > 100 mg/L (Danio rerio) | No data available | No data available |
| Propylene carbonate | 72h EC50: > 500 mg/L (Desmodesmus subspicatus) | 96h LC50: > 1000 mg/L (Cyprinus carpio) | EC50 > 10000 mg/L 17 h | 48h EC50: > 500 mg/L (Daphnia magna) |
| Ethylene carbonate | No data available | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | No data available | No data available |

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Propylene carbonate | 0.48 |
| Ethylene carbonate | 0.11 |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---|----------------------------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | Toxic |
| Aluminum foil 7429-90-5 | Ignitable powder |

14. TRANSPORT INFORMATION

Note: The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard



passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)
Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

| | |
|--|--|
| DOT | NOT REGULATED |
| Proper Shipping Name | NON-REGULATED |
| Hazard Class | N/A |
| Emergency Response Guide Number | 147 |
| TDG | Not applicable |
| MEX | Not applicable |
| ICAO | Not applicable |
| IATA | |
| UN-No. | UN3480 |
| Proper Shipping Name | LITHIUM ION BATTERIES |
| Hazard Class | 9 |
| ERG Code | 12FZ |
| Description | UN3480, LITHIUM ION BATTERIES, 9 |
| IMDG/IMO | Not applicable |
| Proper Shipping Name | NON-REGULATED PER SP 188 |
| Hazard Class | N/A |
| EmS-No. | F-A, S-I |
| Marine Pollutant | This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO |
| RID | Not applicable |
| ADR | Not applicable |
| ADN | Not applicable |

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

| | |
|----------------------|---|
| TSCA | Contact supplier for inventory compliance status. |
| DSL/NDSL | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS | Contact supplier for inventory compliance status. |
| KECL | Contact supplier for inventory compliance status. |



PICCS Contact supplier for inventory compliance status.
AICS Contact supplier for inventory compliance status.

Legend

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AICS** - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|-------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 40 | 0.1 |
| Copper - 7440-50-8 | 7440-50-8 | 30 | 1.0 |
| Aluminum foil - 7429-90-5 | 7429-90-5 | 30 | 1.0 |
| 1,3-Propane sultone - 1120-71-4 | 1120-71-4 | 1 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Copper 7440-50-8 | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|----------------------------------|--------------------------|------------------------------------|--|
| Copper 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Aluminum foil 7429-90-5 | | | |
| 1,3-Propane sultone 1120-71-4 | 10 lb | | RQ 10 lb final RQ RQ 4.54 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.



| Chemical name | California Proposition 65 |
|---------------------------------|---------------------------|
| 1,3-Propane sultone - 1120-71-4 | carcinogen, 1/1/1988 |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | X | X | X |
| Copper 7440-50-8 | X | X | X | X | X |
| Aluminum foil 7429-90-5 | X | X | X | X | |
| Graphite 7782-42-5 | X | X | X | | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | X | | | | |
| Ethylene carbonate 96-49-1 | | X | X | | |
| 1,3-Propane sultone 1120-71-4 | X | X | X | X | X |

16. OTHER INFORMATION

| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 0 | Flammability 0 | Physical hazards 0 | Personal Protection X |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Revision Date 09-Jan-2025

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



SAFETY DATA SHEET

Issuing Date 08-Jan-2025

Revision Date 08-Jan-2025

Revision Number 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L24D4PC1 by SUNWODA

Other means of identification

Product Code(s) 1834298

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696
shanghai
shanghai
201203
CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone Number 18116118603

2. HAZARDS IDENTIFICATION

Classification

| | |
|-----------------------------------|---------------------------|
| Skin corrosion/irritation | Category 1 Sub-category B |
| Serious eye damage/eye irritation | Category 1 |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1B |



| | |
|--|------------|
| Specific target organ toxicity (repeated exposure) | Category 1 |
|--|------------|

This is a battery. In case of rupture: the above hazards exist.

Appearance Black

Physical state Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

- Causes severe skin burns and eye damage
- May cause an allergic skin reaction
- May cause cancer
- Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Wear protective gloves/protective clothing/eye protection/face protection
- Wash face, hands and any exposed skin thoroughly after handling
- Contaminated work clothing must not be allowed out of the workplace
- Do not breathe dust/fume/gas/mist/vapors/spray
- Do not eat, drink or smoke when using this product

Precautionary Statements - Response

- Immediately call a POISON CENTER or doctor
- Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower
Wash contaminated clothing before reuse
If skin irritation or rash occurs: Get medical advice/attention

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing
Immediately call a POISON CENTER or doctor

Ingestion

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information



May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity 36 % of the mixture consists of ingredient(s) of unknown toxicity
 35 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 36 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
 36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
 36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
 36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------------|------------|----------|--|---|
| Lithium Cobalt Oxide (CoLiO2) | 12190-79-3 | 50 | - | - |
| Graphite | 7782-42-5 | 25 | - | - |
| Propylene carbonate | 108-32-7 | 10 | - | - |
| Ethylene carbonate | 96-49-1 | 10 | - | - |
| Copper | 7440-50-8 | 10 | - | - |
| Aluminum | 7429-90-5 | 10 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 5 | - | - |
| Nickel | 7440-02-0 | 2 | - | - |
| 1,3-Propane sultone | 1120-71-4 | 0.5 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. First aid is upon rupture of sealed battery. In case of rupture:

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get immediate medical advice/attention.

Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical advice/attention. May cause an allergic skin reaction.



| | |
|---|--|
| Ingestion | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention. |
| Self-protection of the first aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Wear personal protective clothing (see section 8). |

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Product is or contains a sensitizer. May cause sensitization by skin contact. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|---|
| Personal precautions | Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Other Information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.



Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|---|--|--|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | - | |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ fume | TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust and mist (vacated) TWA: 0.1 mg/m ³ Cu dust, fume, mist | IDLH: 100 mg/m ³ dust, fume and mist TWA: 1 mg/m ³ dust and mist TWA: 0.1 mg/m ³ fume |
| Aluminum 7429-90-5 | TWA: 1 mg/m ³ respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |

| | | | | |
|---|--|--|--|--|
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³ | IDLH: 250 mg/m ³ F | |
| Nickel 7440-02-0 | TWA: 1.5 mg/m ³ | TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³ | IDLH: 10 mg/m ³ TWA: 0.015 mg/m ³ | |
| Chemical name | Alberta | British Columbia | Ontario TWAEV | Quebec |
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Copper 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |
| Aluminum 7429-90-5 | TWA: 10 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ | TWA: 10 mg/m ³ |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ |
| Nickel 7440-02-0 | TWA: 1.5 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 1 mg/m ³ | TWA: 1.5 mg/m ³ |
| 1,3-Propane sultone 1120-71-4 | | TWA: | TWA: | TWA: |

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Face protection shield.

Hand protection

Wear suitable gloves. Impervious gloves.

Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid
Appearance Black
Odor Odorless



Color No information available
Odor Threshold No information available

| <u>Property</u> | <u>Values</u> | <u>Remarks Method</u> |
|---|--------------------|-----------------------|
| pH | No data available | None known |
| Melting / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash Point | No data available | None known |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water Solubility | Insoluble in water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water ¹ | | |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other Information

Explosive properties No information available
Oxidizing properties No information available
Softening Point No information available
Molecular Weight No information available
VOC Content (%) No information available
Liquid Density No information available
Bulk Density No information available
Particle Size No information available
Particle Size Distribution No information available

10. STABILITY AND REACTIVITY

Reactivity No information available.
Chemical stability Stable under normal conditions.
Possibility of Hazardous Reactions None under normal processing.
Hazardous Polymerization Hazardous polymerization does not occur.
Conditions to avoid Exposure to air or moisture over prolonged periods.
Incompatible materials Acids. Bases. Oxidizing agent.
Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information.



In case of rupture:

- Inhalation** Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
- Eye contact** Specific test data for the substance or mixture is not available. Causes burns. (based on components). Corrosive to the eyes and may cause severe damage including blindness. Causes serious eye damage. May cause irreversible damage to eyes.
- Skin contact** Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns. May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. May be harmful in contact with skin.
- Ingestion** Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Redness. Burning. May cause blindness. Coughing and/ or wheezing. Itching. Rashes. Hives.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,729.50 mg/kg
ATEmix (dermal) 3,840.00 mg/kg

- Unknown acute toxicity** 36 % of the mixture consists of ingredient(s) of unknown toxicity
- 35 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 36 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 36 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

| Product Information | | | |
|-------------------------------|-----------------------|--------------------------|--------------------------------------|
| Component Information | | | |
| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Graphite | - | - | > 2000 mg/m ³ (Rat) 4 h |
| Propylene carbonate | = 29000 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | - |
| Ethylene carbonate | = 10 g/kg (Rat) | > 26420 mg/kg (Rabbit) | > 730 mg/m ³ (Rat) 8 h |
| Copper | - | - | > 5.11 mg/L (Rat) 4 h |
| Aluminum | - | - | > 0.888 mg/L (Rat) 4 h |
| Nickel | > 9000 mg/kg (Rat) | - | > 10.2 mg/L (Rat) 1 h |
| 1,3-Propane sultone | = 157 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure



| | |
|--|---|
| Skin corrosion/irritation | Classification based on data available for ingredients. Causes burns. |
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Risk of serious damage to eyes. Causes burns. |
| Respiratory or skin sensitization | May cause sensitization by skin contact. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | A3 | Group 2B | Reasonably Anticipated | X |
| Nickel 7440-02-0 | - | Group 2B | Reasonably Anticipated | X |
| 1,3-Propane sultone 1120-71-4 | A3 | Group 2A | Reasonably Anticipated | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

| | |
|---------------------------------|---|
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------------|---|---|----------------------------|---|
| Graphite | No data available | 96h LC50: > 100 mg/L (Danio rerio) | No data available | No data available |
| Propylene carbonate | 72h EC50: > 500 mg/L (Desmodesmus subspicatus) | 96h LC50: > 1000 mg/L (Cyprinus carpio) | EC50 > 10000 mg/L 17 h | 48h EC50: > 500 mg/L (Daphnia magna) |
| Ethylene carbonate | No data available | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | No data available | No data available |
| Copper | 72h EC50: 0.0426 - | 96h LC50: 0.0068 - | No data available | 48h EC50: = 0.03 mg/L |



| | | | | |
|--------|---|--|-------------------|--|
| | 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) | | (Daphnia magna) |
| Nickel | 72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: > 100 mg/L (Brachydanio rerio) 96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio) | No data available | 48h EC50: > 100 mg/L (Daphnia magna) 48h EC50: = 1 mg/L (Daphnia magna) |

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Propylene carbonate | 0.48 |
| Ethylene carbonate | 0.11 |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|--|----------------------------|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | Toxic |
| Aluminum | Ignitable powder |



| | |
|---------------------|----------------------------------|
| 7429-90-5 | |
| Nickel 7440-02-0 | Toxic powder Ignitable powder |

14. TRANSPORT INFORMATION

Note: The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)
Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT
Proper Shipping Name NOT REGULATED
Hazard Class NON-REGULATED
Emergency Response Guide Number N/A
 147

TDG Not applicable

MEX Not applicable

ICAO Not applicable

IATA
UN-No. UN3480
Proper Shipping Name LITHIUM ION BATTERIES
Hazard Class 9
ERG Code 12FZ
Description UN3480, LITHIUM ION BATTERIES, 9

IMDG/IMO
Proper Shipping Name Not applicable
Hazard Class NON-REGULATED PER SP 188
EmS-No. N/A
Marine Pollutant F-A, S-I
 This product contains a chemical which is listed as a marine pollutant according to IMDG/IMO

RID Not applicable

ADR Not applicable

ADN Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture



International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.
DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|-------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 50 | 0.1 |
| Copper - 7440-50-8 | 7440-50-8 | 10 | 1.0 |
| Aluminum - 7429-90-5 | 7429-90-5 | 10 | 1.0 |
| Nickel - 7440-02-0 | 7440-02-0 | 2 | 0.1 |
| 1,3-Propane sultone - 1120-71-4 | 1120-71-4 | 0.5 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Copper 7440-50-8 | | X | X | |
| Nickel 7440-02-0 | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive



Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|----------------------------------|--------------------------|------------------------------------|--|
| Copper 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |
| Nickel 7440-02-0 | 100 lb | | RQ 100 lb final RQ RQ 45.4 kg final RQ |
| 1,3-Propane sultone 1120-71-4 | 10 lb | | RQ 10 lb final RQ RQ 4.54 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|---------------------------------|----------------------------------|
| Nickel - 7440-02-0 | carcinogen, 10/1/1989 (metallic) |
| 1,3-Propane sultone - 1120-71-4 | carcinogen, 1/1/1988 |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | X | X | X |
| Graphite 7782-42-5 | X | X | X | | |
| Ethylene carbonate 96-49-1 | | X | X | | |
| Copper 7440-50-8 | X | X | X | X | X |
| Aluminum 7429-90-5 | X | X | X | X | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | X | | | | |
| Nickel 7440-02-0 | X | X | X | X | X |
| 1,3-Propane sultone 1120-71-4 | X | X | X | X | X |

16. OTHER INFORMATION

| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 0 | Flammability 0 | Physical hazards 0 | Personal Protection X |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 08-Jan-2025



Revision Date 08-Jan-2025

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

SAFETY DATA SHEET

Issuing Date 08-Jan-2025

Revision Date 08-Jan-2025

Revision Number 2

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name Rechargeable Li-ion Battery L24M4PC1 by Simplo

Other means of identification

Product Code(s) 1834294

Recommended use of the chemical and restrictions on use

Recommended Use Lithium Ion Battery

Restrictions on use No information available

Details of the supplier of the safety data sheet

Supplier Identification Lenovo LNB laptops

Address Songtao Road 696
shanghai
shanghai
201203
CN

Telephone Phone:18116118603

E-mail yuanbb1@lenovo.com

Emergency telephone number

Company Emergency Phone Number 18116118603

2. HAZARDS IDENTIFICATION

Classification

| | |
|--|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Carcinogenicity | Category 1B |
| Specific target organ toxicity (repeated exposure) | Category 1 |



This is a battery. In case of rupture: the above hazards exist.

Appearance Black

Physical state Solid

Odor Odorless

GHS Label elements, including precautionary statements

Danger

Hazard statements

Causes skin irritation

Causes serious eye irritation

May cause cancer

Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Very toxic to aquatic life with long lasting effects.

Unknown acute toxicity

30.49 % of the mixture consists of ingredient(s) of unknown toxicity

27.56 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

30.49 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

30.49 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

30.49 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

30.49 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|-------------------------------------|------------|----------|--|---|
| Lithium Cobalt Oxide (CoLiO2) | 12190-79-3 | 45.3 | - | - |
| Graphite | 7782-42-5 | 24.12 | - | - |
| Ci 77400 | 7440-50-8 | 8.31 | - | - |
| Ci 77000 | 7429-90-5 | 6.91 | - | - |
| Phosphate(1-), hexafluoro-, lithium | 21324-40-3 | 1.72 | - | - |
| Propylene carbonate | 108-32-7 | 1.15 | - | - |
| Ethylene carbonate | 96-49-1 | 1.15 | - | - |
| 1,3-Propane sultone | 1120-71-4 | 0.46 | - | - |

4. FIRST AID MEASURES

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance. First aid is upon rupture of sealed battery. In case of rupture:

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES



| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | No information available. |
| Hazardous Combustion Products | Carbon oxides. |
| Explosion Data | |
| Sensitivity to Mechanical Impact | None. |
| Sensitivity to Static Discharge | None. |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. |
| Other Information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|--------------------------------|--|
| Advice on safe handling | In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. |
|--------------------------------|--|

Conditions for safe storage, including any incompatibilities

| | |
|---------------------------|--|
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. |
|---------------------------|--|

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH | |
|--|---|--|--|--|
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | - | | |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ respirable particulate matter all forms except graphite fibers | TWA: 15 mg/m ³ total dust synthetic TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m ³ respirable dust natural (vacated) TWA: 10 mg/m ³ total dust synthetic (vacated) TWA: 5 mg/m ³ respirable fraction synthetic TWA: 15 mppcf natural | IDLH: 1250 mg/m ³ TWA: 2.5 mg/m ³ respirable dust | |
| Ci 77400 7440-50-8 | TWA: 0.2 mg/m ³ fume | TWA: 0.1 mg/m ³ fume TWA: 1 mg/m ³ dust and mist (vacated) TWA: 0.1 mg/m ³ Cu dust, fume, mist | IDLH: 100 mg/m ³ dust, fume and mist TWA: 1 mg/m ³ dust and mist TWA: 0.1 mg/m ³ fume | |
| Ci 77000 7429-90-5 | TWA: 1 mg/m ³ respirable fraction | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m ³ F (vacated) TWA: 2.5 mg/m ³ | IDLH: 250 mg/m ³ F | |
| Chemical name | Alberta | British Columbia | Ontario TWAEV | Quebec |
| Lithium Cobalt Oxide (CoLiO ₂) 12190-79-3 | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ | TWA: 0.02 mg/m ³ |
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Ci 77400 7440-50-8 | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 1 mg/m ³ TWA: 0.2 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 1 mg/m ³ |
| Ci 77000 7429-90-5 | TWA: 10 mg/m ³ | TWA: 1.0 mg/m ³ | TWA: 1 mg/m ³ | TWA: 10 mg/m ³ |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ | TWA: 2.5 mg/m ³ |
| 1,3-Propane sultone 1120-71-4 | | TWA: | TWA: | TWA: |

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls

- Showers
- Eyewash stations
- Ventilation systems.

Individual protection measures, such as personal protective equipment



| | |
|---------------------------------------|--|
| Eye/face protection | If splashes are likely to occur, wear safety glasses with side-shields. |
| Hand protection | Wear suitable gloves. Impervious gloves. |
| Skin and body protection | Wear suitable protective clothing. Long sleeved clothing. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations | Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|-----------------------|--------------------------|
| Physical state | Solid |
| Appearance | Black |
| Odor | Odorless |
| Color | No information available |
| Odor Threshold | No information available |

| <u>Property</u> | <u>Values</u> | <u>Remarks Method</u> |
|---|--------------------|-----------------------|
| pH | No data available | None known |
| Melting / freezing point | No data available | None known |
| Boiling point / boiling range | No data available | None known |
| Flash Point | No data available | None known |
| Evaporation Rate | No data available | None known |
| Flammability (solid, gas) | No data available | None known |
| Flammability Limit in Air | | |
| Upper flammability limit | No data available | |
| Lower flammability limit | No data available | |
| Vapor pressure | No data available | None known |
| Vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water Solubility | Insoluble in water | |
| Solubility(ies) | No data available | None known |
| Partition coefficient: n-octanol/water¹ | | |
| Autoignition temperature | No data available | None known |
| Decomposition temperature | No data available | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |

Other Information

| | |
|-----------------------------------|--------------------------|
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Softening Point | No information available |
| Molecular Weight | No information available |
| VOC Content (%) | No information available |
| Liquid Density | No information available |
| Bulk Density | No information available |
| Particle Size | No information available |
| Particle Size Distribution | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | Strong acids. Strong bases. Strong oxidizing agents. |
| Hazardous Decomposition Products | Carbon oxides. |

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| | |
|----------------------------|---|
| Product Information | Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture: |
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. Causes serious eye irritation. (based on components). Irritating to eyes. |
| Skin contact | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|---|
| Symptoms | Redness. May cause redness and tearing of the eyes. |
|-----------------|---|

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|------------------------|-----------------|
| ATEmix (oral) | 18,161.70 mg/kg |
| ATEmix (dermal) | 12,123.80 mg/kg |

| | |
|-------------------------------|---|
| Unknown acute toxicity | 30.49 % of the mixture consists of ingredient(s) of unknown toxicity |
| | 27.56 % of the mixture consists of ingredient(s) of unknown acute oral toxicity |
| | 30.49 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity |
| | 30.49 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) |
| | 30.49 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) |
| | 30.49 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist) |

Product Information

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|-----------|-------------|-----------------|
|---------------|-----------|-------------|-----------------|

| | | | |
|-------------------------------|-----------------------|--------------------------|--------------------------------------|
| Lithium Cobalt Oxide (CoLiO2) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 5.05 mg/L (Rat) 4 h |
| Graphite | - | - | > 2000 mg/m ³ (Rat) 4 h |
| Ci 77400 | - | - | > 5.11 mg/L (Rat) 4 h |
| Ci 77000 | - | - | > 0.888 mg/L (Rat) 4 h |
| Propylene carbonate | = 29000 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | - |
| Ethylene carbonate | = 10 g/kg (Rat) | > 26420 mg/kg (Rabbit) | > 730 mg/m ³ (Rat) 8 h |
| 1,3-Propane sultone | = 157 mg/kg (Rat) | - | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

- Skin corrosion/irritation** Classification based on data available for ingredients. Irritating to skin.
- Serious eye damage/eye irritation** Classification based on data available for ingredients. Causes serious eye irritation.
- Respiratory or skin sensitization** No information available.
- Germ cell mutagenicity** No information available.
- Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|----------|------------------------|------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | A3 | Group 2B | Reasonably Anticipated | X |
| 1,3-Propane sultone 1120-71-4 | A3 | Group 2A | Reasonably Anticipated | X |

Legend

- ACGIH (American Conference of Governmental Industrial Hygienists)**
A3 - Animal Carcinogen
- IARC (International Agency for Research on Cancer)**
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
- NTP (National Toxicology Program)**
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
- OSHA (Occupational Safety and Health Administration of the US Department of Labor)**
X - Present

- Reproductive toxicity** No information available.
- STOT - single exposure** No information available.
- STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure.
- Aspiration hazard** No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------|----------------------|----------------------|----------------------------|-------------------|
| Graphite | No data available | 96h LC50: > 100 mg/L | No data available | No data available |



| | | (Danio rerio) | | |
|---------------------|--|---|------------------------|---------------------------------------|
| Ci 77400 | 72h EC50: 0.0426 - 0.0535 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.031 - 0.054 mg/L (Pseudokirchneriella subcapitata) | 96h LC50: 0.0068 - 0.0156 mg/L (Pimephales promelas) 96h LC50: < 0.3 mg/L (Pimephales promelas) 96h LC50: = 0.2 mg/L (Pimephales promelas) 96h LC50: = 0.052 mg/L (Oncorhynchus mykiss) 96h LC50: = 1.25 mg/L (Lepomis macrochirus) 96h LC50: = 0.3 mg/L (Cyprinus carpio) 96h LC50: = 0.8 mg/L (Cyprinus carpio) 96h LC50: = 0.112 mg/L (Poecilia reticulata) | No data available | 48h EC50: = 0.03 mg/L (Daphnia magna) |
| Propylene carbonate | 72h EC50: > 500 mg/L (Desmodesmus subspicatus) | 96h LC50: > 1000 mg/L (Cyprinus carpio) | EC50 > 10000 mg/L 17 h | 48h EC50: > 500 mg/L (Daphnia magna) |
| Ethylene carbonate | No data available | 96h LC50: > 100 mg/L (Oncorhynchus mykiss) | No data available | No data available |

Persistence and Degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|---------------------|-----------------------|
| Propylene carbonate | 0.48 |
| Ethylene carbonate | 0.11 |

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste |
|---|----------------------------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | Toxic |
| Ci 77000 | Ignitable powder |



| | |
|-----------|--|
| 7429-90-5 | |
|-----------|--|

14. TRANSPORT INFORMATION

Note: The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule) Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "special provision A45 of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

DOT NOT REGULATED
Proper Shipping Name NON-REGULATED
Hazard Class N/A
Emergency Response Guide Number 147

TDG Not applicable

MEX Not applicable

ICAO Not applicable

IATA
UN-No. UN3480
Proper Shipping Name LITHIUM ION BATTERIES
Hazard Class 9
ERG Code 12FZ
Description UN3480, LITHIUM ION BATTERIES, 9

IMDG/IMO Not applicable
Proper Shipping Name NON-REGULATED PER SP 188
Hazard Class N/A
EmS-No. F-A, S-I

RID Not applicable

ADR Not applicable

ADN Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable



The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA Contact supplier for inventory compliance status.
 DSL/NDL Contact supplier for inventory compliance status.
 EINECS/ELINCS Contact supplier for inventory compliance status.
 ENCS Contact supplier for inventory compliance status.
 KECL Contact supplier for inventory compliance status.
 PICCS Contact supplier for inventory compliance status.
 AICS Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|--|------------|----------|-------------------------------|
| Lithium Cobalt Oxide (CoLiO2) - 12190-79-3 | 12190-79-3 | 45.3 | 0.1 |
| Ci 77400 - 7440-50-8 | 7440-50-8 | 8.31 | 1.0 |
| Ci 77000 - 7429-90-5 | 7429-90-5 | 6.91 | 1.0 |
| 1,3-Propane sultone - 1120-71-4 | 1120-71-4 | 0.46 | 0.1 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|-----------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Ci 77400 7440-50-8 | | X | X | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ |
|-----------------------|--------------------------|------------------------------------|--|
| Ci 77400 7440-50-8 | 5000 lb | | RQ 5000 lb final RQ RQ 2270 kg final RQ |



| | | | |
|----------------------------------|-------|--|--|
| 1,3-Propane sultone 1120-71-4 | 10 lb | | RQ 10 lb final RQ RQ 4.54 kg final RQ |
|----------------------------------|-------|--|--|

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

| Chemical name | California Proposition 65 |
|---------------------------------|---------------------------|
| 1,3-Propane sultone - 1120-71-4 | carcinogen, 1/1/1988 |

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

| Chemical name | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|--|------------|---------------|--------------|--------------|----------|
| Lithium Cobalt Oxide (CoLiO2) 12190-79-3 | X | | X | X | X |
| Graphite 7782-42-5 | X | X | X | | |
| Ci 77400 7440-50-8 | X | X | X | X | X |
| Ci 77000 7429-90-5 | X | X | X | X | |
| Phosphate(1-), hexafluoro-, lithium 21324-40-3 | X | | | | |
| Ethylene carbonate 96-49-1 | | X | X | | |
| 1,3-Propane sultone 1120-71-4 | X | X | X | X | X |

16. OTHER INFORMATION

| | | | | |
|-------------|------------------|----------------|--------------------|--|
| NFPA | Health hazards 1 | Flammability 0 | Instability 0 | Physical and Chemical Properties - Personal Protection X |
| HMIS | Health hazards 0 | Flammability 0 | Physical hazards 0 | |

Prepared By Product Stewardship
23 British American Blvd.
Latham, NY 12110
1-800-572-6501

Issuing Date 08-Jan-2025

Revision Date 08-Jan-2025

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text



End of Safety Data Sheet

