

# SAFETY DATA SHEET

Issuing Date No data available

Revision Date 13-Mar-2017

Revision Number 3

NGHS / English



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

## 1. IDENTIFICATION

### Product identifier

Product Name KENRA HS

### Other means of identification

Product Code(s) 1384777

### Recommended use of the chemical and restrictions on use

Recommended Use Hairspray - aerosol

Uses advised against No information available

### Details of the supplier of the safety data sheet

Supplier Identification Pro's Choice Beauty Care

Address 35 Sawgrass Drive Ste 4  
Bellport  
NY  
11713  
US

Telephone Phone:631 803 3228  
Fax:631 439 2356

E-mail jtomchik@gmail.com

### Emergency telephone number

Company Emergency Phone Number 631 803 3228

## 2. HAZARDS IDENTIFICATION

### Classification

|                                      |                |
|--------------------------------------|----------------|
| Acute toxicity - Inhalation (Vapors) | Category 4     |
| Skin sensitization                   | Category 1     |
| Flammable aerosols                   | Category 1     |
| Gases under pressure                 | Compressed Gas |



**Appearance** Clear

**Physical state** Liquid spray Aerosol

**Odor** Floral

**GHS Label elements, including precautionary statements**

**Danger**

**Hazard statements**

Harmful if inhaled

May cause an allergic skin reaction

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



**Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

**Precautionary Statements - Response**

Specific treatment (see supplemental first aid instructions on this label)

**Skin**

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

**Precautionary Statements - Storage**

Protect from sunlight. Store in a well-ventilated place

Do not expose to temperatures exceeding 50 °C/122 °F

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other information**

Causes mild skin irritation Toxic to aquatic life

**Unknown acute toxicity**

100 % of the mixture consists of ingredient(s) of unknown toxicity

55 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

61 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Not applicable.

#### Mixture

| Chemical name        | CAS-No    | Percent | Hazardous Material Information Review Act registry number (HMIRA registry #) | Date HMIRA filed and date exemption granted (if applicable) |
|----------------------|-----------|---------|------------------------------------------------------------------------------|-------------------------------------------------------------|
| Ethyl alcohol        | 64-17-5   | 36      | -                                                                            | -                                                           |
| Benzophenone-4       | 4065-45-6 | 3       | -                                                                            | -                                                           |
| Aminomethyl propanol | 124-68-5  | 3       | -                                                                            | -                                                           |

### 4. FIRST AID MEASURES

#### First aid measures

##### **General advice**

Show this safety data sheet to the doctor in attendance.

##### **Inhalation**

Remove to fresh air. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately.

##### **Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

##### **Skin contact**

In case of contact with liquefied gas, thaw frosted parts with lukewarm water. Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.

##### **Ingestion**

Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.

##### **Self-protection of the first aider**

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.

#### Most important symptoms and effects, both acute and delayed

##### **Symptoms**

Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in breathing.

#### Indication of any immediate medical attention and special treatment needed

##### **Note to physicians**

May cause sensitization in susceptible persons. Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

##### **Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray.

##### **Unsuitable extinguishing media**

DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.



|                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specific hazards arising from the chemical</b>     | Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated. Ruptured cylinders may rocket. Product is or contains a sensitizer. May cause sensitization by skin contact. |
| <b>Hazardous Combustion Products</b>                  | Carbon oxides.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Explosion Data</b>                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Sensitivity to Mechanical Impact</b>               | Yes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Sensitivity to Static Discharge</b>                | Yes.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Special protective equipment for fire-fighters</b> | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.                                                                                                                                                                                                                                                                                                                                                                                  |

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Contents under pressure. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Avoid breathing vapors or mists.

**Other Information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.  
**Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Flood with water to complete polymerization and scrape off floor.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid breathing vapors or mists. Empty containers pose a

potential fire and explosion hazard. Do not cut, puncture or weld containers. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Limits

| Chemical name            | ACGIH TLV                                    | OSHA PEL                                                                                                         | NIOSH IDLH                                                             |                                              |
|--------------------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|----------------------------------------------|
| Ethyl alcohol<br>64-17-5 | STEL: 1000 ppm                               | TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup><br>(vacated) TWA: 1000 ppm<br>(vacated) TWA: 1900 mg/m <sup>3</sup> | IDLH: 3300 ppm 10% LEL<br>TWA: 1000 ppm<br>TWA: 1900 mg/m <sup>3</sup> |                                              |
| Chemical name            | Alberta                                      | British Columbia                                                                                                 | Ontario TWAEV                                                          | Quebec                                       |
| Ethyl alcohol<br>64-17-5 | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup> | STEL: 1000 ppm                                                                                                   | STEL: 1000 ppm                                                         | TWA: 1000 ppm<br>TWA: 1880 mg/m <sup>3</sup> |

#### Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.

### Appropriate engineering controls

#### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Tight sealing safety goggles.

#### Hand protection

Impervious gloves. Wear suitable gloves.

#### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

#### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

#### General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES



**Physical and Chemical Properties**

|                       |                          |
|-----------------------|--------------------------|
| <b>Physical state</b> | Liquid spray; Aerosol    |
| <b>Appearance</b>     | Clear                    |
| <b>Odor</b>           | Floral                   |
| <b>Color</b>          | No information available |
| <b>Odor Threshold</b> | No data available        |

| <u>Property</u>                        | <u>Values</u>            | <u>Remarks Method</u> |
|----------------------------------------|--------------------------|-----------------------|
| pH                                     | UNKNOWN                  |                       |
| Melting / freezing point               | No data available        | None known            |
| Boiling point / boiling range          | No data available        | None known            |
| Flash Point                            | No data available        | None known            |
| Evaporation Rate                       | No data available        | None known            |
| Flammability (solid, gas)              | No data available        | None known            |
| Flammability Limit in Air              |                          | None known            |
| Upper flammability limit               | No data available        |                       |
| Lower flammability limit               | No data available        |                       |
| Vapor pressure                         | No data available        | None known            |
| Vapor density                          | No data available        | None known            |
| Relative density                       | .85                      |                       |
| Water Solubility                       | Soluble in water         |                       |
| Solubility(ies)                        | No data available        | None known            |
| Partition coefficient: n-octanol/water | N/A                      |                       |
| Autoignition temperature               | No data available        | None known            |
| Decomposition temperature              | No data available        | None known            |
| Kinematic viscosity                    | No data available        | None known            |
| Dynamic viscosity                      | No data available        | None known            |
| Explosive properties                   | No information available |                       |
| Oxidizing properties                   | No information available |                       |
| <b>Other Information</b>               |                          |                       |
| Softening Point                        | No information available |                       |
| Molecular Weight                       | No information available |                       |
| VOC Content (%)                        | No information available |                       |
| Liquid Density                         | No information available |                       |
| Bulk Density                           | No information available |                       |
| Particle Size                          | No information available |                       |
| Particle Size Distribution             | No information available |                       |

|                                     |
|-------------------------------------|
| <b>10. STABILITY AND REACTIVITY</b> |
|-------------------------------------|

|                                           |                                           |
|-------------------------------------------|-------------------------------------------|
| <b>Reactivity</b>                         | No information available.                 |
| <b>Chemical stability</b>                 | Stable under normal conditions.           |
| <b>Possibility of Hazardous Reactions</b> | None under normal processing.             |
| <b>Hazardous Polymerization</b>           | Hazardous polymerization does not occur.  |
| <b>Conditions to avoid</b>                | Heat, flames and sparks. Excessive heat.  |
| <b>Incompatible materials</b>             | None known based on information supplied. |
| <b>Hazardous Decomposition Products</b>   | Carbon oxides.                            |

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

|                     |                                                                                                                                                                                                                             |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>   | Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).             |
| <b>Eye contact</b>  | Specific test data for the substance or mixture is not available.                                                                                                                                                           |
| <b>Skin contact</b> | May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). |
| <b>Ingestion</b>    | Specific test data for the substance or mixture is not available.                                                                                                                                                           |

### Information on toxicological effects

**Symptoms** Itching. Rashes. Hives. Coughing and/ or wheezing.

### Numerical measures of toxicity

#### Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

|                                      |                |
|--------------------------------------|----------------|
| <b>ATEmix (oral)</b>                 | 6,006.00 mg/kg |
| <b>ATEmix (inhalation-dust/mist)</b> | 17.00 mg/L     |
| <b>ATEmix (inhalation-vapor)</b>     | 17.99 mg/L     |

**Unknown acute toxicity** 100 % of the mixture consists of ingredient(s) of unknown toxicity  
 55 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 100 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 100 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 97 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 61 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Component Information

| Chemical name        | Oral LD50            | Dermal LD50             | Inhalation LC50          |
|----------------------|----------------------|-------------------------|--------------------------|
| Ethyl alcohol        | = 7060 mg/kg ( Rat ) | -                       | = 124.7 mg/L ( Rat ) 4 h |
| Benzophenone-4       | = 3530 mg/kg ( Rat ) | -                       | -                        |
| Aminomethyl propanol | = 2900 mg/kg ( Rat ) | > 2000 mg/kg ( Rabbit ) | -                        |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

|                                          |                                          |
|------------------------------------------|------------------------------------------|
| <b>Skin corrosion/irritation</b>         | No information available.                |
| <b>Serious eye damage/eye irritation</b> | No information available.                |
| <b>Respiratory or skin sensitization</b> | May cause sensitization by skin contact. |
| <b>Germ cell mutagenicity</b>            | No information available.                |
| <b>Carcinogenicity</b>                   | No information available.                |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name            | ACGIH | IARC    | NTP   | OSHA |
|--------------------------|-------|---------|-------|------|
| Ethyl alcohol<br>64-17-5 | A3    | Group 1 | Known | X    |

**Legend**

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

| Chemical name        | Toxicity to Algae                              | Toxicity to Fish                                                                                                                               | Toxicity to Microorganisms                          | Daphnia Magna (Water Flea)                                            |
|----------------------|------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------|
| Ethyl alcohol        | -                                              | 96h LC50: 12.0 - 16.0 mL/L (Oncorhynchus mykiss) 96h LC50: > 100 mg/L (Pimephales promelas) 96h LC50: 13400 - 15100 mg/L (Pimephales promelas) | EC50 = 34634 mg/L 30 min<br>EC50 = 35470 mg/L 5 min | 48h LC50: 9268 - 14221 mg/L 48h EC50: = 2 mg/L 24h EC50: = 10800 mg/L |
| Aminomethyl propanol | 72h EC50: = 520 mg/L (Desmodesmus subspicatus) | 96h LC50: = 190 mg/L (Lepomis macrochirus)                                                                                                     | -                                                   | 48h EC50: = 193 mg/L                                                  |

**Persistence and Degradability** No information available.

**Bioaccumulation**

| Chemical name | Log Pow |
|---------------|---------|
| Ethyl alcohol | -0.32   |

**Mobility** No information available.

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**US EPA Waste Number** D001



**California Hazardous Waste Codes 331**

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name            | California Hazardous Waste |
|--------------------------|----------------------------|
| Ethyl alcohol<br>64-17-5 | Toxic<br>Ignitable         |

## 14. TRANSPORT INFORMATION

**DOT**

**Proper Shipping Name** CONSUMER COMMODITY  
**Hazard Class** ORM-D  
**Description** CONSUMER COMMODITY, ORM-D  
**Emergency Response Guide Number** 126

**TDG**

**UN-No.** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Description** UN1950, AEROSOLS, 2.1

**MEX**

**UN-No.** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Description** UN1950, AEROSOLS, 2.1

**ICAO**

**UN-No.** ID8000  
**Proper Shipping Name** CONSUMER COMMODITY  
**Hazard Class** 9  
**Description** ID8000, CONSUMER COMMODITY, 9

**IATA**

**UN-No.** ID8000  
**Proper Shipping Name** CONSUMER COMMODITY  
**Hazard Class** 9  
**ERG Code** 9L  
**Description** ID8000, CONSUMER COMMODITY, 9

**IMDG/IMO**

**UN-No.** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**EmS-No.** F-D, S-U  
**Description** UN1950, AEROSOLS, 2.1

**RID**

**UN-No.** UN1950  
**Proper Shipping Name** AEROSOLS  
**Hazard Class** 2.1  
**Classification code** 5F  
**Description** UN1950, AEROSOLS, 2.1  
**ADR/RID-Labels** 2.1



**ADR**

|                         |                            |
|-------------------------|----------------------------|
| UN-No.                  | UN1950                     |
| Proper Shipping Name    | AEROSOLS                   |
| Hazard Class            | 2.1                        |
| Classification code     | 5F                         |
| Tunnel restriction code | (D)                        |
| Description             | UN1950, AEROSOLS, 2.1, (D) |

**ADN**

|                      |                       |
|----------------------|-----------------------|
| UN-No.               | UN1950                |
| Proper Shipping Name | AEROSOLS              |
| Hazard Class         | 2.1                   |
| Classification code  | 5F                    |
| Special Provisions   | 190, 327, 344, 625    |
| Description          | UN1950, AEROSOLS, 2.1 |
| Hazard Labels        | 2.1                   |
| Limited Quantity     | 1 L                   |
| Ventilation          | VE01, VE04            |

**15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture****International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

**International Inventories**

|               |                                                   |
|---------------|---------------------------------------------------|
| TSCA          | Contact supplier for inventory compliance status. |
| DSL/NDSL      | Contact supplier for inventory compliance status. |
| EINECS/ELINCS | Contact supplier for inventory compliance status. |
| ENCS          | Contact supplier for inventory compliance status. |
| KECL          | Contact supplier for inventory compliance status. |
| PICCS         | Contact supplier for inventory compliance status. |
| AICS          | Contact supplier for inventory compliance status. |

**Legend**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

|                       |     |
|-----------------------|-----|
| Acute Health Hazard   | Yes |
| Chronic Health Hazard | Yes |

**Fire Hazard** Yes  
**Sudden release of pressure hazard** Yes  
**Reactive Hazard** No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals.

| Chemical name           | California Proposition 65   |
|-------------------------|-----------------------------|
| Ethyl alcohol - 64-17-5 | Carcinogen<br>Developmental |

**U.S. State Right-to-Know Regulations**

| Chemical name                    | New Jersey | Massachusetts | Pennsylvania | Rhode Island | Illinois |
|----------------------------------|------------|---------------|--------------|--------------|----------|
| Ethyl alcohol<br>64-17-5         | X          | X             | X            |              | X        |
| Aminomethyl propanol<br>124-68-5 | X          | X             | X            |              |          |

**16. OTHER INFORMATION**

**NFPA** Health hazards 2 Flammability 4 Instability 1 Physical and Chemical Properties -  
**HMIS** Health hazards 2 Flammability 4 Physical hazards 1 Personal Protection X

**Prepared By** Product Stewardship  
 23 British American Blvd.  
 Latham, NY 12110  
 1-800-572-6501

**Revision Date** 13-Mar-2017

**Revision Note** No information available

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**

