

SECTION 1: Identification

1.1. Identification

Product form : Mixture
 Trade name : essence what the fake! PLUMPING LIP FILLER
 Product code : 4059729303103, 4059729371928
 Other means of identification : 4059729303103 essence what the fake! PLUMPING LIP FILLER 01
 4059729371928 essence what the fake! PLUMPING LIP FILLER 02

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

cosnova GmbH
 Am Limespark 2
 Sulzbach, D-65843 - Germany
 T +49(0)6196-76156-0 - F +49(0)6196761561899
 info@cosnova.com

1.4. Emergency telephone number

Emergency number : GBK/Infotrac ID 102396: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS US labeling

No labeling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Titanium dioxide	(CAS-No.) 13463-67-7	<5	Carc. 2, H351 (NOTE: Unbound, airborne, respirable particles only; not applicable to this product)
Phenoxyethanol	(CAS-No.) 122-99-6	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Dam. 1, H318 STOT SE 3, H335
Benzyl benzoate	(CAS-No.) 120-51-4	<1	Acute Tox. 4 (Oral), H302 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Ethylhexylglycerin	(CAS-No.) 70445-33-9	<0.1	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Eugenol	(CAS-No.) 97-53-0	<0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401
Linalool	(CAS-No.) 78-70-6	<0.01	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402

essence what the fake! PLUMPING LIP FILLER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.	GHS US classification
Limonene	(CAS-No.) 138-86-3	<0.01	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
- First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

5.2. Specific hazards arising from the chemical

- Fire hazard : Not flammable.
- Explosion hazard : Product is not explosive.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Clear up spills immediately and dispose of waste safely.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep container closed to avoid product contamination.

essence what the fake! PLUMPING LIP FILLER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silica (7631-86-9)	
IDLH	3000 mg/m ³
NIOSH REL (TWA)	6 mg/m ³
Mica (12001-26-2)	
ACGIH OEL TWA	0.1 mg/m ³ (respirable particulate matter)
IDLH	1500 mg/m ³ (containing <1% quartz)
NIOSH REL (TWA)	3 mg/m ³ (containing <1% Quartz-respirable dust)
Titanium dioxide (13463-67-7)	
ACGIH OEL TWA	10 mg/m ³
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL (TWA) [1]	15 mg/m ³ (total dust)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
IDLH	5000 mg/m ³
NIOSH REL (TWA)	2.4 mg/m ³ (CIB 63-fine) 0.3 mg/m ³ (CIB 63-ultrafine, including engineered nanoscale)
Benzyl alcohol (100-51-6)	
WEEL TWA [ppm]	10 ppm
Iron oxides (1309-37-1)	
ACGIH OEL TWA	5 mg/m ³ (respirable particulate matter)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL (TWA) [1]	10 mg/m ³ (fume) 15 mg/m ³ (total dust (Rouge)) 5 mg/m ³ (respirable fraction (Rouge))
IDLH	2500 mg/m ³ (dust and fume)
NIOSH REL (TWA)	5 mg/m ³ (dust and fume)

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Small oblong bottle with applicator cap
Color : According to product specification
Odor : Characteristic
Odor threshold : No data available
pH : No data available

essence what the fake! PLUMPING LIP FILLER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 247°C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
No data availableViscosity, kinematic	: No data available
Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Tridecyl trimellitate (94109-09-8) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	5000 mg/kg
ATE US (oral)	5000 mg/kg body weight
Hydrogenated microcrystalline wax (64742-60-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 3600 mg/kg
Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7900 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 58.8 mg/l/4h
ATE US (oral)	7900 mg/kg body weight
Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1850 mg/kg

essence what the fake! PLUMPING LIP FILLER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	14422 mg/kg
LD50 dermal rabbit	5 ml/kg
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h)
ATE US (oral)	1850 mg/kg body weight
ATE US (dermal)	5550 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h
Sodium hyaluronate (9067-32-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 800 mg/kg
Titanium dioxide (13463-67-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10000 mg/kg
LC50 Inhalation - Rat	5.09 mg/l/4h
ATE US (vapors)	5.09 mg/l/4h
ATE US (dust, mist)	5.09 mg/l/4h
Tocopheryl acetate (7695-91-2) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rat	> 3000 mg/kg
Benzyl benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	4000 mg/kg
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
Butylene glycol (107-88-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	18610 mg/kg
LC50 Inhalation - Rat [ppm]	> 60 ppm (Exposure time: 8 h)
ATE US (oral)	18610 mg/kg body weight
Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Limonene (138-86-3) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	5300 mg/kg
ATE US (oral)	5300 mg/kg body weight
Benzyl alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1230 mg/kg
LD50 dermal rabbit	2 g/kg
LC50 Inhalation - Rat	> 4178 mg/m ³ (Exposure time: 4 h)
ATE US (oral)	1230 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Iron oxides (1309-37-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10000 mg/kg
Red 6 (5858-81-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 10800 mg/kg
Eugenol (97-53-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1930 mg/kg
ATE US (oral)	1930 mg/kg body weight

essence what the fake! PLUMPING LIP FILLER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Cinnamomum zeylanicum leaf oil (84649-98-9) (Historical information; not tested on animals for cosmetics)	
LD50 dermal rabbit	> 5000 mg/kg
Cinnamal (104-55-2) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2220 mg/kg
LD50 dermal rabbit	1260 mg/kg
ATE US (oral)	2220 mg/kg body weight
ATE US (dermal)	1260 mg/kg body weight
Cinnamyl alcohol (104-54-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2 g/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	2000 mg/kg body weight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

Titanium dioxide (13463-67-7) (NOTE: Unbound, airborne, respirable particles only; not applicable to this product)	
IARC group	2B - Possibly carcinogenic to humans
In OSHA Hazard Communication Carcinogen list	Yes

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static])
EC50 - Crustacea [1]	7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)
Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	≥ 366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
Tocopheryl acetate (7695-91-2) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
Benzyl benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Benzyl alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Iron oxides (1309-37-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	100000 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
Eugenol (97-53-0) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

12.2. Persistence and degradability

Not established.

essence what the fake! PLUMPING LIP FILLER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(no bioaccumulation expected)
Glyceryl behenate/eicosadioate (215322-01-3) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	> 6.2 (at 25 °C)
Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.107
Ethyl menthane carboxamide (39711-79-0) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.902 (at 25 °C (at pH 5.3))
Vanillyl butyl ether (82654-98-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 23 °C)
Benzyl benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Butylene glycol (107-88-0) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.9 (at 25 °C (at pH 7.5))
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7))
Benzyl alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.05
Red 6 (5858-81-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.5 (at 20 °C (at pH 7))
Eugenol (97-53-0) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5))
Red 6 lake (17852-98-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	(>-0.07 - <1.08 - at 20 °C)
Cinnamal (104-55-2) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)
Cinnamyl alcohol (104-54-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.636 (at 27 °C (at pH 3.52))

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated as hazmat for transport

Transportation of Dangerous Goods

Not regulated as hazmat for transport

Transport by sea

Not regulated as hazmat for transport

Air transport

Not regulated as hazmat for transport

essence what the fake! PLUMPING LIP FILLER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

U.S. - California - Proposition 65: Titanium Dioxide (13463-67-7)					
Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	No significance risk level (NSRL)	Maximum allowable dose level (MADL)
Yes (NOTE: Unbound, airborne, respirable particles only; not applicable to this product)	No	No	No		

Component	State or local regulations
Silica (7631-86-9)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Mica (12001-26-2)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Phenoxyethanol (122-99-6)	U.S. - Pennsylvania - RTK (Right to Know) List
Titanium dioxide (13463-67-7)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Limonene (138-86-3)	U.S. - New Jersey - Right to Know Hazardous Substance List
Benzyl alcohol (100-51-6)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Iron oxides (1309-37-1)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

SECTION 16: Other information

Revision date : 05/04/2022

Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.


Full text of H-phrases listed in Section 3:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

essence what the fake! PLUMPING LIP FILLER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.	
NFPA fire hazard	: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	
Hazard Rating		
Health	: 0 Minimal Hazard - No significant risk to health	
Flammability	: 0 Minimal Hazard - Materials that will not burn	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.