

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

SECTION 1. IDENTIFICATION

Product name : L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Formula Center Reference : 909449 20

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
30 Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 4

Skin sensitization : Category 1

Other hazards

None known.

GHS label elements

Hazard pictograms :



SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Signal Word : Warning

Hazard Statements : H227 Combustible liquid.
H317 May cause an allergic skin reaction.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing mist or vapors.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 2.5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 2.5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 2.5 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
GLYCERIN	56-81-5*	>= 3 - <= 7
C15-19 ALKANE	90622-53-0*	>= 3 - <= 7
NIACINAMIDE	98-92-0*	>= 3 - <= 7

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version 1.0 Revision Date: 09/17/2025 SDS Number: 34-51-400000200785 Date of last issue: -
Date of first issue: 09/17/2025

ZEA MAYS (CORN) STARCH	9005-25-8*	$\geq 3 - \leq 7$
ALCOHOL	64-17-5*	$\geq 1 - \leq 5$
CAPRYLOYL SALICYLIC ACID	78418-01-6*	$\geq 0.1 - \leq 1$

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.
Call a physician if symptoms develop or persist.

In case of skin contact : Get medical attention if irritation develops and persists.

In case of eye contact : Rinse with water.
If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO₂)

Unsuitable extinguishing media : None known.

Hazardous combustion products : No hazardous combustion products are known.

Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid exposure - obtain special instructions before use.
For personal protection see section 8.
Provide sufficient air exchange and/or exhaust in work rooms.
Container may be opened only under exhaust ventilation hood.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : No smoking.
Keep in a well-ventilated place.
Observe label precautions.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
GLYCERIN	56-81-5	TWA (mist,	5 mg/m3	OSHA Z-1

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version 1.0 Revision Date: 09/17/2025 SDS Number: 34-51-400000200785 Date of last issue: -
Date of first issue: 09/17/2025

		respirable fraction)		
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
ZEA MAYS (CORN) STARCH	9005-25-8	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
ALCOHOL	64-17-5	STEL	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,900 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Safety glasses

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : cream

Color : pink

Odor : characteristic

pH : 5.5 - 6.1

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Melting point/freezing point	:	No data available
Boiling point/boiling range	:	Not available
Flash point	:	150.8 °F / 66.0 °C Method: ISO 3679
Fire Point	:	Not applicable
Flammability (liquids)	:	Sustains combustion
Upper explosion limit / Upper flammability limit	:	19 %(V) (for a component of this mixture)
Lower explosion limit / Lower flammability limit	:	3.3 %(V) (for a component of this mixture)
Vapor pressure	:	59.5 hPa (68 °F / 20 °C) (for a component of this mixture)
Relative vapor density	:	No data available
Relative density	:	1.003 - 1.009 (68 °F / 20 °C)
Solubility(ies) Water solubility	:	partly soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	689 °F / 365 °C (for a component of this mixture)
Decomposition temperature	:	Not applicable
Viscosity Viscosity, kinematic	:	No data available
Dust explosion class	:	Not applicable
Particle characteristics Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

C15-19 ALKANE:

Acute oral toxicity	:	LD50: 2,500 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50: 2,500 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

NIACINAMIDE:

Acute oral toxicity	:	LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 3.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

toxicity

ALCOHOL:

Acute oral toxicity	: LD50 (Rat, male and female): 10,470 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat, male and female): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): 15,800 mg/kg Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

CAPRYLOYL SALICYLIC ACID:

Acute oral toxicity	: LD50 (Rat, male and female): 3,354 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

NIACINAMIDE:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

ALCOHOL:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

CAPRYLOYL SALICYLIC ACID:

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

NIACINAMIDE:

Species	:	Rabbit
Result	:	Eye irritation
Method	:	OECD Test Guideline 405

ALCOHOL:

Species	:	Rabbit
Result	:	Eye irritation
Method	:	OECD Test Guideline 405

CAPRYLOYL SALICYLIC ACID:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks	:	May cause sensitization.
---------	---	--------------------------

Components:

NIACINAMIDE:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

ALCOHOL:

Routes of exposure	:	Skin contact
Species	:	Guinea pig

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
Remarks	:	Based on data from similar materials

CAPRYLOYL SALICYLIC ACID:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

C15-19 ALKANE:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
--	---	---

ALCOHOL:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
--	---	---

CAPRYLOYL SALICYLIC ACID:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
--	---	---

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

ALCOHOL:

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
---------------------------------	---	---

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
-------------	--

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
------------	--

Reproductive toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Components:

C15-19 ALKANE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

ALCOHOL:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

CAPRYLOYL SALICYLIC ACID:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

CAPRYLOYL SALICYLIC ACID:

Routes of exposure : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

C15-19 ALKANE:

NOAEL : > 495 mg/kg
Application Route : Dermal
Exposure time : 90 d
Method : OECD Test Guideline 411
Remarks : Based on data from similar materials

NOEC : 10 mg/l
Application Route : inhalation (vapor)
Exposure time : 90 d
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Components:

C15-19 ALKANE:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

C15-19 ALKANE:

Toxicity to fish	: LC50 (Fish): > 1,028 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: LC50: > 42,000 mg/l Exposure time: 48 h Method: ISO TC147/SC5/WG2
Toxicity to algae/aquatic plants	: EC50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l Exposure time: 72 h Method: ISO 10253 NOEC (algae): 993 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 28 d Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 21 d Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

NIACINAMIDE:

Toxicity to fish	: LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l
------------------	--

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

ALCOHOL:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 11,200 mg/l
Exposure time: 24 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 250 mg/l
Exposure time: 5 d
Method: OECD Test Guideline 212

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l
Exposure time: 10 d

CAPRYLOYL SALICYLIC ACID:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 13 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 26.1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 75 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Persistence and degradability

Components:

C15-19 ALKANE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 86 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

NIACINAMIDE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 96 %
Exposure time: 14 d
Method: OECD Test Guideline 301E

ALCOHOL:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

CAPRYLOYL SALICYLIC ACID:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 90 %
Exposure time: 28 d
Method: OECD Test Guideline 302B

Bioaccumulative potential

Components:

CAPRYLOYL SALICYLIC ACID:

Partition coefficient: n- : log Pow: 0.32
octanol/water

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Send to a licensed waste management company.

Contaminated packaging : Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
Empty containers should be taken to an approved waste han-

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

ding site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

UN/ID/NA number	:	NA 1993
Proper shipping name	:	Combustible liquid, n.o.s. (Ethanol)
Class	:	CBL
Packing group	:	III
Labels	:	NONE
ERG Code	:	128
Marine pollutant	:	no
Remarks	:	Materials classified as combustible liquids are only regulated for transport when offered in bulk packaging (>119 gallons).

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Remarks : Not applicable

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Respiratory or skin sensitization

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT LASER 3X TRIPLE POWER ANTI-AGING CREAMY SERUM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09/17/2025	34-51- 400000200785	Date of first issue: 09/17/2025

Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 09/17/2025

US / EN