

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

SECTION 1. IDENTIFICATION

Product name : L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Formula Center Reference : 917208

Manufacturer or supplier's details

Address : L'ORÉAL USA
30 Terminal Avenue,
Clark NJ 07066
USA

Telephone : +1 732 499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone number

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Skin irritation : Category 2

Serious eye damage : Category 1

Reproductive toxicity : Category 2

Other hazards

None known.

GHS label elements

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H315 Causes skin irritation.
H318 Causes serious eye damage.
H361 Suspected of damaging fertility or the unborn child.

Precautionary statements

: P102 Keep out of reach of children.

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 1.16 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 1.16 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 1.16 %

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
GLYCERIN	56-81-5*	$\geq 5 - \leq 10$
GLYCOLIC ACID	79-14-1*	$\geq 3 - \leq 7$
C15-19 ALKANE	90622-53-0*	$\geq 3 - \leq 7$
PEG-100 STEARATE	9004-99-3*	$\geq 1 - \leq 5$
SODIUM HYDROXIDE	1310-73-2*	$\geq 0.5 - \leq 1.5$
SALICYLIC ACID	69-72-7*	$\geq 0.1 - \leq 1$

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice	: Consult a physician.
If inhaled	: If symptoms persist, call a physician.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water.
In case of eye contact	: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	: Rinse mouth with water. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Causes skin irritation. Causes serious eye damage. Suspected of damaging fertility or the unborn child. Corrosive to the respiratory tract.
Notes to physician	: Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire-	: Do not allow run-off from fire fighting to enter drains or water

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

fighting

courses.

Hazardous combustion products : No hazardous combustion products are known.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
Standard procedure for chemical fires.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with eyes.
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version 1.0 Revision Date: 11/25/2025 SDS Number: 00-51-400000201746 Date of last issue: -
Date of first issue: 11/25/2025

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
GLYCERIN	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
PEG-100 STEARATE	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
SODIUM HYDROXIDE	1310-73-2	C	2 mg/m3	ACGIH
		C	2 mg/m3	NIOSH REL
		TWA	2 mg/m3	OSHA Z-1

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Tightly fitting safety goggles

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : cream

Colour : beige

Odour : Unscented.

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

pH	:	3.5 - 4.1 (77 °F / 25 °C)
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	Not available
Flash point	:	> 199 °F / > 93 °C Method: ISO 3679
Flammability (liquids)	:	Does not sustain combustion.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	1.047 - 1.053 (68 °F / 20 °C)
Solubility(ies) Water solubility	:	partly soluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Not applicable
Viscosity Viscosity, kinematic	:	No data available
Dust explosion class	:	Not applicable
Metal corrosion rate	:	Not corrosive to metals
Particle characteristics Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 60.01 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method Assessment: Not corrosive to the respiratory tract

Components:

GLYCOLIC ACID:

Acute oral toxicity	:	LD50 (Rat, male and female): 2,040 mg/kg Method: US EPA Test Guideline OPP 81-1
Acute inhalation toxicity	:	LC50 (Rat, male and female): 3.6 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

C15-19 ALKANE:

Acute oral toxicity	:	LD50: 2,500 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50: 2,500 mg/kg

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Assessment: The substance or mixture has no acute dermal toxicity

SODIUM HYDROXIDE:

Acute oral toxicity : LD50 (Rabbit): 325 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Acute toxicity estimate (Rat, male): 0.75 mg/l
Exposure time: 2 h
Test atmosphere: dust/mist

SALICYLIC ACID:

Acute oral toxicity : LD50 (Rat, male): 891 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LCLo (Rat, female): 0.7 mg/l
Exposure time: 7 h
Test atmosphere: vapour
Method: OECD Test Guideline 412
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Components:

GLYCOLIC ACID:

Species : Rabbit
Result : Corrosive after 3 minutes to 1 hour of exposure

SODIUM HYDROXIDE:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 435
Result : Corrosive after 3 minutes or less of exposure

SALICYLIC ACID:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

GLYCOLIC ACID:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

SODIUM HYDROXIDE:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

SALICYLIC ACID:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: Draize Test

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

GLYCOLIC ACID:

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.

SODIUM HYDROXIDE:

Exposure routes	: Skin contact
Species	: Humans
Result	: Does not cause skin sensitisation.

SALICYLIC ACID:

Exposure routes	: Skin contact
Species	: Mouse
Result	: Does not cause skin sensitisation.

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

C15-19 ALKANE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SALICYLIC ACID:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

SALICYLIC ACID:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

C15-19 ALKANE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

SALICYLIC ACID:

Effects on fertility : Species: Rat
Fertility: NOAEL: 250 mg/kg body weight
Method: OECD Test Guideline 416
Result: Animal testing did not show any effects on fertility.

Effects on foetal development : Species: Rabbit
Developmental Toxicity: 250
Result: Teratogenic effects

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Corrosive to the respiratory tract.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

C15-19 ALKANE:

NOAEL	: > 495 mg/kg
Application Route	: Dermal
Exposure time	: 90 d
Method	: OECD Test Guideline 411
Remarks	: Based on data from similar materials

NOEC	: 10 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 90 d
Method	: OECD Test Guideline 413
Remarks	: Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

C15-19 ALKANE:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

GLYCOLIC ACID:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
	Exposure time: 96 h

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 89.6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

C15-19 ALKANE:

Toxicity to fish : LC50 (Fish): > 1,028 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50: > 42,000 mg/l
Exposure time: 48 h
Method: ISO TC147/SC5/WG2

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l
Exposure time: 72 h
Method: ISO 10253

NOEC (algae): 993 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l
Exposure time: 28 d
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 21 d
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

SODIUM HYDROXIDE:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): 35 mg/l

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Exposure time: 24 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 40.4 mg/l
Exposure time: 48 h

SALICYLIC ACID:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,370 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 870 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 10 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability

Components:

GLYCOLIC ACID:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 83.9 %
Exposure time: 28 d
Method: OECD Test Guideline 310

C15-19 ALKANE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 86 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

SALICYLIC ACID:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 %
Exposure time: 4 d

Bioaccumulative potential

Components:

GLYCOLIC ACID:

Partition coefficient: n- : log Pow: -1.2

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

octanol/water

pH: 7
Method: OECD Test Guideline 107

SALICYLIC ACID:

Bioaccumulation : Bioconcentration factor (BCF): > 1,000

Partition coefficient: n-octanol/water : log Pow: 2.25
Method: OECD Test Guideline 117

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Dispose of in accordance with local regulations.

Contaminated packaging : Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

National Regulations

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Remarks	:	Not classified as dangerous in the meaning of transport regulations.
---------	---	--

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Reproductive toxicity Skin corrosion or irritation Serious eye damage or eye irritation
-----------------------------	---	---

SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---	---

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION


Further information

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

NFPA 704:



Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / C	: Ceiling limit
NIOSH REL / C	: Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New

SAFETY DATA SHEET

L'ORÉAL PARIS REVITALIFT TRIPLE POWER NIGHT CREAM

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11/25/2025	00-51- 400000201746	Date of first issue: 11/25/2025

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 11/25/2025

US2 / EN