

BAUSCH + LOMB

DESCRIPTION: Lumify Preservative Free 20ct Carton Sleeve - US - CMO

PART No.: 3912001

SPEC No. or SPEC DIMENSIONS: 74.2 mm x 37.3 mm x 116.6mm

SPECIAL INSTRUCTIONS: OTC0415.psd, OTC0416_Pt1_K.psd, OTC0416_Pt2_CMY.psd
Printed on Silver Foil board stock, instances of white are indicated on second page

PRINT SUPPLIERS: Please refer to Bausch + Lomb's *Print Supplier Guidelines*

BLACK	CYAN	MAGENTA	YELLOW	PMS 8162	PMS 2099	WHITE	EMBOSS
						GLOSS COATING	FOIL BOARD DOES NOT PRINT

BAUSCH + LOMB

LUMIFY®

PRESERVATIVE FREE

BRIMONIDINE TARTRATE
OPHTHALMIC SOLUTION 0.025%
REDNESS RELIEVER EYE DROPS

← SQUEEZE & HOLD BOTH SIDES TO UNLOCK

This carton is child-resistant. See opening instructions below.

SQUEEZE & HOLD BOTH SIDES TO UNLOCK TRAY THEN PUSH UP ON BOTTOM



Store unused single-use vials in the child-resistant carton. Keep carton for important information.

622309 3912001



3 10119 53820 3

BAUSCH + LOMB



LUMIFY®

PRESERVATIVE FREE

BRIMONIDINE TARTRATE
OPHTHALMIC SOLUTION 0.025%
REDNESS RELIEVER EYE DROPS

WORKS IN 1 MINUTE

CONVENIENT SINGLE-USE VIALS



Directions
Single-use vial
To open, twist tab off.



Instill 1 drop in the affected eye(s).
Discard vial immediately after use.

Store unused single-use vials in the child-resistant carton.

DO NOT USE IF POUCH IS TORN OR OPEN

Distributed by:
Bausch & Lomb Americas Inc.
Bridgewater, NJ 08807 USA
Patented. See <https://patents.bausch.com>
Product of Spain

20 single-use vials (4 pouches x 5 single-use vials)
0.013 FL OZ (0.4 mL) per vial

Sterile

NDC 24208-538-20

LUMIFY® Preservative Free eye drops, from the eye care experts at Bausch + Lomb.

Just one drop works within a minute to reduce redness.

← SQUEEZE & HOLD BOTH SIDES TO UNLOCK

Drug Facts

Active ingredient	Purpose
Brimonidine tartrate (0.025%)	Redness reliever

Use

- relieves redness of the eye due to minor eye irritations

Warnings

For external use only

Do not use

- if solution changes color or becomes cloudy
- if single-use vial is not intact

Stop use and ask a doctor if

- you experience eye pain, changes in vision, continued redness or irritation of the eye
- condition worsens or persists for more than 3 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 5 years of age and over:
 - twist tab completely off to open vial
 - instill 1 drop in the affected eye(s)
 - discard vial immediately after use; do not re-use
 - store unused single-use vials in the child-resistant carton
 - do not use more than 4 times daily
 - remove contact lenses before use
 - wait at least 10 minutes before re-inserting contact lenses after use
 - if using other ophthalmic products while using this product, wait at least 5 minutes between each product
 - to avoid contamination, do not touch tip of container to any surface
- children under 5 years of age: consult a doctor

Other information

- store at 15-25 °C (59-77 °F)
- use only if pouch is sealed and single-use vial is intact
- this carton is child-resistant
- protect from light

Inactive ingredients

boric acid, calcium chloride dihydrate, glycerin, potassium chloride, sodium borate decahydrate, sodium chloride, water for injection. Hydrochloric acid and/or sodium hydroxide may be used to adjust pH.

Questions or comments? (call: 1-800-553-5340

LOT/EXP call out will be on the trade tray.