



## MATERIAL SAFETY DATA SHEET

REVISION DATE: December 2, 2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Revlon Super Lustrous Lipstick – All Shades  
**Bulk #:** 463207, 463208, 464521, 464884, 465329, 465771, 465878  
**Product Code #:** 1508-XX, 3849-XX

**Address:**

Revlon Research Center  
2121 Route 27  
Edison, NJ 08818  
Telephone #: (732) 287-1400

**Emergency Telephone:**

Medical Emergencies: 303-739-1110  
CHEMTREC: 1-800-424-9300 or 703-527-3887 (spill related emergencies)

**HMIS Rating**

HMIS Hazard Index: 0 - minimal, 1 - slight, 2 - moderate, 3 - serious, 4 – severe, \* - chronic  
Health: 1  
Flammability: 1  
Physical Hazard: 0

### 2. HAZARDS IDENTIFICATION

**Eye Contact:** May be irritating. Avoid eye contact.

**Skin Contact:** Not irritating under normal use. Do not use on broken or damaged skin.

**Inhalation:** Not expected under normal use.

**Ingestion:** Not expected under normal use. May be harmful if large quantities are ingested.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #:	%:
MICA	12001-26-2	1 - 15
TITANIUM DIOXIDE	13463-67-7	1 - 10
PARAFFIN	8002-74-2	1 - 10
SILICA	112926-00-8	1 - 10
RED IRON OXIDE	1309-37-1	<5
BLACK IRON OXIDE	12227-89-3	<5

#### 4. FIRST AID MEASURES

- Eye Contact:** If irritation develops, flush eyes immediately with large amounts of water. Seek medical attention if symptoms develop.
- Skin Contact:** If irritation develops wash thoroughly with soap and water. Seek medical attention if symptoms develop.
- Inhalation:** If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms persist. If necessary, restore normal breathing through standard first aid measures.
- Ingestion:** Do not induce vomiting. If conscious, give several glasses of water. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms develop.
- Notes to Physician:** Treat symptomatically.

#### 5. FIRE AND IGNITION INFORMATION

- Flash Point:** Above 150°C (302°F). Not Flammable.
- Flash Point Method:** Closed Cup (ASTM D 6450-05)
- Burn Rate:** Not determined.
- Extinguishing Media:** Water, ABC all purpose extinguisher or CO<sub>2</sub> extinguisher.
- Special Fire Fighting Procedures:** None.

#### 6. ACCIDENTAL RELEASE MEASURES

- Personal Precautions:** Avoid inhalation of dust and vapors. Remove all sources of ignition. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.
- Methods for Cleaning Up:** Clean up promptly by mopping and flush with water. Floors can be slippery when wet. Bulk spills (gallon) should be picked up and transferred to a properly labeled container.
- Environmental Precautions:** No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

#### 7. HANDLING AND STORAGE

- Handling:** Keep container closed. Avoid contact with skin and eyes. Do not breathe dust or aerosol.
- Storage:** Keep in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**EXPOSURE LIMITS**

There are no exposure limits identified for this product. Exposure limits for the individual ingredients are listed below:

**Occupational Exposure Values limits (OEL)**

CAS No.	Components	mg/m <sup>3</sup>	Category	Origin
12001-26-2	Mica	2	TWA (8 h)	OSHA PEL
		3	TWA (10 h)	NIOSH REL (Respirable Dust)
		1500		NIOSH IDLH
13463-67-7	Titanium Dioxide	15	TWA (8 h)	OSHA PEL
		10	TWA (8 h)	ACGIH TLV
		5000		NIOSH IDLH
8002-74-2	Paraffin Wax (fume)	2	TWA (8 h)	OSHA PEL
		2	TWA (10 h)	NIOSH REL
		2	TWA (8 h)	ACGIH TLV
112926-00-8	Silica	2	TWA (8 h)	OSHA PEL
		6	TWA (10 h)	NIOSH REL
		3000		NIOSH IDLH
		10	TWA (8 h)	ACGIH TLV (dust)
1309-37-1	Red Iron Oxide	10	TWA (8 h)	OSHA PEL (Fume)
12227-89-3	Black Iron Oxide	15	TWA (8 h)	OSHA PEL (Total Dust)
		10	TWA (8 h)	ACGIH TLV (Total Dust)

IDLH: Immediately Dangerous to Life or Health concentration  
 PEL: Permissible Exposure Limit  
 OEL: Occupational Exposure Limit  
 STEL: Short Term Exposure Limit  
 TLV: Threshold Limit Value  
 TWA: Time Weighted Average  
 US ACGIH: United States American Conference of Governmental Industrial Hygienists  
 US OSHA: United States Occupational Safety and Health Administration  
 NIOSH: National Institute for Occupational Safety and Health  
 REL: Recommended Exposure Limit

**ENGINEERING CONTROLS**

Ensure adequate ventilation to minimize exposure. Provide appropriate exhaust ventilation where dust or aerosols can be generated.

#### **PERSONAL PROTECTIVE EQUIPMENT**

- Respiratory protection:** None required under normal use. Adequate ventilation required in production areas.
- Hand Protection:** None required under normal use. Wear suitable protective gloves.
- Eye Protection:** None required under normal use. Avoid eye contact. Eye protection required in production areas. Wear suitable eye/face protection.
- Skin and Body Protection:** Wear suitable protective clothing in production areas.
- Other protective equipment:** None required under normal use. Skin protection required in production areas. Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

#### **9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance & Odor:** Colored solid stick
- Solubility in Water:** Insoluble
- Specific Gravity:** 1.00 – 1.04
- Viscosity:** Not Known
- Boiling Point:** Not Known
- pH:** Not Known
- % Volatile:** Not Known

#### **10. STABILITY AND REACTIVITY**

- Stability:** Stable.
- Conditions to Avoid:** None Known.
- Incompatible With:** Strong oxidizing agents.
- Hazardous Decomposition Products:** Oxides of carbon.
- Hazardous Polymerization:** Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

Toxicological information on the product is not available. Information on the individual ingredients is listed below.

<b>Eye Irritation:</b>	Draize score 0.7/110 @ 24H Non-Irritating. (Silica)
<b>Skin Irritation:</b>	LD <sub>50</sub> – Dermal – Rabbit: >2000mg/kg. (Silica)
<b>Acute toxicity – Oral:</b>	LD <sub>50</sub> – Oral – Rat: >5000mg/kg. (Silica)
<b>Other toxicity information:</b>	None Known

## 12. ECOLOGICAL INFORMATION

The product ingredients are expected to be safe for the environment at concentrations predicted under normal use and accidental spill scenarios.

## 13. DISPOSAL CONSIDERATIONS

**Disposal:** Consult applicable Local and State Regulations for disposal of non-hazardous liquids or solids. Do not dispose down sewer systems. Disposal in a properly regulated landfill is acceptable.

## 14. TRANSPORT INFORMATION

**DOT (Department of Transportation):**

Non-Regulated. Not classified as dangerous in the meaning of transport regulations.

<b>UN Number:</b>	None
<b>UN Proper Shipping Name:</b>	Not classified
<b>UN Hazard Class:</b>	Not classified
<b>UN Packing Group:</b>	Not classified

**IMDG (International Maritime Organization's Dangerous Goods Code):**

Use UN classification listed above.

**IATA (International Air Transport Association):**

Use UN classification listed above.

## 15. REGULATORY INFORMATION

California Right-To-Know (RTK): Red Iron Oxide (Ferric Oxide)

Illinois Toxic Substances Disclosure to Employees Act: Wax (Paraffin) Fume

Massachusetts Right-To-Know (RTK): Mica, Titanium Dioxide, Wax (Paraffin) Fume, Silica, Red Iron Oxide (Ferric Oxide)

Minnesota Right-To-Know (RTK): Wax (Paraffin) Fume, Red Iron Oxide (Ferric Oxide)

New Jersey Right-To-Know (RTK): Mica, Titanium Dioxide, Paraffin Wax, Silica, Red Iron Oxide (Ferric Oxide)

Pennsylvania Right-To-Know (RTK): Titanium Dioxide, Wax (Paraffin) Fume, Silica, Red Iron Oxide (Ferric Oxide)

**16. OTHER INFORMATION**

**Last Revision:** 10/8/10.  
**Prepared by:** Revlon Research Center

---

**Disclaimer:**

Judgments as to the suitability of information herein for purchaser's purposes are necessarily purchaser's responsibility. Therefore, although reasonable care has been taken in the preparation of such information, Revlon, Inc. extends no warranties, makes no representations and assumes no responsibility as to accuracy or suitability of such information for application to purchaser's intended purposes or for consequences of its use.