

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard 2024 (29 CFR 1910.1200) and Canada Hazardous Products Act (HPA) and the  
Hazardous Products Regulation (HPR), as amended

Issuing Date 01-Jul-2025

Revision date 04-May-2026

Revision Number 1

## 1. Identification

### Product identifier

Product Name up & up

### Other means of identification

Product Code(s) 1434653\_TG

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use Pain Relief - Ingested

Restrictions on use No information available

### Details of the supplier of the safety data sheet

Supplier Name Granules Consumer Health, LLC

### Supplier Address

7413 Cushing Road  
Manassas  
Virginia  
20109  
US

### Emergency telephone number

Supplier Phone Number Phone:7033767433

24 Hour Emergency Phone Number 7033767433

Emergency Telephone No information available

## 2. Hazard(s) identification

### Classification of the substance or mixture

Specific target organ toxicity (single exposure)	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

### Label elements



**Danger****Hazard statements**

May cause damage to organs.  
Causes damage to organs through prolonged or repeated exposure.

**Precautionary Statements - Prevention**

Do not breathe dust.  
Wash face, hands and any exposed skin thoroughly after handling.  
Do not eat, drink or smoke when using this product.

**Precautionary Statements - Response**

IF exposed or concerned: Call a POISON CENTER or doctor.  
Get medical advice/attention if you feel unwell.

**Precautionary Statements - Storage**

Store locked up.

**Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

**Hazards classified under paragraph (d)(1)(ii) of 1910.1200**

No information available.

**Other information**

May be harmful if swallowed. Causes mild skin irritation. Toxic to aquatic life with long lasting effects.

**3. Composition/information on ingredients****Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Acetaminophen	103-90-2	79.9	-	-
Povidone	9003-39-8	1.32	-	-
Titanium dioxide	13463-67-7	0.266	-	-
n-Butyl alcohol	71-36-3	0.16	-	-
Ammonium hydroxide	1336-21-6	0.16	-	-

**4. First-aid measures****Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance.

**Inhalation**

Remove to fresh air. IF exposed or concerned: Get medical advice/attention.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.

**Skin contact**

Wash off immediately with plenty of water for at least 15 minutes. If symptoms persist, call a physician.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

#### **Most important symptoms and effects, both acute and delayed**

**Symptoms** Prolonged contact may cause redness and irritation.

**Effects of Exposure** Causes damage to organs through prolonged or repeated exposure. May cause damage to organs.

#### **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

### **5. Fire-fighting measures**

**Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

**Specific hazards arising from the chemical** No information available.

**Hazardous combustion products** Carbon oxides.

#### **Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** None.

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### **6. Accidental release measures**

#### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.

**Other information** Refer to protective measures listed in Sections 7 and 8.

#### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### **7. Handling and storage**

#### **Precautions for safe handling**

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Handle in accordance with good industrial hygiene and safety practice.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store locked up.

## 8. Exposure controls/personal protection

### Control Parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 10 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
n-Butyl alcohol 71-36-3	TWA: 20 ppm	TWA: 100 ppm TWA: 300 mg/m <sup>3</sup> (vacated) Ceiling: 50 ppm (vacated) Ceiling: 150 mg/m <sup>3</sup> Sdv	Ceiling: 50 ppm Ceiling: 150 mg/m <sup>3</sup> IDLH: 1400 ppm

Chemical name	Alberta	British Columbia	Ontario	Quebec
Titanium dioxide 13463-67-7	TWA: 10 mg/m <sup>3</sup> ;	TWA: 10 mg/m <sup>3</sup> ; total dust TWA: 3 mg/m <sup>3</sup> ; respirable fraction	TWA: 10 mg/m <sup>3</sup> ;	TWAEV: 10 mg/m <sup>3</sup> ; total dust
n-Butyl alcohol 71-36-3	TWA: 20 ppm; TWA: 60 mg/m <sup>3</sup> ;	TWA: 15 ppm; Ceiling: 30 ppm;	TWA: 20 ppm;	TWAEV: 20 ppm;

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Titanium dioxide	TWA: 0.2 mg/m <sup>3</sup> ; nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> ; finescale respirable particulate matter	TWA: 10 mg/m <sup>3</sup> ;	TWA: 0.2 mg/m <sup>3</sup> ; nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> ; finescale respirable particulate matter	TWA: 0.2 mg/m <sup>3</sup> ; nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> ; finescale respirable particulate matter
n-Butyl alcohol	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 20 ppm;	TWA: 20 ppm;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Titanium dioxide	TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;	TWA: 0.2 mg/m <sup>3</sup> ; nanoscale respirable particulate matter TWA: 2.5 mg/m <sup>3</sup> ; finescale respirable particulate matter	TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;	TWA: 30 mppcf; TWA: 10 mg/m <sup>3</sup> ; STEL: 20 mg/m <sup>3</sup> ;
n-Butyl alcohol	TWA: 20 ppm; STEL: 30 ppm;	TWA: 20 ppm;	TWA: 20 ppm; STEL: 30 ppm;	Ceiling: 50 ppm; Ceiling: 150 mg/m <sup>3</sup> ; Sk

**Note** See section 16 for terms and abbreviations.

**Other information on limit values** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Biological occupational exposure limits** This product, as supplied, contains materials that do not have reportable biological exposure limits or are not subject to the reporting requirements of the local jurisdiction.

#### Appropriate engineering controls

**Engineering controls** Showers  
Eyewash stations  
Ventilation systems.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Hand protection** Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** Use appropriate respiratory protection. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

**Physical state** Solid  
**Color** No information available  
**Odor (includes odor threshold)** Odorless  
**Odor threshold** Not applicable

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point (or initial boiling point or boiling range)</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>SADT (°C)</b>	No data available	None known
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known
<b>Solubility</b>	No data available	None known
<b>Water solubility</b>	Soluble in water	
<b>Partition coefficient n-octanol/water (log value)</b>	0.49	
<b>Vapor pressure (includes evaporation rate)</b>	No data available	None known
<b>Evaporation rate</b>	No data available	None known
<b>Density and/or relative density</b>	No data available	None known

<b>Bulk density</b>	No data available	
<b>Liquid Density</b>	No data available	
<b>Relative vapor density</b>	No data available	None known
<b>Particle characteristics</b>		None known
<b>Particle Size</b>	No data available	
<b>Particle Size Distribution</b>	No data available	

**Other information**

**Miscible** No

**10. Stability and reactivity**

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Hazardous polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	Carbon oxides.

**11. Toxicological information****Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	Specific test data for the substance or mixture is not available. Causes mild skin irritation.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	Prolonged contact may cause redness and irritation.
<b>Acute toxicity</b>	No information available.

**Numerical measures of toxicity**

The following ATE values have been calculated for the mixture

ATEmix (oral)	2,433.00 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/l
ATEmix (inhalation-dust/mist)	99,999.00 mg/l

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
---------------	-----------	-------------	-----------------

Acetaminophen	= 1944 mg/kg ( Rat )	-	-
Povidone	= 100 g/kg ( Rat )	-	-
Titanium dioxide	> 2000 mg/kg ( Rat )	-	> 5.09 mg/L ( Rat ) 4 h
n-Butyl alcohol	= 700 mg/kg ( Rat )	= 3402 mg/kg ( Rabbit )	> 17.76 mg/L ( Rat ) 4 h
Ammonium hydroxide	= 350 mg/kg ( Rat )	-	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes mild skin irritation.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Based on available data, the classification criteria are not met. Classification based on data available for ingredients. This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Acetaminophen	-	Group 3 - Not classifiable as to its carcinogenicity to humans	-	-
Povidone	-	Group 3 - Not classifiable as to its carcinogenicity to humans	-	-
Titanium dioxide	A3 - Confirmed animal carcinogen (with unknown relevance to humans)	Group 2B - Possibly carcinogenic to humans	-	X

**Reproductive toxicity** No information available.

**STOT - single exposure** May cause damage to organs.

**STOT - repeated exposure** Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** No information available.

## **12. Ecological information**

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

### **Aquatic ecotoxicity**

#### **Component Information**

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
Acetaminophen	96h LC50: = 814 mg/L (Pimephales promelas)	48h EC50: 6.1 - 14 mg/L (Daphnia magna)	-	EC50 = 1000 mg/L 30 min EC50 = 1050 mg/L 15 min EC50 = 1120 mg/L 5

				min
n-Butyl alcohol	96h LC50: 1730 - 1910 mg/L (Pimephales promelas) 96h LC50: = 1740 mg/L (Pimephales promelas) 96h LC50: 100000 - 500000 µg/L (Lepomis macrochirus) 96h LC50: = 1910000 µg/L (Pimephales promelas)	48h EC50: = 1983 mg/L (Daphnia magna) 48h EC50: 1897 - 2072 mg/L (Daphnia magna)	96h EC50: > 500 mg/L (Desmodesmus subspicatus) 72h EC50: > 500 mg/L (Desmodesmus subspicatus)	EC50 = 2041.4 mg/L 5 min EC50 = 2186 mg/L 30 min EC50 = 3980 mg/L 24 h EC50 = 4400 mg/L 17 h
Ammonium hydroxide	96h LC50: = 8.2 mg/L (Pimephales promelas)	48h EC50: = 0.66 mg/L (water flea) 48h EC50: = 0.66 mg/L (Daphnia pulex)	-	-

**Persistence and degradability** No information available.

**Bioaccumulative potential**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)	Trophic magnification factor (TMF)
Acetaminophen	1.098	-	-
n-Butyl alcohol	1	0.64	-

**Mobility in soil** No information available.

**Other adverse effects** No information available.

**13. Disposal considerations**

**Disposal methods**

**Waste from residues/unused products** Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

**California waste information** This product contains one or more substances that are listed with the State of California as a hazardous waste.

**14. Transport information**

**DOT** NOT REGULATED  
**Transport hazard class(es)** N/A

**TDG** Not applicable

**MEX** Not applicable

**ICAO (air)** Not applicable

**IATA**  
Transport hazard class(es) Not applicable  
N/A

**IMDG**  
Transport hazard class(es) Not applicable  
N/A

## 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

#### International Inventories

**TSCA** Contact supplier for inventory compliance status.

**DSL/NDSL** Contact supplier for inventory compliance status.  
**EINECS/ELINCS** Contact supplier for inventory compliance status.  
**ENCS** Contact supplier for inventory compliance status.  
**IECSC** Contact supplier for inventory compliance status.  
**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AIIC** Contact supplier for inventory compliance status.  
**NZIoC** Contact supplier for inventory compliance status.  
**TCSI** Contact supplier for inventory compliance status.

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AIIC** - Australian Inventory of Industrial Chemicals

**NZIoC** - New Zealand Inventory of Chemicals

**TCSI** - Taiwan Chemical Substance Inventory

#### US Federal Regulations

##### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

##### **SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

##### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

**CAA (Clean Air Act)**

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Titanium dioxide	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Starch	-	X	X
Silicon dioxide (amorphous)	-	X	X
RED OXIDE OF IRON (CI 77491)	X	-	X
Titanium dioxide	X	X	X
Propylene glycol	X	-	X
Isopropyl alcohol	X	X	X
n-Butyl alcohol	X	X	X
Ammonium hydroxide	X	X	X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. Other information**

**NFPA** Health hazards 2 Flammability 0 Instability 0 Special hazards -  
**HMIS** Health hazards 3\* Flammability 0 Physical hazards 0 Personal protection X  
 Chronic Hazard Star Legend \* = Chronic Health Hazard

**Key or legend to abbreviations and acronyms used in the safety data sheet**

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule

ENCS	Existing and New Chemical Substances (Japan)
EPA	Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma

Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

**Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 U.S. Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
 International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
 International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
 United Nations World Health Organization (WHO)

**Prepared By** Product Stewardship  
 23 British American Blvd.  
 Latham, NY 12110  
 1-800-572-6501.

**Issuing Date** 01-Jul-2025

**Revision date** 04-May-2026

**Revision Note** No information available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**