

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

SECTION 1. IDENTIFICATION

Product name : MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Formula Center Reference : G948793

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
133, Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 3

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapor.

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

Precautionary Statements : P102 Keep out of reach of children.
P103 Read label before use.

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
ISODODECANE	13475-82-6	$\geq 50 - < 70$
MICA	12001-26-2	$\geq 5 - < 10$
CALCIUM SODIUM BOROSILICATE	65997-17-3	$\geq 5 - < 10$
TITANIUM DIOXIDE	13463-67-7	$\geq 3 - < 5$
ALUMINUM HYDROXIDE	21645-51-2	$\geq 3 - < 5$
IRON OXIDES	1309-37-1	$\geq 3 - < 5$
ALUMINA	1344-28-1	$\geq 1 - < 3$
CALCIUM SODIUM BOROSILICATE	65997-17-3	$\geq 1 - < 3$
IRON OXIDES	1317-61-9	$\geq 1 - < 3$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0	Revision Date: 10/25/2024	SDS Number: 30-65- 410000001928	Date of last issue: - Date of first issue: 10/25/2024
----------------	------------------------------	---------------------------------------	--

Call a physician if symptoms develop or persist.

In case of skin contact : Get medical attention if irritation develops and persists.

In case of eye contact : Rinse with water.
If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known.

Further information : For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Remove all sources of ignition.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

Methods and materials for : Contain spillage, and then collect with non-combustible ab-

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

containment and cleaning up sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : For personal protection see section 8. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure.

Conditions for safe storage : No smoking. Keep container tightly closed in a dry and well-ventilated place. Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
MICA	12001-26-2	TWA (Respirable particulate matter)	0.1 mg/m3	ACGIH
		TWA (Dust)	20 Million particles per cubic foot	OSHA Z-3
		TWA (Respirable)	3 mg/m3	NIOSH REL
CALCIUM SODIUM BOROSILICATE	65997-17-3	TWA (fibers)	1 fibres per cubic centimeter	ACGIH
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
TITANIUM DIOXIDE	13463-67-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA	10 mg/m3 (Titanium dioxide)	ACGIH
ALUMINUM HYDROXIDE	21645-51-2	TWA (Respirable par-	1 mg/m3 (Aluminum)	ACGIH

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
 Date of first issue: 10/25/2024

		ticulate matter)		
IRON OXIDES	1309-37-1	TWA (Respirable particulate matter)	5 mg/m3	ACGIH
		TWA (dust and fume)	5 mg/m3 (Iron)	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
ALUMINA	1344-28-1	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Respirable particulate matter)	1 mg/m3 (Aluminum)	ACGIH
CALCIUM SODIUM BOROSILICATE	65997-17-3	TWA (fibers)	1 fibres per cubic centimeter	ACGIH
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only. Safety glasses

Skin and body protection : Applicable for industrial settings only. Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.
 When using do not smoke.
 Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

Physical state : liquid

Form : cream

Color : Shaded

Odor : characteristic

pH : Not applicable

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

Flash point : 116.6 °F / 47.0 °C
Method: ISO 3679

Fire Point : < 100 °C
Method:ISO 2592

Flammability (liquids) : Sustains combustion

Upper explosion limit / Upper flammability limit : 3.8 %(V)
(for a component of this mixture)

Lower explosion limit / Lower flammability limit : 0.5 %(V)
(for a component of this mixture)

Vapor pressure : 1 hPa (77 °F / 25 °C)
(for a component of this mixture)

Relative vapor density : No data available

Relative density : 0.917 - 0.923 (68 °F / 20 °C)

Solubility(ies)
Water solubility : partly soluble

Partition coefficient: n-octanol/water : Not applicable

Decomposition temperature : Not applicable

Viscosity
Viscosity, kinematic : > 20.5 mm²/s (104 °F / 40 °C)

Dust explosion class : Not applicable

Particle characteristics

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Not applicable

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 177.26 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

ISODODECANE:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): 4.951 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): 2,200 - 2,500 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

ISODODECANE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

ISODODECANE:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Components:

ISODODECANE:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

ISODODECANE:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ISODODECANE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.0028 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0	Revision Date: 10/25/2024	SDS Number: 30-65- 410000001928	Date of last issue: - Date of first issue: 10/25/2024
----------------	------------------------------	---------------------------------------	--

Toxicity to fish (Chronic toxicity) : EC10 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l
Exposure time: 60 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): > 10.2 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

Persistence and degradability

Components:

ISODODECANE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 71 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

ISODODECANE:

Bioaccumulation : Bioconcentration factor (BCF): 315 - 1,021.68

Partition coefficient: n-octanol/water : log Pow: 5.94 - 6.16
pH: 7

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste Code : D001: Ignitability

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

Contaminated packaging : Send to a licensed waste management company.
: Dispose of as unused product.
: Do not reuse empty containers.
: Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

UN/ID/NA number : UN 2286
Proper shipping name : Pentamethylheptane solution

Class : 3
Packing group : III
Labels : FLAMMABLE LIQUID
ERG Code : 128
Marine pollutant : no

International Regulations

IATA-DGR

UN/ID No. : UN 2286
Proper shipping name : Pentamethylheptane solution
Class : 3
Packing group : III
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355

IMDG-Code

UN number : UN 2286
Proper shipping name : PENTAMETHYLHEPTANE SOLUTION

Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Materials packaged as a finished good may be offered as ID8000, Consumer Commodity by IATA.
Materials may be offered as a limited quantity when in containers of 5 liters or less, except for IATA.

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

A characteristic waste RQ of 100 lbs applies to this product in a waste form: D001
Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

ALUMINA 1344-28-1 >= 1 - < 5 %

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION


Further information

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version 1.0 Revision Date: 10/25/2024 SDS Number: 30-65-410000001928 Date of last issue: -
Date of first issue: 10/25/2024

NFPA 704:



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA : 8-hour, time-weighted average
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA : 8-hour time weighted average
OSHA Z-1 / TWA : 8-hour time weighted average
OSHA Z-3 / TWA : 8-hour time weighted average

AiIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -

SAFETY DATA SHEET

MAYBELLINE NEW YORK SUPER STAY 24 2-STEP LIQUID LIPSTICK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/25/2024	30-65-410000001928	Date of first issue: 10/25/2024

International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 10/25/2024

US / EN

SAFETY DATA SHEET

1. Identification**Product identifier** MAYBELLINE SUPERSTAY 24HR TOPCOAT**Other means of identification****SDS number** 00-64-0000247**Recommended use** Not available.**Recommended restrictions** None known.**Manufacturer/Importer/Supplier/Distributor information****US Address:** L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA**Canadian Address:** L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada**Emergency Phone # :** 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))**For further information:** 1-732-499-2741**Poison Control # :** 412-390-3326**2. Hazard(s) identification****Physical hazards** Not classified.**Health hazards** Not classified.**OSHA defined hazards** Not classified.**Label elements****Hazard symbol** None.**Signal word** None.**Hazard statement** The mixture does not meet the criteria for classification.**Precautionary statement****Prevention** Observe good industrial hygiene practices.**Response** Wash hands after handling.**Storage** Store away from incompatible materials.**Disposal** Dispose of waste and residues in accordance with local authority requirements.**Hazard(s) not otherwise classified (HNOC)** None known.**Supplemental information** 75.7% of the mixture consists of component(s) of unknown acute oral toxicity. 75.7% of the mixture consists of component(s) of unknown acute dermal toxicity. 78.85% of the mixture consists of component(s) of unknown acute inhalation toxicity.**3. Composition/information on ingredients****Mixtures**

Chemical name	Common name and synonyms	CAS number	%
PARAFFIN		64742-51-4	3.15

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	<p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
PARAFFIN (CAS 64742-51-4)	TWA	2 mg/m ³	Fume.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
PARAFFIN (CAS 64742-51-4)	TWA	2 mg/m ³	Fume.

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Applicable for industrial settings only. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.
Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing.
Respiratory protection	Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance**

Physical state	Solid.
Form	Stick
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not Readily Combustible
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information

Explosive properties Not explosive.
Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability Material is stable under normal conditions.
Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.
Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials Strong oxidizing agents.
Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure**

Inhalation Prolonged inhalation may be harmful.
Skin contact No adverse effects due to skin contact are expected.
Eye contact Direct contact with eyes may cause temporary irritation.
Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
MAYBELLINE SUPERSTAY 24HR TOPCOAT		

Acute**Dermal**

ATEmix 367000 mg/kg

Components	Species	Test Results
PARAFFIN (CAS 64742-51-4)		

Acute**Dermal**

LD50 Rat > 2000 mg/kg, 24 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

**Irritation Corrosion - Skin
PARAFFIN**

OECD 404
Result: Not Irritating
Species: Rabbit

Serious eye damage/eye irritation Direct contact with eyes may cause temporary irritation.

**Irritation Corrosion - Eye
PARAFFIN**

OECD 405
Result: Not Irritating
Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization
PARAFFIN

OECD 406
Result: Not Sensitizing
Species: Guinea pig

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity
PARAFFIN

Result: In vitro and in vivo tests did not show mutagenic effects.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Developmental effects
PARAFFIN

>= 2000 mg/kg bw/d OECD 414, Based on test data for structurally similar materials.
Result: NOAEL
Species: Rat

Reproductivity
PARAFFIN

> 1000 mg/kg bw/d OECD 421, Based on test data for structurally similar materials.
Result: NOAEL
Species: Rat

Specific target organ toxicity - single exposure

Not classified.

Specific target organ toxicity - repeated exposure
PARAFFIN

Not classified.

> 2000 mg/kg bw/d OECD 411, Dermal
Result: NOAEL
Species: Rat
Test Duration: 90 d
1500 mg/kg bw/d OECD 408, Oral
Result: NOAEL
Species: Rat
Test Duration: 90 d

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
PARAFFIN (CAS 64742-51-4)			
Aquatic			
<i>Acute</i>			
Algae	NOEL	Pseudokirchneriella subcapitata	>= 100 mg/l, 72 h OECD 201
Crustacea	EL50	Daphnia magna	> 10000 mg/l, 48 h OECD 202
Fish	LL50	Pimephales promelas	> 100 mg/l, 96 h OECD 203
Other	NOEL	Photobacterium phosphoreum	> 1.93 mg/l, 10 min DIN 38412, Pt. 34

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

PARAFFIN

31 % OECD 301 F
Result: Inherently biodegradable.
Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

PARAFFIN

5.3 - 6.7 KOWWIN

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

Read safety instructions, SDS and emergency procedures before handling.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

Read safety instructions, SDS and emergency procedures before handling.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

Read safety instructions, SDS and emergency procedures before handling.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical

No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date 10-25-2019

Revision date 09-22-2023

Version # 02

NFPA ratings Health: 0
Flammability: 0
Instability: 0

Disclaimer Maybelline cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Revision information Product and Company Identification: Product and Company Identification - L'Oreal
Physical & Chemical Properties: Multiple Properties
Physical and chemical properties: Form
Physical and chemical properties: Flammability (solid, gas)