

1. Identification

Product identifier L'ORÉAL PARIS EXCELLENCE CRÈME - UNIVERSAL NUDES - GROUP 1
Other means of identification
SDS number 80-21-0000453
Recommended use Personal care product used for cosmetic effect.
Recommended restrictions None known.
Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
 133 Terminal Avenue
 Clark, NJ 07066
 USA

Canadian Address: L'Oreal Canada
 4895 rue Hickmore
 Ville St-Laurent, H4T 1K5
 Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
 In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Skin corrosion/irritation Category 1C
 Serious eye damage/eye irritation Category 1
 Sensitization, skin Category 1A
 Specific target organ toxicity, single exposure Category 3 respiratory tract irritation
OSHA defined hazards Not classified.

Label elements



Signal word Danger
Hazard statement Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.
Precautionary statement
Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DECETH-3		66455-15-0	9
ETHANOLAMINE		141-43-5	< 8
LAURETH-12		68439-50-9	7
LAURIC ACID		143-07-7	3
TOLUENE-2,5-DIAMINE		95-70-5	< 3
SODIUM METASILICATE		6834-92-0	2
RESORCINOL		108-46-3	< 2
SILICA DIMETHYL SILYLATE		68611-44-9	1.2
HYDROXYBENZOMORPHOLINE		26021-57-8	1.17
N,N-BIS(2-HYDROXYETHYL)-p-PH ENYLENEDIAMINE SULFATE		54381-16-7	< 0.4
M-AMINOPHENOL		591-27-5	≤ 0.6
4-AMINO-2-HYDROXYTOLUENE		2835-95-2	0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
ETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m ³
		3 ppm

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
SILICA DIMETHYL SILYLATE (CAS 68611-44-9)	TWA	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.
		0.8 mg/m ³	

US. ACGIH Threshold Limit Values

Components	Type	Value
ETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
RESORCINOL (CAS 108-46-3)	STEL	20 ppm
	TWA	10 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
ETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m ³
		6 ppm
	TWA	8 mg/m ³ 3 ppm
RESORCINOL (CAS 108-46-3)	STEL	90 mg/m ³
		20 ppm
	TWA	45 mg/m ³ 10 ppm
SILICA DIMETHYL SILYLATE (CAS 68611-44-9)	TWA	6 mg/m ³

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
TOLUENE-2,5-DIAMINE (CAS 95-70-5)	TWA	0.025 mg/m ³
		0.005 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**US WEEL Guides: Skin designation**

TOLUENE-2,5-DIAMINE (CAS 95-70-5) Can be absorbed through the skin.

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing.

Respiratory protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties**Appearance**

Physical state Liquid.

Form Cream.

Color Not available.

Odor Characteristic.

Odor threshold Not available.

pH 10.9 - 11.3

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.96 - 1.02 g/cm ³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
---	---

Information on toxicological effects

Acute toxicity	Not known.
-----------------------	------------

Product	Species	Test Results
L'ORÉAL PARIS EXCELLENCE CRÈME - UNIVERSAL NUDES - GROUP 1		
Acute		
Dermal		
ATEmix		16190 mg/kg
Oral		
ATEmix		2343 mg/kg
Components	Species	Test Results
4-AMINO-2-HYDROXYTOLUENE (CAS 2835-95-2)		
Acute		
Oral		
LD50	Rat	3600 mg/kg
DECETH-3 (CAS 66455-15-0)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg Based on test data for structurally similar materials.
Oral		
LD50	Rat	> 2000 mg/kg Based on test data for structurally similar materials.
ETHANOLAMINE (CAS 141-43-5)		
Acute		
Dermal		
LD50	Rabbit	2504 mg/kg OECD 402
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 1.3 mg/l, 6 h
Oral		
LD50	Rat	1515 mg/kg OECD 401
HYDROXYBENZOMORPHOLINE (CAS 26021-57-8)		
Acute		
Oral		
LD50	Rat	1000 - 2000 mg/kg OECD 401
LAURETH-12 (CAS 68439-50-9)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
	Rat	> 2000 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 1.6 mg/l, 4 h OECD 403
Oral		
LD50	Rat	> 1000 mg/kg
LAURIC ACID (CAS 143-07-7)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 434
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 0.1621 mg/l, 4 h
Oral		
LD50	Rat	> 5000 mg/kg OECD 401

Components	Species	Test Results
M-AMINOPHENOL (CAS 591-27-5)		
Acute		
Inhalation		
LC50	Rat	1162 mg/m3
Oral		
LD50	Rat	924 mg/kg
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE (CAS 54381-16-7)		
Acute		
Dermal		
LD50	-	428 mg/kg
Inhalation		
LC50	-	0.9 mg/l, 4 h
Oral		
LD50	Rat	264 mg/kg
RESORCINOL (CAS 108-46-3)		
Acute		
Dermal		
LD50	Rabbit	2830 mg/kg FHSL Act
Inhalation		
<i>Aerosol</i>		
LC0	Rat	> 7800 mg/m ³ , 1 h FHSL Act
Oral		
LD50	Rat	510 mg/kg OECD 401
SILICA DIMETHYL SILYLATE (CAS 68611-44-9)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
Inhalation		
<i>Dust</i>		
LC50	Rat	> 0.14 mg/l, 4 Hours
Oral		
LD50	Rat	> 3300 mg/kg
SODIUM METASILICATE (CAS 6834-92-0)		
Acute		
Dermal		
LD50	Rat	> 5000 mg/kg Based on test data for structurally similar materials.
Inhalation		
LC50	Rat	> 2.06 mg/l, 4.4 h Based on test data for structurally similar materials.
Oral		
LD50	Rat	1152 mg/kg
TOLUENE-2,5-DIAMINE (CAS 95-70-5)		
Oral		
LD50	Rat	102 mg/kg OECD 401
Acute		
Dermal		
LD50	Rabbit	3520 mg/kg
Inhalation		
<i>Dust</i>		
LC50	Rat	0.99 mg/l, 4 h

Skin corrosion/irritation Causes severe skin burns and eye damage.

Irritation Corrosion - Skin

RESORCINOL	FHLS Act, (100%) Result: Irritating Species: Rabbit
ETHANOLAMINE	OECD 404 Result: Corrosive Species: Rabbit
SODIUM METASILICATE	OECD 404 Result: Corrosive Species: Rabbit
HYDROXYBENZOMORPHOLINE	OECD 404 Result: Not Irritating Species: Rabbit
LAURETH-12	OECD 404 Result: Not Irritating Species: Rabbit
M-AMINOPHENOL	OECD 404 Result: Not Irritating Species: Rabbit
LAURIC ACID	OECD 404 Result: Slightly Irritating Species: Rabbit
RESORCINOL	OECD 404, (2.5%) Result: Not Irritating Species: Rabbit
DECETH-3	OECD 404, Based on test data for structurally similar materials. Result: Slightly Irritating Species: Rabbit
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 439 Result: Not Irritating Species: In vitro
TOLUENE-2,5-DIAMINE	OECD 439 Result: Not Irritating Species: In vitro
4-AMINO-2-HYDROXYTOLUENE	OECD 439 Result: Not Irritating Species: RhE

Serious eye damage/eye irritation Causes serious eye damage.

Irritation Corrosion - Eye

RESORCINOL	FHLS Act, (100%) Result: Corrosive Species: Rabbit
SODIUM METASILICATE	IRE Result: Corrosive Species: In vitro
ETHANOLAMINE	OECD 405 Result: Corrosive Species: Rabbit
LAURETH-12	OECD 405 Result: Corrosive Species: Rabbit
LAURIC ACID	OECD 405 Result: Corrosive Species: Rabbit
TOLUENE-2,5-DIAMINE	OECD 405 Result: Corrosive Species: Rabbit
M-AMINOPHENOL	OECD 405 Result: Not Irritating Species: Rabbit
RESORCINOL	OECD 405, (2.5%) Result: Not Irritating Species: Rabbit

Irritation Corrosion - Eye

HYDROXYBENZOMORPHOLINE	OECD 405, OECD 405 Result: Irritating Species: Rabbit
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 438 Result: Irritating Species: In vitro
4-AMINO-2-HYDROXYTOLUENE	OECD 492 Result: Not Irritating Species: RhCE
DECETH-3	Result: Corrosive Species: Rabbit

Respiratory or skin sensitization**Respiratory sensitization** Not a respiratory sensitizer.**Skin sensitization** May cause an allergic skin reaction.**Skin sensitization**

HYDROXYBENZOMORPHOLINE	OECD 406 Result: Not sensitizing Species: Guinea pig
LAURETH-12	OECD 406 Result: Not Sensitizing Species: Guinea pig
LAURIC ACID	OECD 406 Result: Not Sensitizing Species: Guinea pig
DECETH-3	OECD 406, Based on test data for structurally similar materials. Result: Not Sensitizing Species: Guinea pig
SODIUM METASILICATE	OECD 429 Result: Not Sensitizing Species: Mouse
4-AMINO-2-HYDROXYTOLUENE	OECD 429 Result: Sensitizing Species: Mouse
M-AMINOPHENOL	OECD 429 Result: Sensitizing Species: Mouse
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 429 Result: Sensitizing Species: Mouse
RESORCINOL	OECD 429 Result: Sensitizing Species: Mouse
TOLUENE-2,5-DIAMINE	OECD 429 Result: Sensitizing Species: Mouse
ETHANOLAMINE	Result: Not Sensitizing Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.**Mutagenicity**

LAURETH-12	Result: In vitro and in vivo tests did not show mutagenic effects.
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	Result: In vitro and in vivo tests did not show mutagenic effects.
SODIUM METASILICATE	Result: In vitro and in vivo tests did not show mutagenic effects.
ETHANOLAMINE	Result: In vitro and in vivo tests did show mutagenic effects
DECETH-3	Result: In vitro tests did not show mutagenic effects
LAURIC ACID	Result: In vitro tests did not show mutagenic effects
HYDROXYBENZOMORPHOLINE	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.
M-AMINOPHENOL	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

Mutagenicity

RESORCINOL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

TOLUENE-2,5-DIAMINE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

4-AMINO-2-HYDROXYTOLUENE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo tests.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

RESORCINOL (CAS 108-46-3)

3 Not classifiable as to carcinogenicity to humans.

SILICA DIMETHYL SILYLATE (CAS 68611-44-9)

3 Not classifiable as to carcinogenicity to humans.

TOLUENE-2,5-DIAMINE (CAS 95-70-5)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Developmental effects

SODIUM METASILICATE

> 200 mg/kg bw/d

Result: NOAEL

Species: Mouse

LAURETH-12

>= 250 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

ETHANOLAMINE

>= 450 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE

>= 50 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

M-AMINOPHENOL

100 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

LAURIC ACID

1000 mg/kg bw/d OECD 422

Result: NOAEL

Species: Rabbit

4-AMINO-2-HYDROXYTOLUENE

180 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

RESORCINOL

250 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

TOLUENE-2,5-DIAMINE

50 mg/kg bw/d OECD 414, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

HYDROXYBENZOMORPHOLINE

500 mg/kg bw/d OECD 414, No effects on development

Result: NOAEL

Species: Rat

Reproductivity

SODIUM METASILICATE

> 159 mg/kg bw/d

Result: NOAEL

Species: Rat

LAURETH-12

>= 250 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

TOLUENE-2,5-DIAMINE

>= 45 mg/kg bw/d OECD 416, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

LAURIC ACID

1000 mg/kg bw/d OECD 422

Result: NOAEL

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE

20 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

Reproductivity

4-AMINO-2-HYDROXYTOLUENE

200 mg/kg bw/d OECD 415

Result: NOAEL

Species: Rat

RESORCINOL

245 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

ETHANOLAMINE

300 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

Specific target organ toxicity - single exposure May cause respiratory irritation.

SODIUM METASILICATE

Result: Irritating

Specific target organ toxicity - repeated exposure Not classified.

SODIUM METASILICATE

> 227 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

Test Duration: 90 d

LAURETH-12

>= 500 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

TOLUENE-2,5-DIAMINE

10 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

Test Duration: 90 d

DECETH-3

100 mg/kg bw/d OECD 407, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

Test Duration: 28 d

LAURIC ACID

1000 mg/kg bw/d OECD 422

Result: NOAEL

Species: Rat

HYDROXYBENZOMORPHOLINE

125 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

ETHANOLAMINE

150 mg/m³ air OECD 412, Inhalation

Result: NOAEC

Species: Rat

Test Duration: 28 d

4-AMINO-2-HYDROXYTOLUENE

180 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

Test Duration: 90 d

M-AMINOPHENOL

20 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE
SULFATE

20 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

ETHANOLAMINE

300 mg/kg bw/d OECD 416, Oral

Result: NOAEL

Species: Rat

RESORCINOL

80 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

Test Duration: 90 d

991 mg/m³

Result: NOAEC

Species: Rat

Test Duration: 14 d

Aspiration hazard Not an aspiration hazard.

Chronic effects May be harmful if absorbed through skin.
Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Further information May cause allergic respiratory and skin reactions. The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
4-AMINO-2-HYDROXYTOLUENE (CAS 2835-95-2)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	41 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	2.3 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	25 mg/l, 96 h OECD 236
Other	EC50	Activated sludge of a predominantly domestic sewage	> 150 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.24 mg/l, 21 d OECD 211
DECETH-3 (CAS 66455-15-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	1.8 mg/l, 72 h 92/69/EWG
Crustacea	EC50	Daphnia magna	0.39 mg/l, 48 h 92/69/EWG
Fish	LC50	Cyprinus carpio	1.2 mg/l, 96 h EU C.1
Other	EC0	Activated sludge of a predominantly domestic sewage	140 mg/l, 3 h 88/302/EG
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	<= 1 mg/l, 21 d
Fish	NOEC	Lepomis macrochirus	0.16 mg/l, 10 d
ETHANOLAMINE (CAS 141-43-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	2.8 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	65 mg/l, 48 h EU C.2
Fish	LC50	Cyprinus carpio	349 mg/l, 96 h EU C.1
Other	EC10	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 30 min OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.85 mg/l, 21 d OECD 211
Fish	NOEC	Oryzias latipes	1.24 mg/l, 41 d OECD 210
LAURETH-12 (CAS 68439-50-9)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.29 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.53 mg/l, 48 h
Fish	LC50	Danio rerio	1.2 mg/l, 96 h EU C.1
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16.9 h DIN 38412, 8
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.77 mg/l, 21 d

Components		Species	Test Results
LAURIC ACID (CAS 143-07-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 7.6 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	3.6 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	5 mg/l, 96 h OECD 203
Other	EC10	Pseudomonas putida	> 1000 mg/l, 30 min OECD 209
M-AMINOPHENOL (CAS 591-27-5)			
<i>Acute</i>			
Other	IC50	Tetrahymena pyriformis	361 mg/l, 40 h
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	62 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.1 mg/l, 48 h DIN 38412, Pt. 11
Fish	LC50	Danio rerio	82.64 mg/l, 96 h OECD 203
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.05 mg/l, 21 d OECD 211
Fish	NOEC	Oryzias latipes	25 mg/l, 25 d OECD 204
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE (CAS 54381-16-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.338 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.381 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	> 235 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	228 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.674 mg/l, 21 d OECD 211
RESORCINOL (CAS 108-46-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 97 mg/l, 97 h OECD 201
Crustacea	LC50	Daphnia magna	1 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	26.8 mg/l, 96 h EPA-660/3/75-009
Other		Activated sludge of a predominantly domestic sewage	79 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	>= 0.172 mg/l, 21 d
Fish	LOEC	Oncorhynchus mykiss	320 mg/l, 60 d
SODIUM METASILICATE (CAS 6834-92-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 207 mg/l, 72 h DIN 38412, Pt. 9
Crustacea	EC50	Daphnia magna	> 1700 mg/l, 48 h EU C.2
Fish	LC50	Danio rerio	> 210 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	100 mg/l, 3 h OECD 209

Components	Species	Test Results
TOLUENE-2,5-DIAMINE (CAS 95-70-5)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Pseudokirchneriella subcapitata 1.02 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna 0.491 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes 0.05 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage 3.75 mg/l, 3 h OECD 209
<i>Chronic</i>		
Algae	NOEC	Pseudokirchneriella subcapitata 0.11 mg/l, 72 h OECD 201

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

4-AMINO-2-HYDROXYTOLUENE	0 % OECD 301 B Result: Not Readily Biodegradable Test Duration: 28 d
DECETH-3	78 % OECD 301 B Result: Readily Biodegradable Test Duration: 28 d
ETHANOLAMINE	> 90 % OECD 301 A Result: Readily Biodegradable Test Duration: 21 d
LAURETH-12	95 % OECD 301 F Result: Readily Biodegradable Test Duration: 28 d
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	14.3 % OECD 301B Result: Not Readily Biodegradable Test Duration: 28 d
RESORCINOL	66.7 % OECD 301 C Result: Readily Biodegradable Test Duration: 14 d
TOLUENE-2,5-DIAMINE	17 % OECD 301 D Result: Not Readily Biodegradable Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

4-AMINO-2-HYDROXYTOLUENE	-0.53 EU A.8 0.53 OECD 117
ETHANOLAMINE	-2.3 OECD 107
HYDROXYBENZOMORPHOLINE	0.22
LAURETH-12	6.1 OECD 117
M-AMINOPHENOL	5.6
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	-2.8 -2.8 OECD 107
RESORCINOL	0.8
TOLUENE-2,5-DIAMINE	-0.321 OECD 107

Bioaccumulation

ETHANOLAMINE	Result: Bioaccumulation is unlikely.
TOLUENE-2,5-DIAMINE	Result: Bioaccumulation is unlikely.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

UN number UN1760
UN proper shipping name CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE), Limited Quantity
Class 8
Packing group III
Transport hazard class(es)
Label(s) Limited Quantity
Packaging exceptions 154

BULK

UN number UN1760
UN proper shipping name CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE)
Class 8
Packing group III
Transport hazard class(es)
Label(s) 8
Special provisions IB3, T7, TP1, TP28
Packaging non bulk 203

IATA

FINISHED GOODS

UN number UN1760
UN proper shipping name CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE)
Class 8
Packing group III
Transport hazard class(es)
Label(s) Class 8, Limited Quantity
ERG Number 8L

BULK

UN number UN1760
UN proper shipping name CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE)
Class 8
Packing group III
ERG Number 8L

IMDG

FINISHED GOODS

UN number UN1760
UN proper shipping name CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE), Limited Quantity
Class 8
Packing group III
Environmental Hazards
Marine pollutant No.
Transport hazard class(es)
Label(s) Limited Quantity
EmS F-A, S-B
LTD QTY Net Inner Capacity 5.00 L

BULK

UN number UN1760
UN proper shipping name CORROSIVE LIQUID, N.O.S. (ETHANOLAMINE)
Class 8
Packing group III
Environmental hazards
Marine pollutant No.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

RESORCINOL (CAS 108-46-3) Listed.

TOLUENE-2,5-DIAMINE (CAS 95-70-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
TOLUENE-2,5-DIAMINE	95-70-5	< 3

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

RESORCINOL (CAS 108-46-3) Low priority

16. Other information, including date of preparation or last revision

Issue date 09-28-2021

Revision date 08-08-2022

Version # 02

NFPA ratings Health: 3
Flammability: 1
Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Product and Company Identification: Product and Company Identification - L'Oreal
Hazard(s) identification: Hazard statement
Composition / Information on Ingredients: Ingredients
First-aid measures: Inhalation
First-aid measures: Most important symptoms/effects, acute and delayed
Exposure controls/personal protection: Respiratory protection
Exposure controls/personal protection: PPE Symbols
Toxicological information: Acute toxicity
Toxicological information: Inhalation
Toxicological information: Specific target organ toxicity - single exposure
Toxicological information: Symptoms related to the physical, chemical and toxicological characteristics

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

SECTION 1. IDENTIFICATION

Product name : L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Formula Center Reference : 1152439

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
30 Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

Precautionary Statements : P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Prevention:

P264 Wash hands thoroughly after handling.
P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
HYDROGEN PEROXIDE	7722-84-1*	>= 3 - <= 7

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If symptoms persist, call a physician.

In case of skin contact : Get medical attention if irritation develops and persists.

In case of eye contact : Immediately flush eye(s) with plenty of water.
If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
Standard procedure for chemical fires.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with eyes.
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
HYDROGEN PEROXIDE	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m ³	NIOSH REL
		TWA	1 ppm 1.4 mg/m ³	OSHA Z-1

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Safety glasses

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : white

Odor : Unscented.

pH : > 2.0 - 2.4

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

Flash point : > 199 °F / > 93 °C
Method: ISO 3679

Fire Point : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1 (68 °F / 20 °C)

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : Not applicable

Viscosity
Viscosity, kinematic : No data available

Dust explosion class : Not applicable

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 183.33 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Calculation method

Components:

HYDROGEN PEROXIDE:

Acute oral toxicity : LD50 (Rat, female): 694 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.17 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

HYDROGEN PEROXIDE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

Remarks : May irritate eyes.

Components:

HYDROGEN PEROXIDE:

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

HYDROGEN PEROXIDE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

HYDROGEN PEROXIDE:

Routes of exposure : Inhalation
Target Organs : Respiratory Tract
Assessment : May cause respiratory irritation.

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

HYDROGEN PEROXIDE:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): 16.4 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia pulex (Water flea)): 2.4 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.63 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

HYDROGEN PEROXIDE:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

HYDROGEN PEROXIDE:

Partition coefficient: n-octanol/water : log Pow: -1.57

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Dispose of in accordance with local regulations.

Contaminated packaging : Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version 1.0 Revision Date: 03/26/2025 SDS Number: 00-26-400000073867 Date of last issue: -
Date of first issue: 03/26/2025

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
HYDROGEN PEROXIDE	7722-84-1	1000

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA : 8-hour, time-weighted average
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

SAFETY DATA SHEET

L'ORÉAL PARIS MEN EXPERT ONE-TWIST HAIR COLOR - 20 VOLUME DEVELOPER

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	03/26/2025	00-26- 400000073867	Date of first issue: 03/26/2025

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 03/26/2025

US / EN

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

SECTION 1. IDENTIFICATION

Product name : L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Formula Center Reference : 1217017 E

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
133, Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION



GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Serious eye damage : Category 1

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :  

Signal Word : Danger

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Hazard Statements : H315 Causes skin irritation.
H318 Causes serious eye damage.
H361d Suspected of damaging the unborn child.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read label before use.

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
SODIUM LAURETH SULFATE	68891-38-3	>= 10 - < 20
COCAMIDOPROPYL BETAINE	97862-59-4	>= 1 - < 4
HEXYLENE GLYCOL	107-41-5	>= 0.1 - < 1
SALICYLIC ACID	69-72-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0	Revision Date: 12/08/2023	SDS Number: 00-11- 400000176657	Date of last issue: - Date of first issue: 12/08/2023
----------------	------------------------------	---------------------------------------	--

If inhaled	:	If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. If eye irritation persists, consult a specialist.
If swallowed	:	Rinse mouth with water. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	Causes skin irritation. Causes serious eye damage. Suspected of damaging the unborn child.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system. Standard procedure for chemical fires.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with eyes.
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
HEXYLENE GLYCOL	107-41-5	TWA (Vapor)	25 ppm	ACGIH
		STEL (Vapor)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m ³	ACGIH
		C	25 ppm 125 mg/m ³	NIOSH REL
		C	25 ppm 125 mg/m ³	OSHA P0

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Tightly fitting safety goggles

Skin and body protection : Applicable for industrial settings only.

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Hygiene measures : Work uniform or laboratory coat.
: When using do not eat or drink.
: When using do not smoke.
: Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : Aqueous solution

Color : white

Odor : characteristic

pH : 5.0 - 5.6

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

Flash point : > 199 °F / > 93 °C
Method: ISO 3679

Fire Point : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.007 - 1.013 (68 °F / 20 °C)

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Autoignition temperature : No data available
Decomposition temperature : Not applicable
Viscosity
 Viscosity, kinematic : No data available
Dust explosion class : Not applicable

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.
Chemical stability : Stable under normal conditions.
Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Conditions to avoid : No data available
Incompatible materials : Not applicable
Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

SODIUM LAURETH SULFATE:

Acute oral toxicity : LD50 (Rat, male and female): 4,100 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

COCAMIDOPROPYL BETAINE:

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Acute oral toxicity : LD50 (Rat, male and female): 2,335 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 620 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

HEXYLENE GLYCOL:

Acute oral toxicity : LD0 (Rat, male and female): >= 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LD50 (Rat, male): Exposure time: 8 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): 13.3 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

SALICYLIC ACID:

Acute oral toxicity : LD50 (Rat, male): 891 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LCLo (Rat, female): 0.7 mg/l
Exposure time: 7 h
Test atmosphere: vapor
Method: OECD Test Guideline 412
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation in susceptible persons.

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Components:

SODIUM LAURETH SULFATE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

COCAMIDOPROPYL BETAINE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

HEXYLENE GLYCOL:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

SALICYLIC ACID:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

SODIUM LAURETH SULFATE:

Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

COCAMIDOPROPYL BETAINE:

Species : Rabbit
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 405

HEXYLENE GLYCOL:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405

SALICYLIC ACID:

Species : Rabbit

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Result : Irreversible effects on the eye
Method : Draize Test

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

SODIUM LAURETH SULFATE:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

COCAMIDOPROPYL BETAINE:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

HEXYLENE GLYCOL:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

SALICYLIC ACID:

Routes of exposure : Skin contact
Species : Mouse
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

SODIUM LAURETH SULFATE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

COCAMIDOPROPYL BETAINE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

HEXYLENE GLYCOL:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

SALICYLIC ACID:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

SODIUM LAURETH SULFATE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

COCAMIDOPROPYL BETAINE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

HEXYLENE GLYCOL:

Effects on fertility : Species: Rat
Fertility: NOAEL: 250 mg/kg body weight
Method: OECD Test Guideline 443

Effects on fetal development : Species: Rabbit
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

SALICYLIC ACID:

Effects on fertility : Species: Rat

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Fertility: NOAEL: 250 mg/kg body weight
Method: OECD Test Guideline 416

Effects on fetal development : Species: Rabbit
Developmental Toxicity: 250
Result: Teratogenic effects.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:

SODIUM LAURETH SULFATE:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

HEXYLENE GLYCOL:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SALICYLIC ACID:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

COCAMIDOPROPYL BETAINE:

Species : Rat, male and female
NOEL : 300 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0	Revision Date: 12/08/2023	SDS Number: 00-11- 400000176657	Date of last issue: - Date of first issue: 12/08/2023
----------------	------------------------------	---------------------------------------	--

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

SODIUM LAURETH SULFATE:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Desmodesmus subspicatus (green algae)): 4.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.2 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 204
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.27 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC10 (Pseudomonas putida): > 10 mg/l
Exposure time: 16 h
Method: DIN 38412

COCAMIDOPROPYL BETAINE:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.11 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 1.5 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.135 mg/l
Exposure time: 37 d

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.32 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEC (Pseudomonas putida): 3,000 mg/l
Exposure time: 16 h

HEXYLENE GLYCOL:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.96 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5,410 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SALICYLIC ACID:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,370 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 870 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 10 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC10 (Pseudomonas putida): 140 mg/l
Exposure time: 16 h

Persistence and degradability

Components:

SODIUM LAURETH SULFATE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

COCAMIDOPROPYL BETAINE:

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

Biodegradability : Result: Readily biodegradable.
Biodegradation: 91.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

HEXYLENE GLYCOL:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

SALICYLIC ACID:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 %
Exposure time: 4 d

Bioaccumulative potential

Components:

SODIUM LAURETH SULFATE:

Partition coefficient: n-octanol/water : log Pow: 0.3
pH: 6.1
Method: OECD Test Guideline 123

SALICYLIC ACID:

Bioaccumulation : Bioconcentration factor (BCF): > 1,000
Partition coefficient: n-octanol/water : log Pow: 2.25
Method: OECD Test Guideline 117

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12/08/2023	00-11- 400000176657	Date of first issue: 12/08/2023

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Send to a licensed waste management company.
- Contaminated packaging : Dispose of as unused product.
Do not reuse empty containers.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

- Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

- SARA 311/312 Hazards** : Reproductive toxicity
Skin corrosion or irritation
Serious eye damage or eye irritation

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version 1.0 Revision Date: 12/08/2023 SDS Number: 00-11-400000176657 Date of last issue: -
Date of first issue: 12/08/2023

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
NIOSH REL / C : Ceiling value not be exceeded at any time.
OSHA P0 / C : Ceiling limit

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of

SAFETY DATA SHEET

L'ORÉAL PARIS EXCELLENCE CRÈME SHAMPOO

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	12/08/2023	00-11- 400000176657	Date of first issue: 12/08/2023

the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 12/08/2023

US / EN

1. Identification

Product identifier L'ORÉAL PARIS EXCELLENCE SOIN TERMINAL

Other means of identification

SDS number 00-12-0000405

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A
Specific target organ toxicity, repeated exposure Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
AMODIMETHICONE		68554-54-1	< 4
BEHENTRIMONIUM CHLORIDE		68607-24-9	< 2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep out of the reach of children.

8. Exposure controls/personal protection

Biological limit values	No biological exposure limits noted for the ingredient(s).
--------------------------------	--

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Gel. / Cream.
Color	White.
Odor	Characteristic.
Odor threshold	Not available.
pH	4.2 - 5.2
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	$\geq 0.98 \text{ g/cm}^3$
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
---------	---------	--------------

L'ORÉAL PARIS EXCELLENCE SOIN TERMINAL

Acute

Dermal

ATEmix 54850 mg/kg

Oral

ATEmix 40850 mg/kg

Components	Species	Test Results
------------	---------	--------------

AMODIMETHICONE (CAS 68554-54-1)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 8000 mg/kg

BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)

Acute

Oral

LD50 Rat 3190 mg/kg OECD 401

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin

BEHENTRIMONIUM CHLORIDE

OECD 405
Result: Irritating
Species: Rabbit

AMODIMETHICONE

Result: Irritating
Species: Rabbit

Serious eye damage/eye irritation Causes serious eye irritation.

Irritation Corrosion - Eye

BEHENTRIMONIUM CHLORIDE

OECD 404
Result: Corrosive
Species: Rabbit

Irritation Corrosion - Eye
AMODIMETHICONE

Result: Irritating
Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

BEHENTRIMONIUM CHLORIDE

OECD 406
Result: Not Sensitizing
Species: Guinea pig

AMODIMETHICONE

Result: Not Sensitizing
Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

AMODIMETHICONE

Result: In vitro tests did not show mutagenic effects

BEHENTRIMONIUM CHLORIDE

Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Reproductivity

BEHENTRIMONIUM CHLORIDE

75 mg/kg bw/d OECD 421
Result: NOAEL
Species: Rat

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

BEHENTRIMONIUM CHLORIDE

10 mg/kg bw/d OECD 407, Oral
Result: NOAEL
Species: Rat
Test Duration: 28 d

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
AMODIMETHICONE (CAS 68554-54-1)		
Aquatic		
<i>Acute</i>		
Crustacea	EC50 Daphnia magna	11 mg/l, 48 h OECD 202
BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)		
Aquatic		
<i>Acute</i>		
Algae	EC50 Desmodesmus subspicatus	3.48 mg/l, 72 h OECD 201
Crustacea	EC50 Daphnia magna	1.39 mg/l, 48 h OECD 202
Fish	LC50 Danio rerio	0.5 - 1 mg/l, 96 h OECD 203
Other	EC50 Activated sludge of a predominantly domestic sewage	43 mg/l, 3 h OECD 209
<i>Chronic</i>		
Crustacea	NOEC Daphnia magna	0.128 mg/l, 21 d OECD 211

Components	Species	Test Results
Fish	NOEC	Danio rerio
		0.24 mg/l, 9 d OECD 212

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

AMODIMETHICONE

BEHENTRIMONIUM CHLORIDE

Result: Not Readily Biodegradable

80 % OECD 301

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

Issue date 08-13-2018

Version # 01

NFPA ratings Health: 2
Flammability: 1
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.