



OraQuick® In-Home HIV Test Developer Solution (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Revision Date: 02_07_23

Date of Issue: 02/07/23

Item 19725-NA-ENG

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: OraQuick® In-Home HIV Test Developer Solution (component of the OraQuick In-Home HIV Test)

Product Code: 1001-0340, 1001-0374

This product is provided as part of a kit. Specific warnings are given in the instructions for use. The absence of a specific warning should not be interpreted as an indication of safety. NOTE: Handling, storing or shipping of the complete packaged kit should pose no threat to the individual. If no leak or excessive damage is noted, there is no recommended Personal Protective Equipment (PPE) required.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture

: The OraQuick® In-Home HIV Test Developer Solution is a component of the OraQuick® In-Home HIV Test (1001-0340, 1001-0374). The OraQuick® In-Home HIV Test is a single-use, qualitative immunoassay to detect antibodies to Human Immunodeficiency Virus Type 1 (HIV-1) and Type 2 (HIV-2) in oral fluid. The kit is intended as an in-home test to aid in the screening of infection with HIV-1 and HIV-2. The OraQuick In-Home HIV Test is comprised of a single-use test tube containing a pre-measured amount of buffer developer solution and a test stick containing a collection pad and assay strip in a plastic housing. Each component is sealed in an individual single to form the test.

1.2.2. Uses advised against

Refer to product instructions for limitations/restrictions

1.3. Details of the supplier of the safety data sheet

Company

OraSure Technologies, Inc.

220 East First Street

Bethlehem, PA 18015

Phone: 800-869-3538

www.orasure.com

1.4. Emergency telephone number

Emergency number : INFOTRAC: +1-352-323-3500

CANUTEC: +1-888- 226-8832

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

Skin Sens. 1 H317

OraQuick® In-Home HIV Test Developer Solution is provided along with a test device as part of a kit. The test device is not classified.

Full text of hazard classes and H-statements : see section 16

OraQuick® In-Home HIV Test Developer Solution (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

2.2. Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA) :



Signal Word (GHS-US/CA) :

Warning

Hazard Statements (GHS-US/CA) :

H317 - May cause an allergic skin reaction.

Precautionary Statements (GHS-US/CA) :

P261 - Avoid breathing vapors, mist, or spray.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P280 - Wear protective gloves, protective clothing, and eye protection.
 P302+P352 - IF ON SKIN: Wash with plenty of water.
 P321 - Specific treatment (see section 4 on this SDS).
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
 P362+P364 - Take off contaminated clothing and wash it before reuse.
 P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	% *	GHS Ingredient Classification
3(2H)-Isothiazolone, 2-methyl-	2-Methyl-3-isothiazolone / 3-Isothiazolone, 2-methyl- / 2-Methyl-2H-isothiazol-3-one / 2-Methyl-4-isothiazolin-3-one / 2-Methyl-4-isothiazolone-3-one / Methylisothiazolinone / Methylisothiazolone / Methyl-4-isothiazolin-3-one, 2- / METHYLISOTHIAZOLINONE / MIT / 2-Methyl-2,3-dihydroisothiazol-3-one / 2-Methylisothiazol-3(2H)-one / 3(2H)-Isothiazolon-3-one, 2-methyl- / 2-methylisothiazolin-3(2H)-one	(CAS-No.) 2682-20-4	<0.01	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 STOT SE 3, H335 Aquatic Acute 1, H400

Other ingredients present in this mixture are either non-hazardous and/or are present at amounts under reporting limits (in accordance with paragraph (d) of §1910.1200).

Test Device

Plastic housing containing several layers of chemically treated assay strips reactive to HIV-1 and HIV-2 antibodies. The test device consists of a multi-layered chemically treated pad that, when combined and applied to a sample, renders an appropriate response. Ingredients present in this kit component are either non-hazardous and/or are present at amounts under reporting limits.

This kit DOES NOT contain any live or active levels of HIV-1 or HIV-2.

Full text of H-phrases: see section 16

OraQuick® In-Home HIV Test Developer Solution (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: Skin sensitization.

Inhalation: Prolonged exposure may cause irritation.

Skin Contact: May cause an allergic skin reaction.

Eye Contact: May cause slight irritation to eyes.

Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Sodium oxides. Hydrogen chloride.

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing (vapor, mist, spray). Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

OraQuick® In-Home HIV Test Developer Solution (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for safe handling: The kit and kit components should be handled only by qualified personnel. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid prolonged contact with eyes, skin and clothing. Avoid breathing vapors, mist, spray. Handling and storing of the kit or its components should not pose any threat to the shipper. If the product integrity is in question due to excessive damage, utilize proper safety procedures and handle using appropriate PPE

Hygiene measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store according to product and label instructions.

Incompatible Materials: Strong oxidizers. Water reactive materials.

Storage Temperature: 2 - 27 °C (36 - 80 °F)

7.3. Specific End Use(s)

The OraQuick® In-Home HIV Test Developer Solution is a component of the OraQuick® In-Home HIV Test (1001-0340, 1001-0374). The OraQuick® In-Home HIV Test is a single-use, qualitative immunoassay to detect antibodies to Human Immunodeficiency Virus Type 1 (HIV-1) and Type 2 (HIV-2) in oral fluid. The kit is intended as an in-home test to aid in the screening of infection with HIV-1 and HIV-2. The OraQuick In-Home HIV Test is comprised of a single-use test tube containing a pre-measured amount of buffer developer solution and a test stick containing a collection pad and assay strip in a plastic housing. Each component is sealed in an individual single to form the test.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

8.2. Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing: Not available

Hand Protection: Wear protective gloves.

Eye and Face Protection: Chemical goggles or safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information: When using, do not eat, drink or smoke.

OraQuick® In-Home HIV Test Developer Solution (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid
Appearance	: Not available
Odor	: Not available
Odor Threshold	: Not available
pH	: 7.38 - 7.52
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Specific Gravity	: Not available
Solubility	: Not available
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available

SECTION 10: STABILITY AND REACTIVITY

- 10.1. **Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. **Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. **Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5. **Incompatible Materials:** Strong oxidizers. Water reactive materials.
- 10.6. **Hazardous Decomposition Products:** Thermal decomposition generates : Sodium oxides. Hydrogen chloride gas.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

- Acute Toxicity (Oral):** Not classified
- Acute Toxicity (Dermal):** Not classified
- Acute Toxicity (Inhalation):** Not classified
- LD50 and LC50 Data:** Not available
- Skin Corrosion/Irritation:** Not classified
- pH:** 7.38 - 7.52
- Eye Damage/Irritation:** Not classified
- pH:** 7.38 - 7.52
- Respiratory or Skin Sensitization:** May cause an allergic skin reaction.
- Germ Cell Mutagenicity:** Not classified
- Carcinogenicity:** Not classified
- Specific Target Organ Toxicity (Repeated Exposure):** Not classified
- Reproductive Toxicity:** Not classified
- Specific Target Organ Toxicity (Single Exposure):** Not classified

OraQuick® In-Home HIV Test Developer Solution (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

11.2. Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
LD50 Oral Rat	120 mg/kg
LD50 Dermal Rabbit	200 mg/kg
LC50 Inhalation Rat	0.11 mg/l/4h

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Not classified.

12.2. Persistence and Degradability

OraQuick® In-Home HIV Test Developer Solution	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

OraQuick® In-Home HIV Test Developer Solution	
Bioaccumulative Potential	Not established.

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations, Processing, use or contamination of the solution may change waste management requirements and options.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

OraQuick® In-Home HIV Test Developer Solution	
SARA Section 311/312 Hazard Classes	Health hazard - Respiratory or skin sensitization
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	PMN SP - SP - indicates a substance that is identified in a proposed Significant New Uses Rule.

15.2. US State Regulations

Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed

OraQuick® In-Home HIV Test Developer Solution (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

15.3. Canadian Regulations

3(2H)-Isothiazolone, 2-methyl- (2682-20-4)

Listed on the Canadian DSL (Domestic Substances List)

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 02_07_23

Revision

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR) SOR/2015-17.

GHS Full Text Phrases:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Comb. Dust	Combustible Dust
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2	Serious eye damage/eye irritation Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization, Category 1
Skin Sens. 1A	Skin sensitization, category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)

SUMMARY OF CHANGES: New SDS for NA

OraQuick® In-Home HIV Test Stick (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).
Revision Date: 02_10_23 Date of Issue: 02_10_23 Item 19726-NA-ENG

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Solid

Product Name: OraQuick® In-Home HIV Test Stick (component of the OraQuick In-Home HIV Test)

Product Code: 1001-0340, 1001-0374

This product is provided as part of a kit. Specific warnings are given in the instructions for use. The absence of a specific warning should not be interpreted as an indication of safety. NOTE: Handling, storing or shipping of the complete packaged kit should pose no threat to the individual. If no leak or excessive damage is noted, there is no recommended Personal Protective Equipment (PPE) required.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : The OraQuick® In-Home HIV Test Stick is a component of the OraQuick® In-Home HIV Test (1001-0340, 1001-0374). The OraQuick® In-Home HIV Test is a single-use, qualitative immunoassay to detect antibodies to Human Immunodeficiency Virus Type 1 (HIV-1) and Type 2 (HIV-2) in oral fluid. The kit is intended as an in-home test to aid in the screening of infection with HIV-1 and HIV-2. The OraQuick In-Home HIV Test is comprised of a single-use test tube containing a pre-measured amount of buffer developer solution and a test stick containing a collection pad and assay strip in a plastic housing. Each component is sealed in an individual single to form the test.

1.2.2. Uses advised against

Refer to product instructions for limitations/restrictions

1.3. Details of the supplier of the safety data sheet

Company

OraSure Technologies, Inc.

220 East First Street

Bethlehem, PA 18015

Phone: 800-869-3538

www.orasure.com

1.4. Emergency telephone number

Emergency number : INFOTRAC: +1-352-323-3500

CANUTEC: +1-888- 226-8832

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US/CA Classification

OraQuick® In-Home HIV Test Stick is provided along with pre-measured amount of buffer developer solution as part of a kit. The test stick is not classified.

Full text of hazard classes and H-statements : see section 16

OraQuick® In-Home HIV Test Stick (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

2.2. Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA) : N/A

Signal Word (GHS-US/CA) : No signal word

Hazard Statements (GHS-US/CA) : No significant effects or critical hazards

Precautionary Statements (GHS-US/CA) : N/A

2.3. Other Hazards: N/A

2.4. Unknown Acute Toxicity (GHS-US/CA)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance/Mixture:

There are no ingredients present which, with the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

Test Stick

Plastic housing containing several layers of chemically treated assay strips reactive to HIV-1 and HIV-2 antibodies. The test stick consists of a multi-layered chemically treated pad that, when combined and applied to a sample, renders an appropriate response. Ingredients present in this kit component are either non-hazardous and/or are present at amounts under reporting limits.

This test stick DOES NOT contain any live or active levels of HIV-1 or HIV-2.

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: n/a

Skin Contact: n/a

Eye Contact: n/a

Ingestion: n/a

4.2. Most Important Symptoms and Effects Both Acute and Delayed

General: n/a

Inhalation: n/a

Skin Contact: n/a

Eye Contact: n/a

Ingestion: n/a

Chronic Symptoms: n/a

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: n/a

OraQuick® In-Home HIV Test Stick (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: n/a

Firefighting Instructions: n/a

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: n/a

Reference to Other Sections

Refer to Section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: n/a

6.1.1. For Non-Emergency Personnel

Protective Equipment: n/a

Emergency Procedures: n/a

6.1.2. For Emergency Personnel

Protective Equipment: n/a

Emergency Procedures: n/a

6.2. Environmental Precautions

n/a

6.4. Reference to Other Sections

See Heading 8. Exposure controls and personal protection. See Section 13, Disposal Considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for safe handling: The test stick is a non-hazardous product and should be handled in accordance with general good practices.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store according to product and label instructions.

Incompatible Materials: n/a

Storage Temperature: 2 - 27 °C (36 - 80 °F)

7.3. Specific End Use(s)

The OraQuick® In-Home HIV Test Stick is a component of the OraQuick® In-Home HIV Test (1001-0340, 1001-0374). The OraQuick® In-Home HIV Test is a single-use, qualitative immunoassay to detect antibodies to Human Immunodeficiency Virus Type 1 (HIV-1) and Type 2 (HIV-2) in oral fluid. The kit is intended as an in-home test to aid in the screening of infection with HIV-1 and HIV-2. The OraQuick In-Home HIV Test is comprised of a single-use test tube containing a pre-measured amount of buffer developer solution and a test stick containing a collection pad and assay strip in a plastic housing. Each component is sealed in an individual single to form the test.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

This product does not contain any hazardous materials within Exposure limits. There are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

OraQuick® In-Home HIV Test Stick (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

8.2. Exposure Controls

Appropriate Engineering Controls: n/a

Personal Protective Equipment: n/a

Materials for Protective Clothing: n/a

Hand Protection: n/a

Eye and Face Protection: n/a

Skin and Body Protection: n/a

Respiratory Protection: n/a

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Solid
Appearance	: Not available
Odor	: Not available
Odor Threshold	: Not available
pH	: Not available
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Specific Gravity	: Not available
Solubility	: Not available
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity: N/A
- 10.2 Chemical Stability: N/A
- 10.3 Possibility of Hazardous Reactions: N/A
- 10.4 Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- 10.5 Incompatible Materials: N/A
- 10.6 Hazardous Decomposition Products: N/A

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects - Product

Acute Toxicity (Oral): Not Classified

Acute Toxicity (Dermal): Not Classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data: Not Available

Skin Corrosion/Irritation: Not Classified

pH: n/a

OraQuick® In-Home HIV Test Stick (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Eye Damage/Irritation: Not Classified
pH: n/a
Respiratory or Skin Sensitization: Not Classified
Germ Cell Mutagenicity: Not Classified
Carcinogenicity: Not Classified
Specific Target Organ Toxicity (Repeated Exposure): Not Classified
Reproductive Toxicity: Not classified
Specific Target Organ Toxicity (Single Exposure): Not Classified
Aspiration Hazard: Not Classified
Symptoms/Injuries After Inhalation: Not Classified
Symptoms/Injuries After Skin Contact: Not Classified
Symptoms/Injuries After Eye Contact: Not Classified
Symptoms/Injuries After Ingestion: Not Classified
Chronic Symptoms: Not Classified

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General: Not classified.

12.2. Persistence and Degradability

OraQuick® In-Home HIV Test Stick	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

OraQuick® In-Home HIV Test Stick	
Bioaccumulative Potential	Not established.

12.4. Mobility in Soil Not available

12.5. Other Adverse Effects

Other Information: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, state, and federal regulations.

Ecology - Waste Materials: N/A

SECTION 14: TRANSPORT INFORMATION

14.1. In Accordance with DOT Not regulated for transport
14.2. In Accordance with IMDG Not regulated for transport
14.3. In Accordance with IATA Not regulated for transport
14.4. In Accordance with TDG Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

This product does not contain a hazardous ingredient in an amount that requires identification and labeling according to federal regulations.

15.2. US State Regulations

Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed

OraQuick® In-Home HIV Test Stick (component of the OraQuick® In-Home HIV Test)

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest : 2.10.23

Revision

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

NA GHS SDS 2015 (Can, US)

SUMMARY OF CHANGES: New SDS for NA