

SAFETY DATA SHEET

Revision Number 1

Issuing Date No data available

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Ni-Cd Battery

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Ni-Cd Battery
Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Name Jiangmen TWD Technology Co.,Ltd.
Supplier Address No.30 Ruanchuan Road, Duruan Town, Pengjiang District, Jiangmen City, Guangdong, P.R. China.
529075
Supplier Phone Number Phone: +86 0750-3666246
Contact Phone: +86 0750-3666246
Supplier Email jessy@twd.com.cn
Emergency telephone number

2. HAZARDS IDENTIFICATION

Classification

This product is an article which is a sealed battery and as such does not require an MSDS per the OSHA hazard communication standard unless ruptured. The hazards indicated are for a ruptured battery.

Carcinogenicity	Category 1A
Acute toxicity - Oral	Category 4
Acute toxicity – Inhalation(Gases)	Category 2
Acute toxicity - Inhalation(Vapors)	Category 2
Acute toxicity - Inhalation(Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Reproductive toxicity	Category 1B

GHS Label elements, including precautionary statements

Emergency Overview

Signal word**Warning**

Hazard Statements

Harmful if swallowed

Suspected of causing cancer

Causes severe skin burns and eye damage

May cause damage to organs through prolonged or repeated exposure

**Appearance** Yellow**Physical State** Solid**Odor** Odorless**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

In case of inadequate ventilation wear respiratory protection

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER or doctor/physician

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Do NOT induce vomiting

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity**Other information**

May be harmful in contact with skin

Very toxic to aquatic life with long lasting effects

Repeated or prolonged skin contact may cause allergic reactions with susceptible persons

Interactions with Other Chemicals

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Cadmium and compounds (as Cd)	7440-43-9	24.6
Lithium hydroxide monohydrate	1310-66-3	3.2
Sodium hydroxide	1310-73-2	3.2
Potassium hydroxide	1310-58-3	5
Iron	7439-89-6	36.2
Polytetrafluoroethylene	9002-84-0	3.2
Cobalt	7440-48-4	3
Nickel	7440-02-0	21.6

4. FIRST AID MEASURES**First aid measures****General Advice**

First aid is upon rupture of sealed battery.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Seek immediate medical attention/advice.

Skin Contact

Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur. Do not breathe dust. May cause allergic respiratory reaction. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Ingestion

Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Self-protection of the first aider

Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed**Most Important Symptoms and Effects**

No information available.

Indication of any immediate medical attention and special treatment needed**Notes to Physician**

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema

may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization of susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient

Specific Hazards Arising from the Chemical

No information available.

Uniform Fire Code

Sensitizer: Solid
Highly Toxic: Solid

Hazardous Combustion Products

Carbon Oxides

Explosion Data

Sensitivity to Mechanical Impact **No.**

Sensitivity to Static Discharge **No.**

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Attention! Corrosive material. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid generation of dust. Do not breathe dust.

Other Information

Refer to protective measures listed in Sections 7 and 8.

Environmental Precautions

Environmental Precautions

Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

In case of rupture: Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling In case of rupture: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Do not breathe dust. Avoid generation of dust.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products Acids. Bases. Oxidizing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Nickel 7440-02-0	TWA: 1.5 mg/m ³	TWA: 1 mg/m ³ (vacated) TWA: 1 mg/m ³	IDLH: 10 mg/m ³ TWA: 0.015 mg/m ³
Potassium hydroxide 1310-58-3	TWA: 2 mg/ m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
Cadmium and compounds (as Cd) 7440-43-9	TWA: 0.01 mg/ m ³ TWA: 0.002 mg/ m ³ respirable fraction TWA: 0.01 mg/ m ³ Cd TWA: 0.002 mg/ m ³ Cd respirable fraction	TWA: 0.1 mg/ m ³ fume applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect TWA: 0.2 mg/ m ³ dust applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect TWA: 5 µg/ m ³ Action Level: 2.5 µg/ m ³ Action Level: 2.5 µg/ m ³ Cd (vacated) STEL: 0.3 ppm fume Ceiling: 0.3 mg/ m ³ fume applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect Ceiling: 0.6 mg/ m ³ dust applies to any operations or sectors for which the Cadmium standard is stayed or otherwise not in effect	IDLH: 9 mg/ m ³ dust
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/ m ³	TWA: 2 mg/ m ³ (vacated) Ceiling: 2 mg/ m ³	IDLH: 10 mg/ m ³ Ceiling: 2 mg/ m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value
Occupational Safety and Health
Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in
AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15
for national exposure control parameters

Appropriate engineering controls

Engineering Measures

Showers
Eyewash stations
Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection No special protective equipment required.

Skin and Body Protection No special protective equipment required.

Respiratory Protection No protective equipment is needed under normal use conditions.

Hygiene Measures

If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated protective equipment before re-use. Do not breathe dust.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State
Appearance
Color

Solid
Yellow
No information available

Odor
Odor Threshold

Odorless
No information available

<u>Property</u>	<u>Values</u>	<u>Remarks/</u>
pH	No data available	None known
Melting / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	No data available	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	0.0001	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	0.0001	None known
Explosive properties	No data available	None known
Oxidizing Properties	No data available	None known

Other Information

Softening Point
VOC Content (%)
Particle Size
Particle Size Distribution

No data available
No data available
No data available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Excessive heat.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information****Inhalation**

Specific test data for the substance or mixture is not available.

Eye Contact

Specific test data for the substance or mixture is not available.

Skin Contact

Specific test data for the substance or mixture is not available.

Ingestion

Specific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Nickel 7440-02-0	> 9000 mg/kg (Rat)	-	-
Iron 7439-89-6	= 984 mg/kg (Rat)	-	-
Potassium hydroxide 1310-58-3	= 214 mg/kg (Rat)	-	-
Lithium hydroxide monohydrate 1310-66-3	-	-	= 960 mg/m ³ (Rat) 4 h
Cadmium and compounds (as Cd) 7440-43-9	= 2330 mg/kg (Rat)	-	= 25 mg/m ³ (Rat) 30 min

Information on toxicological effects**Symptoms**

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Sensitization**

May cause sensitization of susceptible persons.

Mutagenic Effects

Contains a known or suspected mutagen.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Nickel 7440-02-0		Group 2B	Reasonably Anticipated	X
Cadmium and compounds (as Cd) 7440-43-9	A2	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic Toxicity	Contains a known or suspected carcinogen.
Target Organ Effects	Skin.
Aspiration Hazard	No information available.

Numerical measures of toxicity Product Information**12. ECOLOGICAL INFORMATION****Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

The environmental impact of some components of this product have not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Iron 7439-89-6		96h LC50: = 13.6 mg/L (Morone saxatilis)		
Cadmium and compounds (as Cd) 7440-43-9		96h LC50: = 0.003 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.006 mg/L (Oncorhynchus mykiss) 96h LC50: = 0.002 mg/L (Cyprinus carpio) 96h LC50: = 4.26 mg/L (Cyprinus carpio) 96h LC50: = 0.24 mg/L (Cyprinus carpio) 96h LC50: = 0.016 mg/L (Oryzias latipes) 96h LC50: = 21.1 mg/L (Lepomis macrochirus) 96h LC50: 0.0004 - 0.003 mg/L (Pimephales promelas)		48h EC50: = 0.0244 mg/L
Nickel 7440-02-0	72h EC50: = 0.18 mg/L (Pseudokirchneriella subcapitata) 96h EC50: 0.174 - 0.311 mg/L (Pseudokirchneriella subcapitata)	96h LC50: > 100 mg/L (Brachydanio rerio) 96h LC50: = 1.3 mg/L (Cyprinus carpio) 96h LC50: = 10.4 mg/L (Cyprinus carpio)		48h EC50: > 100 mg/L 48h EC50: = 1 mg/L
Potassium hydroxide 1310-58-3		96h LC50: = 80 mg/L (Gambusia affinis)		
Sodium hydroxide 1310-73-2		96h LC50: = 45.4 mg/L (Oncorhynchus mykiss)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow
Potassium hydroxide 1310-58-3	0.83

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods**

Disposal methods	Should not be released into the environment.
Contaminated Packaging	Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D006

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Nickel 7440-02-0	(hazardous constituent - no waste number)	Included in waste streams: F006, F039		
Cadmium and compounds (as Cd) 7440-43-9		Included in waste streams: F006, F039, K061, K069, K100	1.0 mg/L regulatory level	

California Hazardous Waste Codes 141

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Nickel 7440-02-0	Toxic powder Ignitable powder
Potassium hydroxide 1310-58-3	Toxic Corrosive
Sodium hydroxide 1310-73-2	Toxic Corrosive

14. TRANSPORT INFORMATION**DOT**

NOT REGULATED

Proper Shipping Name

NON REGULATED

Hazard Class

N/A

Marine Pollutant

This product contains a chemical which is listed as a severe marine pollutant according to DOT

TDG

Not regulated

MEX

Not regulated

CAO

Not regulated

IATA

Not regulated

Proper Shipping Name

Not regulated

Hazard Class

N/A

IMDG/IMO

Not regulated

Hazard Class

N/A

RID

Not regulated

ADR

Not regulated

AND

Not regulated

15. REGULATORY INFORMATION**International Inventories**

TSCA

Complies

DSL

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Nickel	7440-02-0	21.6	0.1
Cadmium and compounds (as Cd) - 7440-43-9	7440-43-9	24.6	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Nickel 7440-02-0		X	X	
Cadmium and compounds (as Cd) 7440-43-9		X	X	
Potassium hydroxide 1310-58-3	1000 lb			X
Sodium hydroxide 1310-73-2	1000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Nickel 7440-02-0	100 lb		RQ 100 lb final RQ RQ 45.4 kg final RQ
Cadmium and compounds (as Cd) 7440-43-9	10 lb		RQ 10 lb final RQ RQ 4.54 kg final RQ
Potassium hydroxide 1310-58-3	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Nickel - 7440-02-0	Carcinogen
Cadmium and compounds (as Cd) - 7440-43-9	Carcinogen Developmental Male Reproductive

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Nickel 7440-02-0	X	X	X	X	X
Polytetrafluoroethylene 9002-84-0			X		
Cadmium and compounds (as Cd) 7440-43-9	X	X	X	X	X
Potassium hydroxide 1310-58-3	X	X	X	X	
Sodium hydroxide 1310-73-2	X	X	X	X	
Lithium hydroxide monohydrate 1310-66-3	X				

International Regulations**Mexico**

Component	Carcinogen Status	Exposure Limits
Nickel 7440-02-0		Mexico: TWA 1 mg/m ³
Cadmium and compounds (as Cd) 7440-43-9	A2	Mexico: TWA 0.01 mg/m3 Mexico: TWA 0.002 mg/m3
Sodium hydroxide 1310-73-2		Mexico: Ceiling 2 mg/m3

WHMIS Hazard Class

Non-controlled

16. OTHER INFORMATION

- Personal Protection X

Prepared By	Jiangmen TWD Technology Co.,Ltd.
Revision Date	12-Sep-2016
Revision Note	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Technical white oil

Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Date of issue: 6/07/2018

Revision date: 6/07/2018

Version: 1.0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Ttechnical white oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Technical white oil

1.2.2. Uses advised against

Restrictions on use : No information available

1.3. Details of the supplier of the safety data sheet

Supplier : PetroChina Karamay Petrochemical Company
Address : No.5680, Pingbeiliu Road, Karamay, Xinjiang uygur autonomous region
Tel. : +86-990-6991502
Fax : +86-990-6992118
E-mail :

Importer : Ningbo Shaishu Kanghua Plastic Upholstering Factory
Address : Gulin town, Shaishu, Ningbo, Zhejiang, P.R.C
Tel. : +86-574-28857990
Fax : +86-574-28857998
E-mail : Kanghua100year@163.com

1.4. Emergency telephone number

+36 34 526 210 (CET) on workdays
Health Toxicological Information Service (ETTSZ 1096 Budapest, Nagyvárud tér 2.)
Tel.: 36 80 201 199 (0-24 h, free number).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]
Not classified

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

Hazard pictograms (CLP) : None
Signal word (CLP) : None
Hazard statements (CLP) : Not applicable
Precautionary statements (CLP) : Not applicable
EU Specific Hazard Statements : None

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Technical white oil

Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
1.White mineral oil, petroleum	(CAS-No.) 8042-47-5 (EC-No.) 232-455-8	<= 70	Asp. Tox. 1
2.White mineral oil, petroleum	(CAS-No.) 8042-47-5 (EC-No.) 232-455-8	<= 30	Not classified

1. Kinematic viscosity at 40°C: 10-18 mm²/s
2. Kinematic viscosity at 40°C: 60-71,5 mm²/s
Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show directions for use or safety data sheet if possible).
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing;
Give oxygen or artificial respiration if necessary;
If you feel unwell, seek medical advice
- First-aid measures after skin contact : Wash skin with plenty of water and take off contaminated clothing;
If skin irritation or rash occurs: Get medical advice/attention;
Wash contaminated clothing before reuse
- First-aid measures after eye contact : Rinse cautiously with water for several minutes while holding the eyelids wide open;
Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
- First-aid measures after ingestion : If swallowed, rinse mouth;
Do not induce vomiting;
Never give anything by mouth to an unconscious person;
If you feel unwell, seek medical advice;

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam, carbon dioxide, dry chemical powder
- Unsuitable extinguishing media : Water jet.

5.2. Special hazards arising from the substance or mixture

- Hazardous decomposition products in case of fire : On burning, carbon monoxide, carbon dioxide, various hydrocarbons and soot can be formed.

5.3. Advice for firefighters

- Precautionary measures fire : Ensure adequate ventilation, especially in confined areas. Keep container tightly closed and away from heat, sparks and flame. Eliminate every possible source of ignition.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : Cool tanks/drums with water spray/remove them into safety. Evacuate personnel to a safe area. Stay upwind/keep distance from source. Move containers from fire area if it can be done without personal risk.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Ensure adequate ventilation, especially in confined areas;No flames, no sparks. Eliminate all sources of ignition. Stop leak if safe to do so. Evacuate unnecessary personnel

Technical white oil

Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams; Contain large spillage with sand or earth; Contact waste disposal services

Methods for cleaning up

: On soil:

All kind of ignition sources should be removed. Contain spilled liquid with sand, earth or other suitable absorbents. Recover free liquid by pumping. Dispose of according to local regulations.

On water:

Confine the spillage. Remove from surface by skimming or suitable absorbents. Notify local authorities according to regulations

Other information

: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Keep general measures applied for normal operations with lubricants.

Keep away from radiant heat and open flame.

Avoid contact with skin and eyes. Avoid prolonged breathing of oil vapours or mists.

Ensure washing facilities after working hours and before breaks. Take off contaminated or oil-soaked clothing, wash with warm water and soap.

When using do not eat, drink or smoke. Avoid splashing the product.

Hygiene measures

: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Storage facilities must comply with regulations for storing of flammable liquids.

Store in dry, well ventilated place in original, closed containers.

Keep away from radiant heat, open flame and strong oxidizing agents.

Storage temperature: max. 40 °C

7.3. Specific end use(s)

Technical white oil.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

White mineral oil, petroleum (8042-47-5)

Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	5 mg/m ³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-respirable fraction)
Latvia	OEL TWA (mg/m ³)	5 mg/m ³
Switzerland	MAK (mg/m ³)	5 mg/m ³ (inhalable dust)

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Remove all sources of ignition. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure

Hand protection:

Oil resistant gloves (EN 374, Breakthrough time 480 min) (e.g. nitrile rubber – minimal thickness 0.33 mm).

Note: Manufacturer's directions for use and the conditions of application should be observed.

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Technical white oil

Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless, clear
Odour	: Odourless
Odour threshold	: No data available
pH	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: typ. 200 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: Negligible
Relative vapour density at 20 °C	: No data available
Density	: 0.843 - 0.883 mg/cm ³
Solubility	: Practically insoluble in water; Solubility in other solvents: gasoline, kerosene, toluene, etc.
Log Pow	: > 6
Viscosity, kinematic	: typ. 22 mm ² /s
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: Not an explosive
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

White mineral oil, petroleum (8042-47-5)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified

Technical white oil

Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

White mineral oil, petroleum (8042-47-5)

LC50 fish	> 10000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
-----------	---

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

White mineral oil, petroleum (8042-47-5)

Log Pow	> 6
---------	-----

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

Technical white oil

Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

14.6. Special precautions for user

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

OVIPHYT is not on the REACH Candidate List

OVIPHYT is not on the REACH Annex XIV List

Directive 2012/18/EU (SEVESO III)

15.1.2. National regulations

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

Listed on the TCSI (Taiwan Chemical Substance Inventory)

Germany

Reference to AwSV

:Water hazard class (WGK) 1, low hazard to waters (Classification according to AwSV; ID No. 434)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

:Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : White mineral oil, petroleum is listed

SZW-lijst van mutagene stoffen : White mineral oil, petroleum is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Issue date : 07-June-2018

Revision date : 07-June-2018

Technical white oil

Safety Data Sheet

According to Regulation (EU) 2015/830 (REACH Annex II)

Full text of H- and EUH-phrases

H304 : May be fatal if swallowed and enters airways.

Key or legend to abbreviations and acronyms used in the safety data sheet

ADR	: European Agreement Concerning the International Carriage of Dangerous Goods by Road
IMDG	: International Maritime Dangerous Goods
IATA	: International Air Transport Association
ADN	: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterway
RID	: Regulations Concerning the International Carriage of Dangerous Goods by Rail
PBT	: Persistent, Bioaccumulative and Toxic
vPvB	: Very Persistent and Very Bioaccumulative
DNEL	: Derived No Effect Level
PNEC	: Predicted No Effect Concentration
LC50	: Lethal Concentration 50
LD50	: Lethal Dose 50
EC50	: Effective Concentration 50
TWA	: Time Weighted Average
STEL	: Short Term Exposure Limit

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product