

1. Identification

Product identifier	GARNIER NUTRISSE ULTRA COLOR RINSE-OUT MASK
Other means of identification	
SDS number	00-12-0000525
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, repeated exposure	Category 2
OSHA defined hazards	Not classified.	
Label elements		



Signal word Warning

Hazard statement Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention	Do not breathe mist/vapors. Wash thoroughly after handling. Wear eye protection/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If eye irritation persists: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN		56-81-5	2.5
BEHENTRIMONIUM CHLORIDE		68607-24-9	1.82

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not breathe mist/vapors. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
--------------------------------------	---

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection

Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state

Liquid.

Form

Viscous Liquid

Color

Slightly Yellow

Odor

Characteristic.

Odor threshold

Not available.

pH

3.5 - 4.5

Melting point/freezing point

Not available.

Initial boiling point and boiling range

> 212 °F (> 100 °C)

Flash point

> 212.0 °F (> 100.0 °C)

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper (%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
---	---

Information on toxicological effects

Acute toxicity	Not known.
-----------------------	------------

Product	Species	Test Results
GARNIER NUTRISSE ULTRA COLOR RINSE-OUT MASK		
<u>Acute</u>		
Oral		
ATEmix		146600 mg/kg
Components	Species	Test Results
BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)		
<u>Acute</u>		
Oral		
LD50	Rat	3190 mg/kg OECD 401
GLYCERIN (CAS 56-81-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 18700 mg/kg bw
Inhalation		
LC50	Rat	> 570 mg/L air, 1 h
Oral		
LD50	Rat	27200 mg/kg bw
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible. No adverse effects due to skin contact are expected.	

Irritation Corrosion - Skin	
BEHENTRIMONIUM CHLORIDE	OECD 405 Result: Irritating Species: Rabbit
GLYCERIN	Result: Not Irritating Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye irritation.
Irritation Corrosion - Eye	
BEHENTRIMONIUM CHLORIDE	OECD 404 Result: Corrosive Species: Rabbit
GLYCERIN	Result: Not Irritating Species: Rabbit
Respiratory or skin sensitization	
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.
Skin sensitization	Due to partial or complete lack of data the classification is not possible.
Skin sensitization	
GLYCERIN	167 mg/m3 air OECD 413, Inhalation Result: NOAEL Species: Rat Test Duration: 90 d
BEHENTRIMONIUM CHLORIDE	OECD 406 Result: Not Sensitizing Species: Guinea pig
GLYCERIN	Result: Not Sensitizing Species: Guinea pig
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Mutagenicity	
GLYCERIN	Result: In vitro and in vivo tests did not show mutagenic effects.
BEHENTRIMONIUM CHLORIDE	Result: In vitro tests did not show mutagenic effects
Carcinogenicity	Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Not listed.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)	
Not regulated.	
US. National Toxicology Program (NTP) Report on Carcinogens	
Not listed.	
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Developmental effects	
GLYCERIN	1310 mg/kg bw/d, No effects on development Result: NOAEL Species: Rat
Reproductivity	
GLYCERIN	2000 mg/kg bw/d, No effects on fertility Result: NOAEL Species: Rat
BEHENTRIMONIUM CHLORIDE	75 mg/kg bw/d OECD 421 Result: NOAEL Species: Rat
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
BEHENTRIMONIUM CHLORIDE	10 mg/kg bw/d OECD 407, Oral Result: NOAEL Species: Rat Test Duration: 28 d

Specific target organ toxicity - repeated exposure

GLYCERIN

8000 mg/kg bw/d, Oral

Result: NOAEL

Species: Rat

Test Duration: 2 yr

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Chronic effects

May cause damage to organs through prolonged or repeated exposure.

Further information

The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)			
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	3.48 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.39 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	0.5 - 1 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	43 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.128 mg/l, 21 d OECD 211
Fish	NOEC	Danio rerio	0.24 mg/l, 9 d OECD 212
GLYCERIN (CAS 56-81-5)			
Aquatic			
Acute			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

BEHENTRIMONIUM CHLORIDE

80 % OECD 301

Result: Readily Biodegradable

Test Duration: 28 d

GLYCERIN

OECD 301

Result: Readily Biodegradable

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

GLYCERIN

-1.76

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information**DOT****FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical

No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5)

Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date 04-30-2019

Revision date 01-21-2020

Version # 02

NFPA ratings

Health: 2
Flammability: 1
Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

1. Identification

Product identifier GARNIER NUTRISSE ULTRA COLOR NOURISHING COLOR CREME - GROUP 1

Other means of identification

SDS number 80-21-0000381

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
Sensitization, skin Category 1A

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statement

Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DECETH-3		66455-15-0	9
LAURETH-12		68439-50-9	7
AMMONIUM HYDROXIDE		1336-21-6	< 5
LAURIC ACID		143-07-7	3
TOLUENE-2,5-DIAMINE		95-70-5	< 3
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE		155601-30-2	< 2
2,4-DIAMINOPHENOXYETHANOL HCL		66422-95-5	< 2
4-AMINO-2-HYDROXYTOLUENE		2835-95-2	< 2
N,N-BIS(2-HYDROXYETHYL)-p-PH ENYLENEDIAMINE SULFATE		54381-16-7	< 2
RESORCINOL		108-46-3	< 2
1-NAPHTHOL		90-15-3	< 2
ETHANOLAMINE		141-43-5	< 2
SILICA DIMETHYL SILYLATE		68611-44-9	1.2
M-AMINOPHENOL		591-27-5	< 0.3
P-AMINOPHENOL		123-30-8	< 0.3
P-PHENYLENEDIAMINE		106-50-3	≤ 0.5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Powder. Carbon dioxide (CO2).
-------------------------------------	---

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Use water spray to reduce vapors or divert vapor cloud drift. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	PEL	35 mg/m3 50 ppm
ETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3 3 ppm
P-PHENYLENEDIAMINE (CAS 106-50-3)	PEL	0.1 mg/m3

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value
SILICA DIMETHYL Silylate (CAS 68611-44-9)	TWA	0.8 mg/m3 20 mppcf

US. ACGIH Threshold Limit Values

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	STEL	35 ppm
	TWA	25 ppm
ETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
P-PHENYLENEDIAMINE (CAS 106-50-3)	TWA	0.1 mg/m3
RESORCINOL (CAS 108-46-3)	STEL	20 ppm
	TWA	10 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	STEL	27 mg/m3
		35 ppm
	TWA	18 mg/m3
		25 ppm
ETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	8 mg/m3
		3 ppm
P-PHENYLENEDIAMINE (CAS 106-50-3)	TWA	0.1 mg/m3
RESORCINOL (CAS 108-46-3)	STEL	90 mg/m3
		20 ppm
	TWA	45 mg/m3
		10 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
TOLUENE-2,5-DIAMINE (CAS 95-70-5)	TWA	0.025 mg/m3
		0.005 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**US - California OELs: Skin designation**

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

P-PHENYLENEDIAMINE (CAS 106-50-3) Skin designation applies.

US - Tennessee OELs: Skin designation

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US WEEL Guides: Skin designation

TOLUENE-2,5-DIAMINE (CAS 95-70-5) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.
Skin protection	
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.
Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Cream.
Color	Not available.
Odor	Characteristic.
Odor threshold	Not available.
pH	10 - 10.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
--	----------------

Auto-ignition temperature	Not available.
----------------------------------	----------------

Decomposition temperature	Not available.
----------------------------------	----------------

Viscosity	Not available.
------------------	----------------

Other information

Density	0.96 - 1.02 g/cm ³
Explosive properties	Not explosive.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
--	---

Information on toxicological effects

Acute toxicity	Not known.
----------------	------------

Product	Species	Test Results
GARNIER NUTRISSE ULTRA COLOR NOURISHING COLOR CREME - GROUP 1		
<u>Acute</u>		
Dermal		
ATEmix		12900 mg/kg
Oral		
ATEmix		2018 mg/kg
Components	Species	Test Results
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE (CAS 155601-30-2)		
<u>Acute</u>		
Inhalation		
<i>Aerosol</i>		
LD50	Rat	> 5.24 mg/m3, 4 h OECD 403
Oral		
LD50	Rat	> 2000 mg/kg OECD 401
1-NAPHTHOL (CAS 90-15-3)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	>= 880 mg/kg
Inhalation		
<i>Aerosol</i>		
LD50	Rat	> 420 mg/m ³ , 1 Hours
Oral		
LD50	Rat	1000 - 2000 mg/kg

Components	Species	Test Results
2,4-DIAMINOPHENOXYETHANOL HCL (CAS 66422-95-5)		
<u>Acute</u>		
Oral		
LD50	Rat	1000 mg/kg OECD 401
4-AMINO-2-HYDROXYTOLUENE (CAS 2835-95-2)		
<u>Acute</u>		
Oral		
LD50	Rat	3600 mg/kg
AMMONIUM HYDROXIDE (CAS 1336-21-6)		
<u>Acute</u>		
Inhalation		
LC50	Rat	11590 mg/l, 1 h
Oral		
LD50	Rat	350 mg/kg bw OECD 401
DECETH-3 (CAS 66455-15-0)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg Based on test data for structurally similar materials.
Oral		
LD50	Rat	> 2000 mg/kg Based on test data for structurally similar materials.
ETHANOLAMINE (CAS 141-43-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2504 mg/kg OECD 402
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 1.3 mg/l, 6 h
Oral		
LD50	Rat	1515 mg/kg OECD 401
LAURETH-12 (CAS 68439-50-9)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 1.6 mg/l, 4 h OECD 403
Oral		
LD50	Rat	> 2000 mg/kg OECD 401
LAURIC ACID (CAS 143-07-7)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 434
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 0.1621 mg/l, 4 h
Oral		
LD50	Rat	> 5000 mg/kg OECD 401

Components	Species	Test Results
M-AMINOPHENOL (CAS 591-27-5)		
<u>Acute</u>		
Inhalation		
LC50	Rat	1162 mg/m3
Oral		
LD50	Rat	924 mg/kg
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE (CAS 54381-16-7)		
<u>Acute</u>		
Dermal		
LD50	-	428 mg/kg
Inhalation		
LC50	-	0.9 mg/l, 4 h
Oral		
LD50	Rat	264 mg/kg
P-AMINOPHENOL (CAS 123-30-8)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 8000 mg/kg EPA OPTTS 870.1200
Inhalation		
<i>Dust</i>		
LC50	Rat	> 3.42 mg/l, 4 h OECD 403
Oral		
LD50	Rat	671 mg/kg EPA OPPTS 870.1100
P-PHENYLENEDIAMINE (CAS 106-50-3)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 7940 mg/kg
Inhalation		
<i>Vapor or aerosol</i>		
LC50	Rat	0.92 mg/l, 4 Hours
Oral		
LD50	Rat	80 - 100 mg/kg bw
RESORCINOL (CAS 108-46-3)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2830 mg/kg FHSL Act
Inhalation		
<i>Aerosol</i>		
LC0	Rat	> 7800 mg/m³, 1 h FHSL Act
Oral		
LD50	Rat	510 mg/kg OECD 401
TOLUENE-2,5-DIAMINE (CAS 95-70-5)		
Oral		
LD50	Rat	102 mg/kg OECD 401
<u>Acute</u>		
Dermal		
LD50	Rabbit	3520 mg/kg
Inhalation		
<i>Dust</i>		
LC50	Rat	0.99 mg/l, 4 h

Skin corrosion/irritation Causes severe skin burns and eye damage.

Irritation Corrosion - Skin

RESORCINOL	FHLS Act, (100%) Result: Irritating Species: Rabbit
ETHANOLAMINE	OECD 404 Result: Corrosive Species: Rabbit
AMMONIUM HYDROXIDE	OECD 404 Result: Corrosive Species: Rat
2,4-DIAMINOPHENOXYETHANOL HCL	OECD 404 Result: Not Irritating Species: Rabbit
LAURETH-12	OECD 404 Result: Not Irritating Species: Rabbit
M-AMINOPHENOL	OECD 404 Result: Not Irritating Species: Rabbit
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	OECD 404 Result: Slightly Irritating Species: Rabbit
LAURIC ACID	OECD 404 Result: Slightly Irritating Species: Rabbit
RESORCINOL	OECD 404, (2.5%) Result: Not Irritating Species: Rabbit
DECETH-3	OECD 404, Based on test data for structurally similar materials. Result: Slightly Irritating Species: Rabbit
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 439 Result: Not Irritating Species: In vitro
TOLUENE-2,5-DIAMINE	OECD 439 Result: Not Irritating Species: In vitro
4-AMINO-2-HYDROXYTOLUENE	OECD 439 Result: Not Irritating Species: RhE
1-NAPHTHOL	Result: Irritating Species: Rabbit
P-PHENYLENEDIAMINE	Result: Not Irritating Species: Guinea pig
P-AMINOPHENOL	Result: Slightly Irritating Species: Rabbit

Serious eye damage/eye irritation Causes serious eye damage.

Irritation Corrosion - Eye

P-AMINOPHENOL	EPA OPPTS 870.2400 Result: Slightly Irritating Species: Rabbit
RESORCINOL	FHLS Act, (100%) Result: Corrosive Species: Rabbit
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	OECD 405 Result: Corrosive Species: Rabbit
ETHANOLAMINE	OECD 405 Result: Corrosive Species: Rabbit
LAURETH-12	OECD 405 Result: Corrosive Species: Rabbit

Irritation Corrosion - Eye

LAURIC ACID	OECD 405 Result: Corrosive Species: Rabbit
TOLUENE-2,5-DIAMINE	OECD 405 Result: Corrosive Species: Rabbit
2,4-DIAMINOPHENOXYETHANOL HCL	OECD 405 Result: Irritating Species: Rabbit
P-PHENYLENEDIAMINE	OECD 405 Result: Irritating Species: Rabbit
M-AMINOPHENOL	OECD 405 Result: Not Irritating Species: Rabbit
RESORCINOL	OECD 405, (2.5%) Result: Not Irritating Species: Rabbit
1-NAPHTHOL	OECD 438 Result: Corrosive Species: In vitro
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 438 Result: Irritating Species: In vitro
4-AMINO-2-HYDROXYTOLUENE	OECD 492 Result: Not Irritating Species: RhCE
AMMONIUM HYDROXIDE	Result: Corrosive
DECETH-3	Result: Corrosive Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization May cause an allergic skin reaction.

Skin sensitization

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	EU Method B.6 - Cat 1 Result: Sensitizing Species: Guinea pig
LAURETH-12	OECD 406 Result: Not Sensitizing Species: Guinea pig
LAURIC ACID	OECD 406 Result: Not Sensitizing Species: Guinea pig
P-AMINOPHENOL	OECD 406 Result: Sensitizing Species: Guinea pig
DECETH-3	OECD 406, Based on test data for structurally similar materials. Result: Not Sensitizing Species: Guinea pig
1-NAPHTHOL	OECD 429 Result: Sensitizing Species: Mouse
2,4-DIAMINOPHENOXYETHANOL HCL	OECD 429 Result: Sensitizing Species: Mouse
4-AMINO-2-HYDROXYTOLUENE	OECD 429 Result: Sensitizing Species: Mouse
M-AMINOPHENOL	OECD 429 Result: Sensitizing Species: Mouse
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 429 Result: Sensitizing Species: Mouse

Skin sensitization

P-PHENYLENEDIAMINE

OECD 429

Result: Sensitizing

Species: Mouse

RESORCINOL

OECD 429

Result: Sensitizing

Species: Mouse

TOLUENE-2,5-DIAMINE

OECD 429

Result: Sensitizing

Species: Mouse

ETHANOLAMINE

Result: Not Sensitizing

Species: Guinea pig

AMMONIUM HYDROXIDE

Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Mutagenicity

LAURETH-12

Result: In vitro and in vivo tests did not show mutagenic effects.

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE

Result: In vitro and in vivo tests did not show mutagenic effects.

ETHANOLAMINE

Result: In vitro and in vivo tests did show mutagenic effects

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE

Result: In vitro tests did not show mutagenic effects

AMMONIUM HYDROXIDE

Result: In vitro tests did not show mutagenic effects

DECETH-3

Result: In vitro tests did not show mutagenic effects

LAURIC ACID

Result: In vitro tests did not show mutagenic effects

2,4-DIAMINOPHENOXYETHANOL HCL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

M-AMINOPHENOL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

P-PHENYLENEDIAMINE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

RESORCINOL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

TOLUENE-2,5-DIAMINE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

4-AMINO-2-HYDROXYTOLUENE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo tests.

1-NAPHTHOL

Result: In vitro tests showed varied results. In vivo tests showed negative results.

P-AMINOPHENOL

Result: In vivo tests showed mutagenic effects

Carcinogenicity

Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

P-PHENYLENEDIAMINE (CAS 106-50-3)

3 Not classifiable as to carcinogenicity to humans.

RESORCINOL (CAS 108-46-3)

3 Not classifiable as to carcinogenicity to humans.

TOLUENE-2,5-DIAMINE (CAS 95-70-5)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Developmental effects

LAURETH-12

>= 250 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

ETHANOLAMINE

>= 450 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE

>= 50 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

P-PHENYLENEDIAMINE

10 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

Developmental effects

M-AMINOPHENOL

100 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

P-AMINOPHENOL

100 mg/kg bw/d OECD 421

Result: NOAEL

Species: Rat

LAURIC ACID

1000 mg/kg bw/d OECD 422

Result: NOAEL

Species: Rabbit

4-AMINO-2-HYDROXYTOLUENE

180 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

2,4-DIAMINOPHENOXYETHANOL HCL

20 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

RESORCINOL

250 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

1-NAPHTHOL

400 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

TOLUENE-2,5-DIAMINE

50 mg/kg bw/d OECD 414, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

Reproductivity

LAURETH-12

>= 250 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

TOLUENE-2,5-DIAMINE

>= 45 mg/kg bw/d OECD 416, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

P-AMINOPHENOL

100 mg/kg bw/d OECD 421

Result: NOAEL

Species: Rat

LAURIC ACID

1000 mg/kg bw/d OECD 422

Result: NOAEL

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE

20 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

4-AMINO-2-HYDROXYTOLUENE

Test Duration: 90 d

200 mg/kg bw/d OECD 415

Result: NOAEL

Species: Rat

RESORCINOL

245 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE

300 mg/kg bw/d OECD 415

Species: Rat

ETHANOLAMINE

300 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

1-NAPHTHOL

Result: No Data

Specific target organ toxicity - single exposure

Due to partial or complete lack of data the classification is not possible.

AMMONIUM HYDROXIDE

Result: Highly Irritating

1-NAPHTHOL

Result: Irritating

Specific target organ toxicity - repeated exposure

Due to partial or complete lack of data the classification is not possible.

LAURETH-12

>= 500 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

**Specific target organ toxicity -
repeated exposure**

P-AMINOPHENOL	10 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
TOLUENE-2,5-DIAMINE	10 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
DECETH-3	100 mg/kg bw/d OECD 407, Based on test data for structurally similar materials. Result: NOAEL Species: Rat Test Duration: 28 d
LAURIC ACID	1000 mg/kg bw/d OECD 422 Result: NOAEL Species: Rat
1-NAPHTHOL	130 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
ETHANOLAMINE	150 mg/m ³ air OECD 412, Inhalation Result: NOAEC Species: Rat Test Duration: 28 d
P-PHENYLENEDIAMINE	16 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
4-AMINO-2-HYDROXYTOLUENE	180 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
2,4-DIAMINOPHENOXYETHANOL HCL	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
M-AMINOPHENOL	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	250 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
ETHANOLAMINE	300 mg/kg bw/d OECD 416, Oral Result: NOAEL Species: Rat
RESORCINOL	80 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d 991 mg/m ³ Result: NOAEC Species: Rat Test Duration: 14 d

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Chronic effects

May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Further information

May cause allergic respiratory and skin reactions. The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE (CAS 155601-30-2)			
Aquatic			
<i>Acute</i>			
Algae		Pseudokirchneriella subcapitata	5.33 mg/l, 72 h EU C.3
Crustacea	EC50	Daphnia magna	11.12 mg/l, 48 h TG 202
Fish	LC50	Danio rerio	86.2 mg/l, 96 h EU C.1
1-NAPHTHOL (CAS 90-15-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 2.18 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	2.51 mg/l, 48 h
Fish	LC50	Pimephales promelas	4.24 mg/l, 96 h
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.25 mg/l, 21 d OECD 211
2,4-DIAMINOPHENOXYETHANOL HCL (CAS 66422-95-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	36.5 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.4 mg/l, 48 h OECD 202
4-AMINO-2-HYDROXYTOLUENE (CAS 2835-95-2)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	41 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	2.3 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	25 mg/l, 96 h OECD 236
Other	EC50	Activated sludge of a predominantly domestic sewage	> 150 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.24 mg/l, 21 d OECD 211
AMMONIUM HYDROXIDE (CAS 1336-21-6)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Chlorella vulgaris	2700 mg/l, 18 d
Crustacea	EC50	Daphnia magna	101 mg/l, 48 h ASTM E729-80
Fish	LC50	Oncorhynchus mykiss	0.89 mg/l, 96 h
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.79 mg/l, 21 d
Fish	NOEC	Oncorhynchus mykiss	1.2 mg/l, 61 d OECD 210
DECETH-3 (CAS 66455-15-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	1.8 mg/l, 72 h 92/69/EWG
Crustacea	EC50	Daphnia magna	0.39 mg/l, 48 h 92/69/EWG
Fish	LC50	Cyprinus carpio	1.2 mg/l, 96 h EU C.1

Components		Species	Test Results
Other	EC0	Activated sludge of a predominantly domestic sewage	140 mg/l, 3 h 88/302/EG
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	<= 1 mg/l, 21 d
Fish	NOEC	Lepomis macrochirus	0.16 mg/l, 10 d
ETHANOLAMINE (CAS 141-43-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	2.8 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	65 mg/l, 48 h EU C.2
Fish	LC50	Cyprinus carpio	349 mg/l, 96 h EU C.1
Other	EC10	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 30 min OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.85 mg/l, 21 d OECD 211
Fish	NOEC	Oryzias latipes	1.24 mg/l, 41 d OECD 210
LAURETH-12 (CAS 68439-50-9)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.29 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.53 mg/l, 48 h
Fish	LC50	Danio rerio	1.2 mg/l, 96 h EU C.1
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16.9 h DIN 38412, 8
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.77 mg/l, 21 d
LAURIC ACID (CAS 143-07-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 7.6 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	3.6 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	5 mg/l, 96 h OECD 203
Other	EC10	Pseudomonas putida	> 1000 mg/l, 30 min OECD 209
M-AMINOPHENOL (CAS 591-27-5)			
<i>Acute</i>			
Other	IC50	Tetrahymena pyriformis	361 mg/l, 40 h
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	62 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.1 mg/l, 48 h DIN 38412, Pt. 11
Fish	LC50	Danio rerio	82.64 mg/l, 96 h OECD 203
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.05 mg/l, 21 d OECD 211
Fish	NOEC	Oryzias latipes	25 mg/l, 25 d OECD 204
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE (CAS 54381-16-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.338 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.381 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	> 235 mg/l, 96 h

Components		Species	Test Results
Other	EC50	Activated sludge of a predominantly domestic sewage	228 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.674 mg/l, 21 d OECD 211
P-AMINOPHENOL (CAS 123-30-8)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 0.253 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.182 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	0.82 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	29.9 mg/l, 3 h OECD 209
P-PHENYLENEDIAMINE (CAS 106-50-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.27 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.33 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	3.9 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	13.4 mg/l, 3 h OECD 209
RESORCINOL (CAS 108-46-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 97 mg/l, 97 h OECD 201
Crustacea	LC50	Daphnia magna	1 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	26.8 mg/l, 96 h EPA-660/3/75-009
Other		Activated sludge of a predominantly domestic sewage	79 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	>= 0.172 mg/l, 21 d
Fish	LOEC	Oncorhynchus mykiss	320 mg/l, 60 d
TOLUENE-2,5-DIAMINE (CAS 95-70-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	1.02 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.491 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	0.05 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	3.75 mg/l, 3 h OECD 209
<i>Chronic</i>			
Algae	NOEC	Pseudokirchneriella subcapitata	0.11 mg/l, 72 h OECD 201

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE
SULFATE
1-NAPHTHOL

33.3 % EU C.4-E
Result: Not readily biodegradable
> 77.8 % OECD 301 B
Result: Readily Biodegradable
Test Duration: 28 d
0 % OECD 301 B
Result: Not Readily Biodegradable
Test Duration: 28 d

4-AMINO-2-HYDROXYTOLUENE

Biodegradability

Percent degradation (Aerobic biodegradation)

DECETH-3	78 % OECD 301 B Result: Readily Biodegradable Test Duration: 28 d
ETHANOLAMINE	> 90 % OECD 301 A Result: Readily Biodegradable Test Duration: 21 d
LAURETH-12	95 % OECD 301 F Result: Readily Biodegradable Test Duration: 28 d
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	14.3 % OECD 301B Result: Not Readily Biodegradable Test Duration: 28 d
P-PHENYLENEDIAMINE	28 - 30 % OECD 301 D Result: Not Readily Biodegradable Test Duration: 28 d
RESORCINOL	66.7 % OECD 301 C Result: Readily Biodegradable Test Duration: 14 d
TOLUENE-2,5-DIAMINE	17 % OECD 301 D Result: Not Readily Biodegradable Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1-NAPHTHOL	2.836 OECD 107
4-AMINO-2-HYDROXYTOLUENE	-0.53 EU A.8 0.53 OECD 117
ETHANOLAMINE	-2.3 OECD 107
LAURETH-12	6.1 OECD 117
LAURIC ACID	4.2
M-AMINOPHENOL	0.21
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	-2.8 -2.8 OECD 107
P-AMINOPHENOL	0.25
P-PHENYLENEDIAMINE	-0.25
RESORCINOL	0.8
TOLUENE-2,5-DIAMINE	-0.321 OECD 107

Bioconcentration factor (BCF)

P-AMINOPHENOL	10 - 46 OECD 305 C
---------------	--------------------

Bioaccumulation

1-NAPHTHOL	Result: Bioaccumulation is unlikely
ETHANOLAMINE	Result: Bioaccumulation is unlikely.
P-AMINOPHENOL	Result: Bioaccumulation is unlikely.
TOLUENE-2,5-DIAMINE	Result: Bioaccumulation is unlikely.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT**FINISHED GOODS**

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE), Limited Quantity
Class	8
Packing group	II
Transport hazard class(es)	
Label(s)	Limited Quantity
Packaging exceptions	154
LTD QTY Net Inner Capacity	1.0 L

BULK

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE), MARINE POLLUTANT (HEXADIMETHRINE CHLORIDE)
Class	8
Packing group	II
Environmental hazards	
Marine pollutant	Yes
Transport hazard class(es)	
Label(s)	8
Special provisions	B2, IB2, T11, TP2, TP27
Packaging non bulk	202

IATA**FINISHED GOODS**

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE)
Class	8
Packing group	II
Transport hazard class(es)	
Label(s)	Class 8, Limited Quantity
ERG Number	8L
LTD QTY Net Inner Capacity	0.1 L

BULK

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE)
Class	8
Packing group	II
Environmental hazards	
Marine pollutant	Yes
ERG Number	8L

IMDG**FINISHED GOODS**

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE), Limited Quantity
Class	8
Packing group	II
Environmental Hazards	
Marine pollutant	No.
Transport hazard class(es)	
Label(s)	Limited Quantity
EmS	F-A, S-B
LTD QTY Net Inner Capacity	1.0 L

BULK

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE), MARINE POLLUTANT (HEXADIMETHRINE CHLORIDE)
Class	8
Packing group	II
Environmental hazards	
Marine pollutant	Yes

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

AMMONIUM HYDROXIDE (CAS 1336-21-6)	Listed.
P-PHENYLENEDIAMINE (CAS 106-50-3)	Listed.
RESORCINOL (CAS 108-46-3)	Listed.
TOLUENE-2,5-DIAMINE (CAS 95-70-5)	Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
AMMONIUM HYDROXIDE	1336-21-6	< 5
TOLUENE-2,5-DIAMINE	95-70-5	< 3

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

P-PHENYLENEDIAMINE (CAS 106-50-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

RESORCINOL (CAS 108-46-3) Low priority

16. Other information, including date of preparation or last revision

Issue date 06-03-2020

Version # 01

NFPA ratings Health: 3
Flammability: 1
Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Product and Company Identification: Product and Company Identification - L'Oreal
Composition / Information on Ingredients: Ingredients

1. Identification

Product identifier	GARNIER NUTRISSE ULTRA COLOR CREME DEVELOPER - 25 VOLUME
Other means of identification	
SDS number	00-26-0000019
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2A
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	Causes serious eye irritation.
Precautionary statement	
Prevention	Wash thoroughly after handling. Wear eye protection/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
HYDROGEN PEROXIDE		7722-84-1	7.5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
HYDROGEN PEROXIDE (CAS 7722-84-1)	PEL	1.4 mg/m3 1 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1.4 mg/m3 1 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Cream.

Color White

Odor Not available.

Odor threshold Not available.

pH 2 - 2.4

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point > 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
--	---

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
HYDROGEN PEROXIDE (CAS 7722-84-1)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Inhalation		
<i>Vapor</i>		
LC0	Rat	170 mg/m ³ , 4 h OECD 403
Oral		
LD50	Rat	693.7 mg/kg OECD 401

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	No adverse effects due to skin contact are expected.
---------------------------	--

Irritation Corrosion - Skin

HYDROGEN PEROXIDE	OECD 404, 35% ≥ C < 50% Result: Irritating Species: Rabbit
-------------------	--

Irritation Corrosion - Skin
HYDROGEN PEROXIDE

OECD 404, C ≥ 50%
Result: Corrosive
Species: Rabbit

Serious eye damage/eye irritation Causes serious eye irritation.

Irritation Corrosion - Eye
HYDROGEN PEROXIDE

OECD 405, 5% ≥ C < 8%
Result: Irritating
Species: Rabbit
OECD 405, C ≥ 8%
Result: Corrosive
Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization
HYDROGEN PEROXIDE

Result: Not Sensitizing
Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity
HYDROGEN PEROXIDE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

HYDROGEN PEROXIDE (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

HYDROGEN PEROXIDE

0, C ≥ 35%
Result: Irritating

Specific target organ toxicity - repeated exposure Not classified.

HYDROGEN PEROXIDE

2.9 mg/L air OECD 412, Inhalation
Result: NOAEL
Species: Rat
Test Duration: 28 d
26 mg/kg bw/d OECD 408, Oral
Result: NOAEL
Species: Mouse
Test Duration: 90 d

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
HYDROGEN PEROXIDE (CAS 7722-84-1)			
Aquatic			
Acute			
Algae	EC50	Chlorella vulgaris	2.5 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia pulex	2.4 mg/l, 48 h
Fish	LC50	Pimephales promelas	16.4 mg/l, 96 h

Components		Species	Test Results
Other	EC50	Activated sludge of a predominantly domestic sewage	2.5 mg/l, 30 min OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.63 mg/l, 21 d ASTM E 1193-97

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

HYDROGEN PEROXIDE

99 % OECD 209

Result: Readily Biodegradable

Bioaccumulative potential

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not regulated.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

HYDROGEN PEROXIDE (CAS 7722-84-1)

1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
---------------	------------	------------------------------	--------------------------------------	---	---

HYDROGEN PEROXIDE	7722-84-1	1000	1000		
-------------------	-----------	------	------	--	--

SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List
Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date 04-29-2019

Version # 01

NFPA ratings
Health: 2
Flammability: 1
Instability: 0

Disclaimer
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

1. Identification

Product identifier	GARNIER NUTRISSE ULTRA COLOR FRUIT OIL CONCENTRATE
Other means of identification	
SDS number	00-22-0000130
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Aspiration hazard	Category 1
OSHA defined hazards	Not classified.	

Label elements

Signal word	Danger
Hazard statement	May be fatal if swallowed and enters airways.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Combustible.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
MINERAL OIL		8042-47-5	47.5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Foam. Dry chemicals. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat and sources of ignition. Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	PEL	5 mg/m3	Mist.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Color Not available.

Odor Characteristic.

Odor threshold Not available.

pH 6.7 - 7.3

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point > 212.0 °F (> 100.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Specific gravity	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	No adverse effects due to eye contact are expected.
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

Acute toxicity	May be fatal if swallowed and enters airways.
-----------------------	---

Components	Species	Test Results
MINERAL OIL (CAS 8042-47-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 5 mg/L air, 4 h OECD 403
Oral		
LD50	Rat	> 5000 mg/kg OECD 401

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	No adverse effects due to skin contact are expected.
----------------------------------	--

Irritation Corrosion - Skin

MINERAL OIL

OECD 404
Result: Not Irritating
Species: Rabbit

Serious eye damage/eye irritation	No adverse effects due to eye contact are expected.
--	---

Irritation Corrosion - Eye
MINERAL OIL

OECD 405
Result: Not Irritating
Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization
MINERAL OIL

OECD 406
Result: Not Sensitizing
Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity
MINERAL OIL

Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

MINERAL OIL (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects
MINERAL OIL

> 5000 mg/kg bw/d OECD 414, No effects on development
Result: NOAEL
Species: Rat

Reproductivity
MINERAL OIL

>= 2000 mg/kg bw/d OECD 415, No effects on fertility
Result: NOAEL
Species: Rat

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

MINERAL OIL

> 2000 mg/kg bw/d OECD 411, Dermal
Result: NOAEL
Species: Rat
Test Duration: 90 d
> 50 mg/m³ air OECD 412, Inhalation
Result: NOAEC
Species: Rat
Test Duration: 28 d
>= 1200 mg/kg bw/d OECD 453, Oral
Result: NOAEL
Species: Rat
Test Duration: 2 years

Aspiration hazard May be fatal if swallowed and enters airways.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
MINERAL OIL (CAS 8042-47-5)			
Aquatic			
<i>Acute</i>			
Algae	NOEL	Pseudokirchneriella subcapitata	> 100 mg/l, 72 h OECD 201
Crustacea	EL50	Daphnia magna	> 100 mg/l, 48 h OECD 202
Fish	LL50	Oncorhynchus mykiss	> 100 mg/l, 96 h OECD 203

Components	Species		Test Results
<i>Chronic</i> Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 211

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

MINERAL OIL

31 % OECD 301 F

Result: Not Readily Biodegradable

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not regulated.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date 04-30-2019

Version # 01

NFPA ratings Health: 2
 Flammability: 1
 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.