



SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada
WHMIS which includes the amended Hazardous Products Act (HPA) and the
Hazardous Products Regulation (HPR)

Issuing Date 16-Dec-2025

Revision Date 16-Dec-2025

Version 1

1. Identification

Product identifier

Product Name Neutrogena Glass Glow Balm - Sunkissed Bronze

Other means of identification

Safety Data Sheet Code NA-27145392U

Reference Document No. PR-0007342, 27145392U, PED2571993A-001

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Personal Care Product. This SDS is only intended for occupational use of large quantities of finished product and not for consumer use (see packaging label and or insert). This SDS is written to provide environmental, health and safety information for personnel that will be handling this finished product. For health and safety information during manufacturing of this product, please refer to the appropriate SDS for each component.

Restrictions on use Use according to package label instructions

Details of the supplier of the safety data sheet

Initial supplier identifier

Kenvue Canada Inc.
88 McNabb Street,
Markham ON L3R 5L2 CANADA
800-361-8068

Manufacturer Address

Kenvue Brands LLC
1 Kenvue Way
Summit, NJ 17901
800-361-8068

Emergency telephone number

Emergency Telephone Call 3E Company at 1-760-476-3959 Provide the technician with the following tracking code: 2277

2. Hazard(s) identification

Classification of the substance or mixture

This product is not considered hazardous by either the US OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS).

Label elements

Signal word:

None

Hazard statements

None.

Precautionary Statements - Prevention

None.

Precautionary Statements - Response

None.

Precautionary Statements - Storage

None.

Precautionary Statements - Disposal

None.

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available.

Other hazards

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Polybutene	9003-29-6	15 - 40	-	-
Caprylic/Capric Triglyceride	65381-09-1	10 - 30	-	-
Mica	12001-26-2	10 - 30	-	-
Synthetic Wax	8002-74-2	3-7	-	-
Iron Oxides	1309-37-1	1 - 5	-	-
Octyldodecanol	5333-42-6	1 - 5	-	-
Alumina	1333-84-2	1 - 5	-	-
Alumina	1344-28-1	1 - 5	-	-
Titanium Dioxide	13463-67-7	1 - 5	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

Chemical Additions

Chemical name shown in the table more than once represents the presence of a single concentration. The chemical is shown more than once to provide complete information with respect to applicable CAS numbers.

4. First-aid measures

Description of first aid measures

Inhalation	It is unlikely that emergency treatment will be required. Move victim to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin contact	If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Not an expected route of exposure. If swallowed, call a poison control center or physician immediately. Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
----------	---------------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
--------------------	------------------------

5. Fire-fighting measures

<u>Suitable Extinguishing Media</u>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	None known.
<u>Specific hazards arising from the chemical</u>	No information available.
<u>Explosion data</u>	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
<u>Special protective equipment and precautions for fire-fighters</u>	As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	In the event of an accidental release, the emergency response team must respond based on a risk assessment and use personal protective equipment as appropriate.
----------------------	--

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling No special precautions are needed in handling this material.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in accordance with: product packaging.

8. Exposure controls/personal protection

Control Parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Mica 12001-26-2	TWA: 0.1 mg/m ³ respirable particulate matter	TWA: 20 mppcf respirable dust <1% Crystalline silica (vacated) TWA: 3 mg/m ³ respirable dust <1% Crystalline silica TWA: 20 mppcf <1% Crystalline silica	TWA: 3 mg/m ³ ; containing <1% Quartz respirable dust IDLH: 1500 mg/m ³
Synthetic Wax 8002-74-2	TWA: 2 mg/m ³ fume	(vacated) TWA: 2 mg/m ³	TWA: 2 mg/m ³ ; fume
Iron Oxides 1309-37-1	TWA: 5 mg/m ³ respirable particulate matter	TWA: 10 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ fume and total dust Iron oxide (vacated) TWA: 5 mg/m ³ respirable fraction regulated under Rouge	TWA: 5 mg/m ³ ; Fe dust and fume IDLH: 2500 mg/m ³ Fe dust and fume
Alumina 1333-84-2	TWA: 1 mg/m ³ respirable particulate matter	-	-
Alumina 1344-28-1	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	-
Titanium Dioxide 13463-67-7	TWA: 0.2 mg/m ³ nanoscale respirable particulate matter TWA: 2.5 mg/m ³ finescale respirable particulate matter	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	TWA: 2.4 mg/m ³ ; CIB 63 fine TWA: 0.3 mg/m ³ ; CIB 63 ultrafine, including engineered nanoscale IDLH: 5000 mg/m ³

Chemical name	Alberta	British Columbia	Ontario	Quebec
Mica 12001-26-2	TWA: 3 mg/m ³ ; respirable	TWA: 3 mg/m ³ ; respirable	TWA: 3 mg/m ³ ; respirable particulate matter	TWAEV: 0.1 mg/m ³ ; respirable aerosol fraction
Synthetic Wax	TWA: 2 mg/m ³ ; fume	TWA: 2 mg/m ³ ; fume	TWA: 2 mg/m ³ ; fume	TWAEV: 2 mg/m ³ ; fume

8002-74-2				
Iron Oxides 1309-37-1	TWA: 5 mg/m ³ ; respirable	TWA: 10 mg/m ³ ; total particulate TWA: 3 mg/m ³ ; respirable particulate TWA: 5 mg/m ³ ; dust and fume STEL: 10 mg/m ³ ; fume	TWA: 5 mg/m ³ ; respirable particulate matter	TWAEV: 5 mg/m ³ ; dust and fume
Alumina 1333-84-2	-	TWA: 1.0 mg/m ³ ; respirable	TWA: 1 mg/m ³ ; respirable particulate matter	-
Alumina 1344-28-1	TWA: 10 mg/m ³ ;	TWA: 1.0 mg/m ³ ; respirable	TWA: 1 mg/m ³ ; respirable particulate matter	TWAEV: 10 mg/m ³ ; total dust
Titanium Dioxide 13463-67-7	TWA: 10 mg/m ³ ;	TWA: 10 mg/m ³ ; total dust TWA: 3 mg/m ³ ; respirable fraction	TWA: 10 mg/m ³ ;	TWAEV: 10 mg/m ³ ; total dust

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Mica	TWA: 0.1 mg/m ³ ; respirable particulate matter	TWA: 3 mg/m ³ ; respirable fraction	TWA: 0.1 mg/m ³ ; respirable particulate matter	TWA: 0.1 mg/m ³ ; respirable particulate matter
Synthetic Wax	TWA: 2 mg/m ³ ; fume	TWA: 2 mg/m ³ ; fume	TWA: 2 mg/m ³ ; fume	TWA: 2 mg/m ³ ; fume
Iron Oxides	TWA: 5 mg/m ³ ; respirable particulate matter	TWA: 5 mg/m ³ ; respirable fraction	TWA: 5 mg/m ³ ; respirable particulate matter	TWA: 5 mg/m ³ ; respirable particulate matter
Alumina	TWA: 1 mg/m ³ ; respirable particulate matter	TWA: 1 mg/m ³ ; respirable fraction	TWA: 1 mg/m ³ ; respirable particulate matter	TWA: 1 mg/m ³ ; respirable particulate matter
Alumina	TWA: 1 mg/m ³ ; respirable particulate matter	TWA: 1 mg/m ³ ; respirable fraction	TWA: 1 mg/m ³ ; respirable particulate matter	TWA: 1 mg/m ³ ; respirable particulate matter
Titanium Dioxide	TWA: 0.2 mg/m ³ ; nanoscale respirable particulate matter TWA: 2.5 mg/m ³ ; finescale respirable particulate matter	TWA: 10 mg/m ³ ;	TWA: 0.2 mg/m ³ ; nanoscale respirable particulate matter TWA: 2.5 mg/m ³ ; finescale respirable particulate matter	TWA: 0.2 mg/m ³ ; nanoscale respirable particulate matter TWA: 2.5 mg/m ³ ; finescale respirable particulate matter

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Mica	TWA: 3 mg/m ³ ; respirable fraction STEL: 6 mg/m ³ ; respirable fraction	TWA: 0.1 mg/m ³ ; respirable particulate matter	TWA: 3 mg/m ³ ; respirable fraction STEL: 6 mg/m ³ ; respirable fraction	TWA: 20 mppcf;
Synthetic Wax	TWA: 2 mg/m ³ ; STEL: 4 mg/m ³ ;	TWA: 2 mg/m ³ ; fume	TWA: 2 mg/m ³ ; STEL: 4 mg/m ³ ;	TWA: 2 mg/m ³ ; fume STEL: 6 mg/m ³ ; fume
Iron Oxides	TWA: 5 mg/m ³ ; dust and fume TWA: 10 mg/m ³ ; STEL: 10 mg/m ³ ; dust and fume STEL: 20 mg/m ³ ;	TWA: 5 mg/m ³ ; respirable particulate matter	TWA: 5 mg/m ³ ; dust and fume TWA: 10 mg/m ³ ; STEL: 10 mg/m ³ ; dust and fume STEL: 20 mg/m ³ ;	TWA: 5 mg/m ³ ; fume TWA: 30 mppcf; TWA: 10 mg/m ³ ; STEL: 10 mg/m ³ ; fume STEL: 20 mg/m ³ ;

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Alumina	-	TWA: 1 mg/m ³ ; respirable particulate matter	-	-
Alumina	TWA: 10 mg/m ³ ; STEL: 20 mg/m ³ ;	TWA: 1 mg/m ³ ; respirable particulate matter	TWA: 10 mg/m ³ ; STEL: 20 mg/m ³ ;	TWA: 30 mppcf; TWA: 10 mg/m ³ ; STEL: 20 mg/m ³ ;
Titanium Dioxide	TWA: 10 mg/m ³ ; STEL: 20 mg/m ³ ;	TWA: 0.2 mg/m ³ ; nanoscale respirable particulate matter TWA: 2.5 mg/m ³ ; finescale respirable particulate matter	TWA: 10 mg/m ³ ; STEL: 20 mg/m ³ ;	TWA: 30 mppcf; TWA: 10 mg/m ³ ; STEL: 20 mg/m ³ ;

Note

See section 16 for terms and abbreviations.

Other information on limit values

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Biological occupational exposure limits

This product, as supplied, contains materials that do not have reportable biological exposure limits or are not subject to the reporting requirements of the local jurisdiction.

Appropriate engineering controls

Engineering controls

All personal protective equipment should be based on a risk assessment. Consult an Environmental Health and Safety Expert if necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

None under normal use conditions. Avoid contact with eyes.

Hand protection

None under normal use conditions.

Skin and body protection

None under normal use conditions.

Respiratory protection

None under normal use conditions.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Solid
Physical state	Solid
Color	bronze
Odor (includes odor threshold)	No data available

Property

Values

Remarks • Method

Melting point / freezing point	No data available	
Boiling point (or initial boiling point or boiling range)	No data available	
Flammability (solid, gas)	No data available	
Flammability Limit in Air		
Upper flammability or explosive limits	No data available	

Lower flammability or explosive limits	No data available
Flash point	No data available
Autoignition temperature	No data available
Decomposition temperature	No data available
SADT (°C)	No data available
pH	No data available
pH (as aqueous solution)	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Solubility	
Water solubility	No data available
Partition coefficient n-octanol/water (log value)	No data available
Vapor pressure (includes evaporation rate)	No data available
Evaporation rate	No data available
Density and/or relative density	No data available
Bulk density	No data available
Liquid Density	No data available
Vapor density	No data available
Particle characteristics	
Particle Size	No data available
Particle Size Distribution	No data available
<u>Other information</u>	No information available

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No information available.
Eye contact	No information available.
Skin contact	No information available.
Ingestion	No information available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	None known.
----------	-------------

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Titanium dioxide has been classified by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B) and a potential carcinogen by OSHA by inhalation in powder form. This is not applicable to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium Dioxide 13463-67-7	A3 A3 – Confirmed Animal Carcinogen with Unknown Relevance to Humans	Group 2B	-	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly carcinogenic to humans

Occupational Safety and Health Administration of the US Department of Labor

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Polybutene 9003-29-6	-	-	-	EC50: >100mg/L (48h, Daphnia magna)
Caprylic/Capric Triglyceride 65381-09-1	EC50: >100mg/L (72h, Desmodesmus subspicatus) EC50: =50mg/L (96h,	LC50: >10000mg/L (96h, Brachydanio rerio)	-	EC50: =17mg/L (48h, Daphnia magna)

	Desmodesmus subspicatus)			
Iron Oxides 1309-37-1	-	LC50: =100000mg/L (96h, Danio rerio)	-	-
Octyldodecanol 5333-42-6	EC50: =100mg/L (72h, Desmodesmus subspicatus)	-	-	-

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Polybutene 9003-29-6	7.8

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused products Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not reuse empty containers. Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. Transport information

Note: The information provided in section 14 is intended to provide the user with guidance only on the proper shipping requirements for the finished product in the final packaging - NOT BULK. Transport classifications may vary by container volume and may be influenced by regional or country variations in regulations. It is the responsibility of the Shipper to ensure this product is shipped in accordance with all applicable regulations. Consult your company's Hazardous/Dangerous Goods Expert for information specific to your situation.

DOT Not regulated

TDG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to
Annex II of MARPOL and the IBC
Code Not applicable

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Alumina - 1344-28-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CAA (Clean Air Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Mica 12001-26-2	X	X	X
Synthetic Wax 8002-74-2	X	X	X
Iron Oxides 1309-37-1	X	X	X
Alumina 1344-28-1	X	X	X
Titanium Dioxide 13463-67-7	X	X	X
Alcohol Denat 64-17-5	X	X	X

16. Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MARPOL	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)

SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
Environmental Protection Agency
Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Issuing Date 16-Dec-2025

Revision Date 16-Dec-2025

Revision Note

Not applicable

Disclaimer

The information and recommendations contained herein are based upon tests believed to be reliable. However, Kenvue does not guarantee, warrant, or represent their accuracy or completeness nor shall any of this information constitute a warranty, whether expressed or implied, as to the safety of the goods, the merchantability of the goods, or the fitness of the goods for a particular purpose. Adjustment to conform to actual conditions of usage may be required. Kenvue assumes no responsibility, and shall have no liability, for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied. Any entity that approves, selects, uses, or otherwise obtains any SDS from or through Kenvue is solely responsible for confirming that the SDS it is applicable to and appropriate for the purpose for which the entity uses the SDS.

End of Safety Data Sheet