

**1. Identification**

**Product identifier** Act Anticavity Fluoride Mouthwash Mint (0.05% Fluoride)  
**Other means of identification** None.  
**Recommended use** Anitcavity Mouthwash  
**Recommended restrictions** None known.  
**Manufacturer/Importer/Supplier/Distributor information**  
**Company name** Chattem, Inc.  
**Address** 1715 West 38th Street  
 Chattanooga, TN 37409  
**Telephone** 1-800-366-6077  
**E-mail** consumer.affairs@chattem.com

**Emergency phone number** (800) 366-6833

**2. Hazard(s) identification**

**Physical hazards** Not classified.  
**Health hazards** Not classified.  
**OSHA defined hazards** Not classified.

**Label elements**

**Hazard symbol** None.  
**Signal word** None.  
**Hazard statement** Not available.

**Precautionary statement**

**Prevention** Not available.  
**Response** Not available.  
**Storage** Not available.  
**Disposal** Product is a consumer commodity. Empty containers may be disposed of as refuse.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

**3. Composition/information on ingredients**

**Mixtures**

Chemical name	CAS number	%
Sodium fluoride	7681-49-4	0.05

**4. First-aid measures**

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.  
**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.  
**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.  
**Ingestion** Seek medical attention, or call a poison control center immediately if overdosed.  
**Most important symptoms/effects, acute and delayed** Not available.

**Indication of immediate medical attention and special treatment needed**

Treat symptomatically.

**General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

**5. Fire-fighting measures**

**Suitable extinguishing media**

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media**

Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical**

During fire, gases hazardous to health may be formed.

**Special protective equipment and precautions for firefighters**

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Fire fighting equipment/instructions**

Move containers from fire area if you can do so without risk.

**Specific methods**

Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards**

No unusual fire or explosion hazards noted.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

Applies only to the product when used in an industrial setting. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up**

Industrial: Wipe up with absorbent material. Collect and place in a suitable disposal container. This material is not known to possess additional hazards when spilled, beyond those of other non-hazardous solids.

Household: Product used in household may be disposed of in refuse or sewer.

**Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

**7. Handling and storage**

**Precautions for safe handling**

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities**

Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

**8. Exposure controls/personal protection**

**Occupational exposure limits**

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Sodium fluoride (CAS 7681-49-4)	PEL	2.5 mg/m <sup>3</sup>

**US. OSHA Table Z-2 (29 CFR 1910.1000)**

Components	Type	Value	Form
Sodium fluoride (CAS 7681-49-4)	TWA	2.5 mg/m <sup>3</sup>	Dust.

## US. ACGIH Threshold Limit Values

Components	Type	Value
Sodium fluoride (CAS 7681-49-4)	TWA	2.5 mg/m3

## US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Sodium fluoride (CAS 7681-49-4)	TWA	2.5 mg/m3

## US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.

## Biological limit values

### ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Sodium fluoride (CAS 7681-49-4)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*

\* - For sampling details, please see the source document.

### Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Applies only to the product when used in an industrial setting. Wear safety glasses with side shields (or goggles).

#### Skin protection

##### Hand protection

Applies only to the product when used in an industrial setting. Wear protective gloves.

#### Skin protection

##### Other

Applies only to the product when used in an industrial setting. Wear suitable protective clothing.

#### Respiratory protection

Applies only to the product when used in an industrial setting. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

When using do not smoke.

## 9. Physical and chemical properties

### Appearance

#### Physical state

Liquid.

#### Form

Clear solution.

#### Color

Green.

#### Odor

Mint.

#### Odor threshold

Not available.

#### pH

5.8 - 7.4

#### Melting point/freezing point

Not available.

#### Initial boiling point and boiling range

> 193 °F (> 89.44 °C)

#### Flash point

> 200.0 °F (> 93.3 °C) Closed Cup ASTM D93

#### Evaporation rate

Not available.

#### Flammability (solid, gas)

Not applicable.

### Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1.05

### Solubility(ies)

Solubility (water) Completely Soluble.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature 1000 °F (537.78 °C)

Decomposition temperature Not available.

Viscosity > 500 cSt @ 25C

### Other information

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

## 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

**Possibility of hazardous reactions** No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products** Carbon oxides.

## 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics** Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

#### Acute toxicity

Components	Species	Test Results
Oxirane, 2-methyl-, Polymer With Oxirane (CAS 9003-11-6)		
<b>Acute</b>		
Oral		
LD50	Rat	> 2000 mg/kg
Sodium fluoride (CAS 7681-49-4)		
<b>Acute</b>		
Oral		
LD50	Rat	51.6 mg/kg

**Skin corrosion/irritation** No adverse effects due to skin contact are expected.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

## Carcinogenicity

### IARC Monographs. Overall Evaluation of Carcinogenicity

Sodium fluoride (CAS 7681-49-4) 3 Not classifiable as to carcinogenicity to humans.

### NTP Report on Carcinogens

Not listed.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Oxirane, 2-methyl-, Polymer With Oxirane (CAS 9003-11-6)		
<b>Aquatic</b>		
Crustacea	EC50 Invertebrates (Invertebrates)	> 100 mg/l, 48 hours

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

### Bioaccumulative potential

#### Partition coefficient n-octanol / water (log Kow)

Propylene glycol (CAS 57-55-6) -0.92

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Applies only to the product when used in an industrial setting. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Material is not a RCRA hazardous waste as generated.

**Waste from residues / unused products** For bulk quantities: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Product is a consumer commodity. Empty containers may be disposed of in refuse.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not established.

**15. Regulatory information**

**US federal regulations** This mixture is a product regulated by the FDA. Within the meaning of the OSHA Hazard Communication Standard [29 CFR 1910.1200]: this mixture is not considered a hazard when used in a manner consistent with the labeled directions.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Sodium fluoride (CAS 7681-49-4) LISTED

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories** Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**  
Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations****US. Massachusetts RTK - Substance List**

Sodium fluoride (CAS 7681-49-4)

**US. New Jersey Worker and Community Right-to-Know Act**

Propylene glycol (CAS 57-55-6)  
Sodium fluoride (CAS 7681-49-4)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Propylene glycol (CAS 57-55-6)  
Sodium fluoride (CAS 7681-49-4)

**US. Rhode Island RTK**

Sodium fluoride (CAS 7681-49-4)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 13-October-2015

**Revision date** 12-January-2017

**Version #** 02

**HMIS® ratings**  
 Health: 0  
 Flammability: 0  
 Physical hazard: 0

**Disclaimer** Chattem, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.