SAFETY DATA SHEET

1. Identification

Product identifier **GARNIER NUTRISSE GREEN REPAIR MASK**

Other means of identification

SDS number 00-12-0001049

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address:
L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address:
L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # :
1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Serious eye damage/eye irritation	Category 2A
Reproductive toxicity	Category 2

OSHA defined hazards Not classified.

Label elements

Signal word Warning

Hazard statement Causes serious eye irritation. Suspected of damaging fertility or the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
STEARAMIDOPROPYL DIMETHYLAMINE		7651-02-7	2.37
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL		8001-21-6	1
SALICYLIC ACID		69-72-7	0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL (CAS 8001-21-6)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL (CAS 8001-21-6)	TWA	5 mg/m3	Respirable mist.
		10 mg/m3	Total mist

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Cream.

Color Not available.

Odor Characteristic.

Odor threshold Not available.

pH 3.5 - 4.5

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
GARNIER NUTRISSE GREEN REPAIR MASK		
Acute		
Dermal		
ATEmix		263900 mg/kg
Oral		
ATEmix		60460 mg/kg

Components	Species	Test Results
SALICYLIC ACID (CAS 69-72-7)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Oral		
LD50	Rat	891 mg/kg OECD 401
STEARAMIDOPROPYL DIMETHYLAMINE (CAS 7651-02-7)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Rat	> 2000 mg/kg OECD 423

Skin corrosion/irritation No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin

SALICYLIC ACID	OECD 404 Result: Not Irritating Species: Rabbit
STEARAMIDOPROPYL DIMETHYLAMINE	OECE 404 Result: Slightly Irritating Species: Rabbit

Serious eye damage/eye irritation Causes serious eye irritation.

Irritation Corrosion - Eye

STEARAMIDOPROPYL DIMETHYLAMINE	OECD 405 Result: Corrosive Species: Rabbit
SALICYLIC ACID	Result: Severely Irritating Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

STEARAMIDOPROPYL DIMETHYLAMINE	OECD 406 Result: Not Sensitizing Species: Guinea pig
SALICYLIC ACID	OECD 429 Result: Not Sensitizing Species: Mouse

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

STEARAMIDOPROPYL DIMETHYLAMINE	Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Developmental effects

STEARAMIDOPROPYL DIMETHYLAMINE	200 mg/kg bw/d OECD 421, No effects on development Result: NOAEL Species: Rat
SALICYLIC ACID	75 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat

Reproductivity

SALICYLIC ACID	250 mg/kg bw/d OECD 416, Based on test data for structurally similar materials. Result: NOAEL Species: Rat
STEARAMIDOPROPYL DIMETHYLAMINE	70 mg/kg bw/d OECD 421 Result: NOAEL Species: Rat

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

STEARAMIDOPROPYL DIMETHYLAMINE	> 200 mg/kg bw/d OECD 411, Dermal Result: NOAEL Species: Rat Test Duration: 90 d
SALICYLIC ACID	700 mg/m3 air OECD 412, Based on test data for structurally similar materials. Result: NOEC Species: Rat Test Duration: 28 d

Aspiration hazard Not an aspiration hazard.

Further information The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
SALICYLIC ACID (CAS 69-72-7)			
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	870 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1370 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 202
STEARAMIDOPROPYL DIMETHYLAMINE (CAS 7651-02-7)			
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	0.14 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.381 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	0.1 - 1 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	100 - 1000 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.2 mg/l, 21 d OECD 211
Fish	NOEC	Danio rerio	0.1 mg/l, 9 d OECD 212

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

SALICYLIC ACID	100 % OECD 301 C Result: Readily Biodegradable Test Duration: 28 d

Biodegradability

Percent degradation (Aerobic biodegradation)

STEARAMIDOPROPYL DIMETHYLAMINE	88 % OECD 301 Result: Readily Biodegradable Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

SALICYLIC ACID	2.26

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date	09-15-2021
Version #	01
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

1. Identification

Product identifier **GARNIER NUTRISSE DEVELOPER - 20 VOLUME**

Other means of identification

SDS number 00-26-0000059

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address:
L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address:
L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # :
1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

OSHA defined hazards Not classified.

Label elements

Signal word Warning

Hazard statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
HYDROGEN PEROXIDE		7722-84-1	5.5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
HYDROGEN PEROXIDE (CAS 7722-84-1)	PEL	1.4 mg/m3
		1 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1.4 mg/m3
		1 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing.

Respiratory protection Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Cream.

Color White

Odor Not available.

Odor threshold Not available.

pH 3.5 - 4.5

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point > 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.9 - 1 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
GARNIER NUTRISSE DEVELOPER - 20 VOLUME		
Acute		
Inhalation		
Vapor		
ATEmix		200 mg/l
Oral		
ATEmix		12420 mg/kg

Components	Species	Test Results
HYDROGEN PEROXIDE (CAS 7722-84-1)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Inhalation		
Vapor		
LC0	Rat	170 mg/m³, 4 h OECD 403
Oral		
LD50	Rat	693.7 mg/kg OECD 401

Skin corrosion/irritation No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin

HYDROGEN PEROXIDE
OECD 404, 35% ≥ C < 50%
Result: Irritating
Species: Rabbit
OECD 404, C ≥ 50%
Result: Corrosive
Species: Rabbit

Serious eye damage/eye irritation Causes serious eye irritation.

Irritation Corrosion - Eye

HYDROGEN PEROXIDE
OECD 405, 5% ≥ C < 8%
Result: Irritating
Species: Rabbit
OECD 405, C ≥ 8%
Result: Corrosive
Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

HYDROGEN PEROXIDE
Result: Not Sensitizing
Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

HYDROGEN PEROXIDE
Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

HYDROGEN PEROXIDE (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

HYDROGEN PEROXIDE
0, C ≥ 35%
Result: Irritating

Specific target organ toxicity - repeated exposure Not classified.

HYDROGEN PEROXIDE
2.9 mg/L air OECD 412, Inhalation
Result: NOAEL
Species: Rat
Test Duration: 28 d

Specific target organ toxicity - repeated exposure

HYDROGEN PEROXIDE	26 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Mouse Test Duration: 90 d

Aspiration hazard Not an aspiration hazard.

Further information The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
HYDROGEN PEROXIDE (CAS 7722-84-1)			
Aquatic			
Acute			
Algae	EC50	Chlorella vulgaris	2.5 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia pulex	2.4 mg/l, 48 h
Fish	LC50	Pimephales promelas	16.4 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	2.5 mg/l, 30 min OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.63 mg/l, 21 d ASTM E 1193-97

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

HYDROGEN PEROXIDE	99 % OECD 209 Result: Readily Biodegradable

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

HYDROGEN PEROXIDE (CONC.> 52%) (CAS 7722-84-1) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
HYDROGEN PEROXIDE	7722-84-1	1000	1000		

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date 07-15-2021

Version # 01

NFPA ratings Health: 2
Flammability: 1
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

1. Identification

Product identifier **GARNIER NUTRISSE 5 FRUIT OIL AMPOULE**

Other means of identification

SDS number 00-12-0001192

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address:
L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address:
L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # :
1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Aspiration hazard Category 1

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement May be fatal if swallowed and enters airways.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
MINERAL OIL		8042-47-5	47.5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed Aspiration may cause pulmonary edema and pneumonitis.

Indication of immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Foam. Dry chemicals. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Cool containers exposed to heat with water spray and remove container, if no risk is involved.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Will burn if involved in a fire. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat and sources of ignition. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	PEL	5 mg/m3	Mist.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing.

Respiratory protection Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Oil

Color Not available.

Odor Characteristic.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point > 199.9 °F (> 93.3 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.88 - 0.9 g/cm3
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	No adverse effects due to eye contact are expected.
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

Acute toxicity May be fatal if swallowed and enters airways.

Components	Species	Test Results
MINERAL OIL (CAS 8042-47-5)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Inhalation		
Aerosol		
LC50	Rat	> 5 mg/L air, 4 h OECD 403
Oral		
LD50	Rat	> 5000 mg/kg OECD 401

Skin corrosion/irritation No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin

MINERAL OIL	OECD 404 Result: Not Irritating Species: Rabbit

Serious eye damage/eye irritation No adverse effects due to eye contact are expected.

Irritation Corrosion - Eye

MINERAL OIL	OECD 405 Result: Not Irritating Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

MINERAL OIL	OECD 406 Result: Not Sensitizing Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

MINERAL OIL	Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

MINERAL OIL (CAS 8042-47-5)	3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

MINERAL OIL	> 5000 mg/kg bw/d OECD 414, No effects on development Result: NOAEL Species: Rat

Reproductivity

MINERAL OIL	>= 2000 mg/kg bw/d OECD 415, No effects on fertility Result: NOAEL Species: Rat

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

MINERAL OIL	> 2000 mg/kg bw/d OECD 411, Dermal Result: NOAEL Species: Rat Test Duration: 90 d > 50 mg/m3 air OECD 412, Inhalation Result: NOAEC Species: Rat Test Duration: 28 d >= 1200 mg/kg bw/d OECD 453, Oral Result: NOAEL Species: Rat Test Duration: 2 years

Aspiration hazard May be fatal if swallowed and enters airways.

Further information The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
MINERAL OIL (CAS 8042-47-5)			
Aquatic			
Acute			
Algae	NOEL	Pseudokirchneriella subcapitata	> 100 mg/l, 72 h OECD 201
Crustacea	EL50	Daphnia magna	> 100 mg/l, 48 h OECD 202
Fish	LL50	Oncorhynchus mykiss	> 100 mg/l, 96 h OECD 203
Chronic			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 211

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

MINERAL OIL — 31 % OECD 301 F
Result: Not Readily Biodegradable

Bioaccumulative potential

Mobility in soil — No data available.

Other adverse effects — No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions — Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations — Dispose in accordance with all applicable regulations.

Waste from residues / unused products — Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging — Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations — This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)	Not regulated.

16. Other information, including date of preparation or last revision

Issue date	03-15-2022
Revision date	03-15-2022
Version #	02
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

1. Identification

Product identifier **GARNIER NUTRISSE HAIR COLOR - GROUP 1**

Other means of identification

SDS number 80-21-0000492

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address:
L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address:
L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # :
1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 1
Sensitization, skin	Category 1A

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statement

Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
AMMONIUM HYDROXIDE		1336-21-6	< 6
CETEARETH-25		68439-49-6	4
COCAMIDE MEA		90622-77-8	< 3
STEARIC ACID		57-11-4	< 3
TOLUENE-2,5-DIAMINE		95-70-5	< 2
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE		155601-30-2	< 2
P-PHENYLENEDIAMINE		106-50-3	< 2
HYDROXYBENZOMORPHOLINE		26021-57-8	< 2
2,4-DIAMINOPHENOXYETHANOL HCL		66422-95-5	< 2
N,N-BIS(2-HYDROXYETHYL)-p-PH ENYLENEDIAMINE SULFATE		54381-16-7	< 2
1-NAPHTHOL (CI 76605)		90-15-3	< 2
4-AMINO-2-HYDROXYTOLUENE		2835-95-2	< 1
HYDROXYETHYL-3,4-METHYLEN EDIOXYANILINE HCL		94158-14-2	< 0.9
P-AMINOPHENOL		123-30-8	< 0.6
M-AMINOPHENOL		591-27-5	≤ 0.7
6-HYDROXYINDOLE		2380-86-1	< 0.2
RESORCINOL		108-46-3	< 0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	PEL	35 mg/m3
		50 ppm
P-PHENYLENEDIAMINE (CAS 106-50-3)	PEL	0.1 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
AMMONIUM HYDROXIDE (CAS 1336-21-6)	STEL	35 ppm	
	TWA	25 ppm	
P-PHENYLENEDIAMINE (CAS 106-50-3)	TWA	0.1 mg/m3	
RESORCINOL (CAS 108-46-3)	STEL	20 ppm	

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
	TWA	10 ppm	
STEARIC ACID (CAS 57-11-4)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	STEL	27 mg/m3
		35 ppm
	TWA	18 mg/m3
		25 ppm
P-PHENYLENEDIAMINE (CAS 106-50-3)	TWA	0.1 mg/m3
RESORCINOL (CAS 108-46-3)	STEL	90 mg/m3
		20 ppm
	TWA	45 mg/m3
		10 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
TOLUENE-2,5-DIAMINE (CAS 95-70-5)	TWA	0.025 mg/m3
		0.005 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

P-PHENYLENEDIAMINE (CAS 106-50-3) Skin designation applies.

US - Tennessee OELs: Skin designation

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US WEEL Guides: Skin designation

TOLUENE-2,5-DIAMINE (CAS 95-70-5) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Cream.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	9.7 - 10.7
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 199.4 °F (> 93.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.9 - 1 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
GARNIER NUTRISSE HAIR COLOR - GROUP 1		
Acute		
Dermal		
ATEmix		15150 mg/kg
Oral		
ATEmix		1578 mg/kg
		1802 mg/kg

Components	Species	Test Results
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE (CAS 155601-30-2)		
Acute		
Inhalation		
Aerosol		
LD50	Rat	> 5.24 mg/m3, 4 h OECD 403
Oral		
LD50	Rat	> 2000 mg/kg OECD 401
1-NAPHTHOL (CI 76605) (CAS 90-15-3)		
Acute		
Dermal		
LD50	Rabbit	> 10000 mg/kg
2,4-DIAMINOPHENOXYETHANOL HCL (CAS 66422-95-5)		
Acute		
Oral		
LD50	Rat	1000 mg/kg OECD 401
4-AMINO-2-HYDROXYTOLUENE (CAS 2835-95-2)		
Acute		
Oral		
LD50	Rat	3600 mg/kg
6-HYDROXYINDOLE (CAS 2380-86-1)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Inhalation		
Aerosol		
LC50	Rat	> 2000 mg/m3, 4 h OECD 403
Oral		
LD50	Rat	600 - 1200 mg/kg

Components	Species	Test Results
AMMONIUM HYDROXIDE (CAS 1336-21-6)		
Acute		
Inhalation		
LC50	Rat	11590 mg/l, 1 h
Oral		
LD50	Rat	350 mg/kg OECD 401
CETEARETH-25 (CAS 68439-49-6)		
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
HYDROXYBENZOMORPHOLINE (CAS 26021-57-8)		
Acute		
Oral		
LD50	Rat	1000 - 2000 mg/kg OECD 401
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL (CAS 94158-14-2)		
Acute		
Oral		
LD50	Rat	1650 mg/kg OECD 401
M-AMINOPHENOL (CAS 591-27-5)		
Acute		
Inhalation		
LC50	Rat	1162 mg/m3
Oral		
LD50	Rat	924 mg/kg
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE (CAS 54381-16-7)		
Acute		
Dermal		
LD50	-	428 mg/kg
Inhalation		
LC50	-	0.9 mg/l, 4 h
Oral		
LD50	Rat	264 mg/kg
P-AMINOPHENOL (CAS 123-30-8)		
Acute		
Dermal		
LD50	Rabbit	> 8000 mg/kg EPA OPTTS 870.1200
Inhalation		
Dust		
LC50	Rat	> 3.42 mg/l, 4 h OECD 403
Oral		
LD50	Rat	671 mg/kg EPA OPPTS 870.1100
P-PHENYLENEDIAMINE (CAS 106-50-3)		
Acute		
Dermal		
LD50	Rabbit	> 7940 mg/kg
Inhalation		
Vapor or aerosol		
LC50	Rat	0.92 mg/l, 4 Hours
Oral		
LD50	Rat	80 - 100 mg/kg bw

Components	Species	Test Results
RESORCINOL (CAS 108-46-3)		
Acute		
Dermal		
LD50	Rabbit	2830 mg/kg FHSL Act
Inhalation		
Aerosol		
LC0	Rat	> 7800 mg/m³, 1 h FHSL Act
Oral		
LD50	Rat	510 mg/kg OECD 401
STEARIC ACID (CAS 57-11-4)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg bw OECD 434
Inhalation		
LC50	Rat	> 0.1621 mg/L air, 4 h
Oral		
LD50	Rat	> 5000 mg/kg bw OECD 401
TOLUENE-2,5-DIAMINE (CAS 95-70-5)		
Oral		
LD50	Rat	102 mg/kg OECD 401
Acute		
Dermal		
LD50	Rabbit	3520 mg/kg
Inhalation		
Dust		
LC50	Rat	0.99 mg/l, 4 h

Skin corrosion/irritation Causes severe skin burns and eye damage.

Irritation Corrosion - Skin

RESORCINOL	FHLS Act, (100%) Result: Irritating Species: Rabbit
AMMONIUM HYDROXIDE	OECD 404 Result: Corrosive Species: Rat
2,4-DIAMINOPHENOXYETHANOL HCL	OECD 404 Result: Not Irritating Species: Rabbit
6-HYDROXYINDOLE	OECD 404 Result: Not Irritating Species: Rabbit
HYDROXYBENZOMORPHOLINE	OECD 404 Result: Not Irritating Species: Rabbit
M-AMINOPHENOL	OECD 404 Result: Not Irritating Species: Rabbit
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	OECD 404 Result: Slightly Irritating Species: Rabbit
RESORCINOL	OECD 404, (2.5%) Result: Not Irritating Species: Rabbit
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 439 Result: Not Irritating Species: In vitro
TOLUENE-2,5-DIAMINE	OECD 439 Result: Not Irritating Species: In vitro

Irritation Corrosion - Skin

4-AMINO-2-HYDROXYTOLUENE	OECD 439 Result: Not Irritating Species: RhE
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL	OECD 439 Result: Not Irritating Species: RhE
P-PHENYLENEDIAMINE	Result: Not Irritating Species: Guinea pig
CETEARETH-25	Result: Not Irritating Species: Rabbit
STEARIC ACID	Result: Not Irritating Species: Rabbit
P-AMINOPHENOL	Result: Slightly Irritating Species: Rabbit

Serious eye damage/eye irritation Causes serious eye damage.

Irritation Corrosion - Eye

P-AMINOPHENOL	EPA OPPTS 870.2400 Result: Slightly Irritating Species: Rabbit
RESORCINOL	FHLS Act, (100%) Result: Corrosive Species: Rabbit
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	OECD 405 Result: Corrosive Species: Rabbit
6-HYDROXYINDOLE	OECD 405 Result: Corrosive Species: Rabbit
TOLUENE-2,5-DIAMINE	OECD 405 Result: Corrosive Species: Rabbit
2,4-DIAMINOPHENOXYETHANOL HCL	OECD 405 Result: Irritating Species: Rabbit
P-PHENYLENEDIAMINE	OECD 405 Result: Irritating Species: Rabbit
M-AMINOPHENOL	OECD 405 Result: Not Irritating Species: Rabbit
RESORCINOL	OECD 405, (2.5%) Result: Not Irritating Species: Rabbit
HYDROXYBENZOMORPHOLINE	OECD 405, OECD 405 Result: Irritating Species: Rabbit
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 438 Result: Irritating Species: In vitro
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL	OECD 492 Result: Irritating Species: RhCE
4-AMINO-2-HYDROXYTOLUENE	OECD 492 Result: Not Irritating Species: RhCE
AMMONIUM HYDROXIDE	Result: Corrosive
STEARIC ACID	Result: Not Irritating Species: Rabbit
CETEARETH-25	Result: Slightly Irritating Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Skin sensitization

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	EU Method B.6 - Cat 1 Result: Sensitizing Species: Guinea pig
HYDROXYBENZOMORPHOLINE	OECD 406 Result: Not sensitizing Species: Guinea pig
P-AMINOPHENOL	OECD 406 Result: Sensitizing Species: Guinea pig
2,4-DIAMINOPHENOXYETHANOL HCL	OECD 429 Result: Sensitizing Species: Mouse
4-AMINO-2-HYDROXYTOLUENE	OECD 429 Result: Sensitizing Species: Mouse
6-HYDROXYINDOLE	OECD 429 Result: Sensitizing Species: Mouse
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL	OECD 429 Result: Sensitizing Species: Mouse
M-AMINOPHENOL	OECD 429 Result: Sensitizing Species: Mouse
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	OECD 429 Result: Sensitizing Species: Mouse
P-PHENYLENEDIAMINE	OECD 429 Result: Sensitizing Species: Mouse
RESORCINOL	OECD 429 Result: Sensitizing Species: Mouse
TOLUENE-2,5-DIAMINE	OECD 429 Result: Sensitizing Species: Mouse
STEARIC ACID	Result: Not Sensitizing Species: Guinea pig
AMMONIUM HYDROXIDE	Result: Not Sensitzing Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	Result: In vitro and in vivo tests did not show mutagenic effects.
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	Result: In vitro tests did not show mutagenic effects
AMMONIUM HYDROXIDE	Result: In vitro tests did not show mutagenic effects
STEARIC ACID	Result: In vitro tests did not show mutagenic effects
2,4-DIAMINOPHENOXYETHANOL HCL	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.
HYDROXYBENZOMORPHOLINE	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.
M-AMINOPHENOL	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.
P-PHENYLENEDIAMINE	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.
RESORCINOL	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.
TOLUENE-2,5-DIAMINE	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.
4-AMINO-2-HYDROXYTOLUENE	Result: In vitro tests showed mutagenic effects which were not observed with in vivo tests.

Mutagenicity

6-HYDROXYINDOLE	Result: In vitro tests showed mutagenic effects which were not observed with in vivo tests.
P-AMINOPHENOL	Result: In vivo tests showed mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

P-PHENYLENEDIAMINE (CAS 106-50-3)	3 Not classifiable as to carcinogenicity to humans.
RESORCINOL (CAS 108-46-3)	3 Not classifiable as to carcinogenicity to humans.
TOLUENE-2,5-DIAMINE (CAS 95-70-5)	3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	>= 50 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
P-PHENYLENEDIAMINE	10 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
M-AMINOPHENOL	100 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
P-AMINOPHENOL	100 mg/kg bw/d OECD 421 Result: NOAEL Species: Rat
STEARIC ACID	1000 mg/kg bw/d OECD 422 Species: Rat
4-AMINO-2-HYDROXYTOLUENE	180 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
2,4-DIAMINOPHENOXYETHANOL HCL	20 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
RESORCINOL	250 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL	26 mg/kg bw/day OECD 414 Result: NOAEL Species: Rat
TOLUENE-2,5-DIAMINE	50 mg/kg bw/d OECD 414, Based on test data for structurally similar materials. Result: NOAEL Species: Rat
6-HYDROXYINDOLE	50 mg/kg bw/d Result: NOAEL Species: Rat
HYDROXYBENZOMORPHOLINE	500 mg/kg bw/d OECD 414, No effects on development Result: NOAEL Species: Rat

Reproductivity

TOLUENE-2,5-DIAMINE	>= 45 mg/kg bw/d OECD 416, Based on test data for structurally similar materials. Result: NOAEL Species: Rat
P-AMINOPHENOL	100 mg/kg bw/d OECD 421 Result: NOAEL Species: Rat
STEARIC ACID	1000 mg/kg bw/d OECD 422 Species: Rat
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d

Reproductivity

4-AMINO-2-HYDROXYTOLUENE	200 mg/kg bw/d OECD 415 Result: NOAEL Species: Rat
RESORCINOL	245 mg/kg bw/d OECD 416 Result: NOAEL Species: Rat
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	300 mg/kg bw/d OECD 415 Species: Rat

Specific target organ toxicity - single exposure Not classified.

AMMONIUM HYDROXIDE	Result: Highly Irritating

Specific target organ toxicity - repeated exposure Not classified.

P-AMINOPHENOL	10 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
TOLUENE-2,5-DIAMINE	10 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
6-HYDROXYINDOLE	100 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
STEARIC ACID	1000 mg/kg bw/d OECD 422 Result: NOAEL Species: Rat
HYDROXYBENZOMORPHOLINE	125 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
P-PHENYLENEDIAMINE	16 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
4-AMINO-2-HYDROXYTOLUENE	180 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 13 weeks
2,4-DIAMINOPHENOXYETHANOL HCL	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
M-AMINOPHENOL	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	250 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
RESORCINOL	80 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d

Specific target organ toxicity - repeated exposure

RESORCINOL — 991 mg/m³
Result: NOAEC
Species: Rat
Test Duration: 14 d

Aspiration hazard Not an aspiration hazard.

Further information May cause allergic respiratory and skin reactions. The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE (CAS 155601-30-2)			
Aquatic			
Acute			
Algae		Pseudokirchneriella subcapitata	5.33 mg/l, 72 h EU C.3
Crustacea	EC50	Daphnia magna	11.12 mg/l, 48 h TG 202
Fish	LC50	Danio rerio	86.2 mg/l, 96 h EU C.1
1-NAPHTHOL (CI 76605) (CAS 90-15-3)			
Aquatic			
Fish	LC50	Carp, hawk fish (Cirrhinus mrigala)	1.3 - 1.6 mg/l, 96 hours
2,4-DIAMINOPHENOXYETHANOL HCL (CAS 66422-95-5)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	36.5 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.4 mg/l, 48 h OECD 202
4-AMINO-2-HYDROXYTOLUENE (CAS 2835-95-2)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	41 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	2.3 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	25 mg/l, 96 h OECD 236
Other	EC50	Activated sludge of a predominantly domestic sewage	> 150 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.24 mg/l, 21 d OECD 211
6-HYDROXYINDOLE (CAS 2380-86-1)			
Acute			
Aquatic			
Acute			
Algae		Desmodesmus subspicatus	9.1 mg/l, 72 h
Crustacea	EC50	Daphnia magna	1.74 mg/l, 48 h
Fish	LC50	Danio rerio	21.7 mg/l, 96 h
Other	IC50	Activated sludge of a predominantly domestic sewage	> 0.9 mg/l, 3 d
AMMONIUM HYDROXIDE (CAS 1336-21-6)			
Aquatic			
Acute			
Algae	EC50	Chlorella vulgaris	2700 mg/l, 18 d
Crustacea	EC50	Daphnia magna	101 mg/l, 48 h ASTM E729-80
Fish	LC50	Oncorhynchus mykiss	0.89 mg/l, 96 h

Components		Species	Test Results
Chronic			
Crustacea	NOEC	Daphnia magna	0.79 mg/l, 21 d
Fish	NOEC	Oncorhynchus mykiss	1.2 mg/l, 61 d OECD 210
CETEARETH-25 (CAS 68439-49-6)			
Aquatic			
Acute			
Algae	EC50	Algae	10 - 100 mg/l
Crustacea	EC50	Daphnia magna	1 - 10 mg/l
Fish	LC50	Leuciscus idus	1 - 10 mg/l, 96 h
Other	EC0	Activated sludge of a predominantly domestic sewage	> 5000 mg/l
Chronic			
Algae	EC10	Algae	> 1 mg/l
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL (CAS 94158-14-2)			
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	17.9 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	2.67 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	106 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	77 mg/l, 3 h OECD 209
Chronic			
Algae	NOEC	Desmodesmus subspicatus	12.5 mg/l, 72 h OECD 201
M-AMINOPHENOL (CAS 591-27-5)			
Acute			
Other	IC50	Tetrahymena pyriformis	361 mg/l, 40 h
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	62 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.1 mg/l, 48 h DIN 38412, Pt. 11
Fish	LC50	Danio rerio	82.64 mg/l, 96 h OECD 203
Chronic			
Crustacea	NOEC	Daphnia magna	0.05 mg/l, 21 d OECD 211
Fish	NOEC	Oryzias latipes	25 mg/l, 25 d OECD 204
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE (CAS 54381-16-7)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	0.338 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.381 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	> 235 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	228 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.674 mg/l, 21 d OECD 211
P-AMINOPHENOL (CAS 123-30-8)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	> 0.253 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.182 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	0.82 mg/l, 96 h OECD 203

Components		Species	Test Results
Other	EC50	Activated sludge of a predominantly domestic sewage	29.9 mg/l, 3 h OECD 209
P-PHENYLENEDIAMINE (CAS 106-50-3)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	0.27 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.33 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	3.9 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	13.4 mg/l, 3 h OECD 209
RESORCINOL (CAS 108-46-3)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	> 97 mg/l, 97 h OECD 201
Crustacea	LC50	Daphnia magna	1 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	26.8 mg/l, 96 h EPA-660/3/75-009
Other		Activated sludge of a predominantly domestic sewage	79 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	>= 0.172 mg/l, 21 d
Fish	LOEC	Oncorhynchus mykiss	320 mg/l, 60 d
STEARIC ACID (CAS 57-11-4)			
Aquatic			
Algae	EC0	Pseudokirchneriella subcapitata	> 0.9 mg/l, 72 h
Crustacea	EC0	Daphnia magna	> 4.8 mg/l, 48 h
Fish	LC50	Leuciscus idus	> 10000 mg/l, 48 h
Other	EC50	Pseudomonas putida	> 883 mg/l, 30 min
TOLUENE-2,5-DIAMINE (CAS 95-70-5)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	1.02 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.491 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	0.05 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	3.75 mg/l, 3 h OECD 209
Chronic			
Algae	NOEC	Pseudokirchneriella subcapitata	0.11 mg/l, 72 h OECD 201

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	33.3 % EU C.4-E Result: Not readily biodegradable
4-AMINO-2-HYDROXYTOLUENE	0 % OECD 301 B Result: Not Readily Biodegradable Test Duration: 28 d
6-HYDROXYINDOLE	Result: Not Readily Biodegradable
CETEARETH-25	60 % OECD 301B Result: Readily Biodegradable Test Duration: 28 d
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL	0 - 16 % OECD 301 B Result: Not Readily Biodegradable Test Duration: 28 d

Biodegradability

Percent degradation (Aerobic biodegradation)

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	14.3 % OECD 301B Result: Not Readily Biodegradable Test Duration: 28 d
P-PHENYLENEDIAMINE	28 - 30 % OECD 301 D Result: Not Readily Biodegradable Test Duration: 28 d
RESORCINOL	66.7 % OECD 301 C Result: Readily Biodegradable Test Duration: 14 d
STEARIC ACID	Result: Readily Biodegradable
TOLUENE-2,5-DIAMINE	17 % OECD 301 D Result: Not Readily Biodegradable Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

1-NAPHTHOL (CI 76605)	2.85
4-AMINO-2-HYDROXYTOLUENE	-0.53 EU A.8 0.53 OECD 117
6-HYDROXYINDOLE	1.46 EU A.8
AMMONIUM HYDROXIDE	-2.66
HYDROXYBENZOMORPHOLINE	0.22
HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL	0.412 OECD 117 0.412, OECD 117
M-AMINOPHENOL	5.6
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	-2.8 -2.8 OECD 107
P-AMINOPHENOL	0.25
P-PHENYLENEDIAMINE	-0.25
RESORCINOL	0.8
STEARIC ACID	8.23
TOLUENE-2,5-DIAMINE	-0.321 OECD 107

Bioconcentration factor (BCF)

P-AMINOPHENOL	10 - 46 OECD 305 C

Bioaccumulation

P-AMINOPHENOL	Result: Bioaccumulation is unlikely.
TOLUENE-2,5-DIAMINE	Result: Bioaccumulation is unlikely.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), Limited Quantity
Class	8
Packing group	II

Transport hazard class(es)

Label(s) Limited Quantity

Packaging exceptions 154

LTD QTY Net Inner Capacity 1.0 L

BULK

UN number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE)

Class 8

Packing group II

Transport hazard class(es)

Label(s) 8

Special provisions B2, IB2, T11, TP2, TP27

Packaging non bulk 202

IATA

FINISHED GOODS

UN number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE)

Class 8

Packing group II

Transport hazard class(es)

Label(s) Class 8, Limited Quantity

ERG Number 8L

LTD QTY Net Inner Capacity 0.1 L

BULK

UN number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE)

Class 8

Packing group II

Environmental hazards

Marine pollutant Yes

ERG Number 8L

IMDG

FINISHED GOODS

UN number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE), Limited Quantity

Class 8

Packing group II

Environmental Hazards

Marine pollutant No.

Transport hazard class(es)

Label(s) Limited Quantity

EmS F-A, S-B

LTD QTY Net Inner Capacity 1.0 L

BULK

UN number UN1760

UN proper shipping name CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE)

Class 8

Packing group II

Environmental hazards

Marine pollutant No.

EmS F-A, S-B

General information IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

AMMONIUM HYDROXIDE (CAS 1336-21-6)	Listed.
P-PHENYLENEDIAMINE (CAS 106-50-3)	Listed.
RESORCINOL (CAS 108-46-3)	Listed.
TOLUENE-2,5-DIAMINE (CAS 95-70-5)	Listed.

SARA 304 Emergency release notification

Ammonia (CAS 1336-21-6)	100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
AMMONIUM HYDROXIDE	1336-21-6	100	500		

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
P-PHENYLENEDIAMINE	106-50-3	< 2
TOLUENE-2,5-DIAMINE	95-70-5	< 2

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

P-PHENYLENEDIAMINE (CAS 106-50-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

AMMONIUM HYDROXIDE (CAS 1336-21-6)

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

RESORCINOL (CAS 108-46-3)	Low priority

16. Other information, including date of preparation or last revision

Issue date	08-03-2022
Revision date	10-03-2023
Version #	03
NFPA ratings	Health: 3 Flammability: 1 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.