

HALLS SUGAR PRODUCT LABELS\_7-27-21

312546003460

Drug Facts		
Active Ingredients (per drop)	Purposes	
MENTHOL 2.5 mg	Cough suppressant, Oral anesthetic	
<b>Uses</b>		
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b>		
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.		
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)		
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens		
Keep out of reach of children.		
<b>Directions</b>		
Directions: adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed - children under 5 years: ask a doctor		
<b>Other Information</b>		
10 Calories per drop		
CONTAINS: SOY.		
Inactive ingredients: beta carotene, flavors, glucose syrup, honey, soy lecithin, sucrose, water		
<b>Questions ?</b>		
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546003507

Drug Facts		
Active Ingredients (per drop)	Purposes	
MENTHOL 2.5 mg	Cough suppressant, Oral anesthetic	
<b>Uses</b>		
- temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat - suppresses cough to help you sleep		
<b>Warnings</b>		
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.		
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)		
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens		
Keep out of reach of children.		
<b>Directions</b>		
Directions: adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed - children under 5 years: ask a doctor		
<b>Other Information</b>		
15 Calories per drop		
CONTAINS: SOY.		
Inactive ingredients: beta carotene, flavors, glucose syrup, glycerin, honey, soy lecithin, sucrose, titanium dioxide, water		
<b>Questions ?</b>		
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546001879 /312546002272 / 312546001893

Drug Facts		
Active Ingredients	(per drop)	Purposes
MENTHOL	1.8 mg	Cough suppressant, Oral anesthetic
<b>Uses</b> Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b> Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.  Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)  Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens  Keep out of reach of children.		
<b>Directions</b> Directions: adults and children 5 years and over: dissolve 3 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed - children under 5 years: ask a doctor		
<b>Other Information</b> 10 Calories per drop  CONTAINS: SOY.		
Inactive ingredients: FD&C blue 1, FD&C red 40, FD&C yellow 5 (tartrazine), flavors, glucose syrup, honey, soy lecithin, sucrose, water		
<b>Questions ?</b> Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546627499 / 312546621411 / 312546633391 / 312546002906/ 312546633391 / 312546003279 / 312546621534

Drug Facts		
Active Ingredients	(per drop)	Purposes
MENTHOL	5.8 mg	Cough suppressant, Oral anesthetic
<b>Uses</b> Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b> Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.  Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)  Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens  Keep out of reach of children.		
<b>Directions</b> Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor		
<b>Other Information</b> 10 Calories per drop  CONTAINS: SOY.		
Inactive ingredients: eucalyptus oil, FD&C blue 2, FD&C red 40, flavors, glucose syrup, soy lecithin, sucralose, sucrose, water.		
<b>Questions ?</b> Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546628694 / 312546621374 / 312546002920 / 312546633414 / 312546003286

Drug Facts		
Active Ingredients (per drop)	Purposes	
MENTHOL 7.5 mg	Cough suppressant, Oral anesthetic	
<b>Uses</b>		
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b>		
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.		
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)		
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens		
Keep out of reach of children.		
<b>Directions</b>		
Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor		
<b>Other Information</b>		
10 Calories per drop		
CONTAINS: SOY.		
Inactive ingredients: beta carotene, eucalyptus oil, flavors, glucose syrup, honey, soy lecithin, sucralose, sucrose, water		
<b>Questions ?</b>		
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546629363 / 312546621398 / 312546633377 / 312546621510

Drug Facts		
Active Ingredients (per drop)	Purposes	
MENTHOL 5.4 mg	Cough suppressant, Oral anesthetic	
<b>Uses</b>		
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b>		
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.		
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)		
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens		
Keep out of reach of children.		
<b>Directions</b>		
Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor		
<b>Other Information</b>		
10 Calories per drop		
CONTAINS: SOY.		
Inactive ingredients: citric acid, eucalyptus oil, FD&C blue 1, FD&C red 40, flavors, glucose syrup, potassium citrate, soy lecithin, sucrose, water.		
<b>Questions ?</b>		
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546623804 / 312546633438 / 312546001848

Drug Facts		
Active Ingredients (per drop)		Purposes
MENTHOL	2.7 mg	Cough suppressant, Oral anesthetic
<b>Uses</b> Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b> Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.  Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)  Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens  Keep out of reach of children.		
<b>Directions</b> Directions: adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed - children under 5 years: ask a doctor		
<b>Other Information</b> 10 Calories per drop  CONTAINS: SOY.		
Inactive ingredients: eucalyptus oil, FD&C red 40, flavors, glucose syrup, potassium citrate, soy lecithin, sucrose, water		
<b>Questions ?</b> Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546623682

Drug Facts		
Active Ingredients (per drop)		Purposes
MENTHOL	3.2 mg	Cough suppressant, Oral anesthetic
<b>Uses</b> Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b> Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.  Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)  Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens  Keep out of reach of children.		
<b>Directions</b> Directions: adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed - children under 5 years: ask a doctor		
<b>Other Information</b> 15 Calories per drop  CONTAINS: SOY.		
Inactive ingredients: eucalyptus oil, FD&C red 40, flavors, glucose syrup, potassium citrate, soy lecithin, sucrose, water		
<b>Questions ?</b> Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546000940

<b>Drug Facts</b>	
<b>Active Ingredient (per drop)</b>	<b>Purposes</b>
Menthol 20 mg	Oral anesthetic
<b>Uses</b> Temporarily relieves occasional minor irritation and pain associated with: -sore mouth -sore throat	
<b>Warnings</b> Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.  Stop use and ask a doctor if: - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens.  Keep out of reach of children.	
<b>Directions</b> Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor	
<b>Other Information</b>  10 Calories per drop <b>Contains: SOY.</b>	
Inactive ingredients: citric acid, eucalyptus oil, FD&C blue 1, flavors, glucose syrup, potassium citrate, soy lecithin, sucralose, sucrose, water	
<b>Questions?</b> Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>	

312546000926

<b>Drug Facts</b>		
<b>Active Ingredients (per drop)</b>	<b>Purposes</b>	
MENTHOL 18 mg	Oral anesthetic	
<b>Uses</b> Temporarily relieves occasional minor irritation and pain associated with: -sore mouth -sore throat		
<b>Warnings</b> Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.  Stop use and ask a doctor if: - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens.  Keep out of reach of children.		
<b>Directions</b> Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor		
<b>Other Information</b>  15 Calories per drop  CONTAINS: SOY.		
Inactive ingredients: citric acid, eucalyptus oil, FD&C blue 1, flavors, glucose syrup, potassium citrate, soy lecithin, sucrose, water.		
<b>Questions ?</b> Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546627710

Drug Facts	
Active Ingredients (per drop)	Purposes
MENTHOL 6.8 mg	Cough suppressant, Oral anesthetic
<b>Uses</b> Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.	
<b>Warnings</b> Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.  Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)  Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens  Keep out of reach of children.	
<b>Directions</b> Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor	
<b>Other Information</b> 15 Calories per drop  CONTAINS: SOY.	
Inactive ingredients: eucalyptus oil, FD&C blue 2, FD&C red 40, flavors, glucose syrup, soy lecithin, sucralose, sucrose, water.	
<b>Questions ?</b> Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>	

312546628724

Drug Facts	
Active Ingredients (per drop)	Purposes
MENTHOL 8.8 mg	Cough suppressant, Oral anesthetic
<b>Uses</b> Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.	
<b>Warnings</b> Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.  Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)  Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens  Keep out of reach of children.	
<b>Directions</b> Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor	
<b>Other Information</b> 15 Calories per drop  CONTAINS: SOY.	
Inactive ingredients: beta carotene, eucalyptus oil, flavors, glucose syrup, honey, soy lecithin, sucralose, sucrose, water	
<b>Questions ?</b> Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>	

312546629707

Drug Facts	
Active Ingredients (per drop)	Purposes
MENTHOL 6.4 mg	Cough suppressant, Oral anesthetic
<b>Uses</b>	
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.	
<b>Warnings</b>	
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.	
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)	
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens	
Keep out of reach of children.	
<b>Directions</b>	
Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor	
<b>Other Information</b>	
15 Calories per drop	
CONTAINS: SOY.	
Inactive ingredients: citric acid, eucalyptus oil, FD&C blue 1, FD&C red 40, flavors, glucose syrup, potassium citrate, soy lecithin, sucrose, water.	
<b>Questions ?</b>	
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>	

312546631540

Drug Facts	
Active Ingredients (per drop)	Purposes
MENTHOL 2.7 mg	Cough suppressant, Oral anesthetic
<b>Uses</b>	
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.	
<b>Warnings</b>	
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.	
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)	
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens	
Keep out of reach of children.	
<b>Directions</b>	
Directions: adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed - children under 5 years: ask a doctor	
<b>Other Information</b>	
10 Calories per drop	
CONTAINS: SOY.	
Inactive ingredients: beta carotene, eucalyptus oil, FD&C red 40, flavors, glucose syrup, potassium citrate, soy lecithin, sucrose, water	
<b>Questions ?</b>	
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>	

312546004054

Drug Facts	
Active Ingredients (per drop)	Purposes
MENTHOL 2.5 mg	Cough suppressant, Oral anesthetic
<b>Uses</b>	
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.	
<b>Warnings</b>	
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.	
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)	
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens	
Keep out of reach of children.	
<b>Directions</b>	
Directions: adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed - children under 5 years: ask a doctor	
<b>Other Information</b>	
10 Calories per drop	
CONTAINS: SOY.	
Inactive ingredients: acetic acid, beta carotene, flavors, glucose syrup, honey, soy lecithin, sucrose, water	
<b>Questions ?</b>	
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>	

312546629202

Drug Facts	
Active Ingredients (per drop)	Purposes
MENTHOL 7.6 mg	Cough suppressant, Oral anesthetic
<b>Uses</b>	
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.	
<b>Warnings</b>	
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.	
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)	
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens	
Keep out of reach of children.	
<b>Directions</b>	
Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor	
<b>Other Information</b>	
15 Calories per drop	
CONTAINS: SOY.	
Inactive ingredients: eucalyptus oil, FD&C blue 2, FD&C red 40, flavors, glucose syrup, glycerin, high fructose corn syrup, soy lecithin, sucrose, water	
<b>Questions ?</b>	
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>	

312546628229

Drug Facts		
Active Ingredients (per drop)	Purposes	
MENTHOL 7.5 mg	Cough suppressant, Oral anesthetic	
<b>Uses</b>		
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b>		
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.		
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)		
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens		
Keep out of reach of children.		
<b>Directions</b>		
Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor		
<b>Other Information</b>		
15 Calories per drop		
CONTAINS: SOY.		
Inactive ingredients: beta carotene, citric acid, eucalyptus oil, flavors, glucose syrup, glycerin, high fructose corn syrup, honey, lactic acid, potassium citrate, soy lecithin, sucrose, water		
<b>Questions ?</b>		
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546629288

Drug Facts		
Active Ingredients (per drop)	Purposes	
MENTHOL 8.2 mg	Cough suppressant, Oral anesthetic	
<b>Uses</b>		
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.		
<b>Warnings</b>		
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.		
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)		
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens		
Keep out of reach of children.		
<b>Directions</b>		
Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor		
<b>Other Information</b>		
10 Calories per drop		
CONTAINS: SOY.		
Inactive ingredients: eucalyptus oil, FD&C blue 1, flavors, glucose syrup, soy lecithin, sucrose, water		
<b>Questions ?</b>		
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>		

312546629103

Drug Facts	
<b>Active Ingredients (per drop)</b>	<b>Purposes</b>
MENTHOL 10 mg	Cough suppressant, Oral anesthetic
<b>Uses</b>	
Temporarily relieves: - cough due to a cold - occasional minor irritation or sore throat.	
<b>Warnings</b>	
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.	
Ask a doctor before use if you have: - persistent or chronic cough such as occurs with smoking, asthma, or emphysema - cough accompanied by excessive phlegm (mucus)	
Stop use and ask a doctor if: - cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. - sore mouth does not improve in 7 days - irritation, pain, or redness persists or worsens	
Keep out of reach of children.	
<b>Directions</b>	
Directions: adults and children 5 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed. - children under 5 years: ask a doctor	
<b>Other Information</b>	
15 Calories per drop	
CONTAINS: SOY.	
Inactive ingredients: eucalyptus oil, FD&C blue 1, flavors, glucose syrup, soy lecithin, sucrose, water	
<b>Questions ?</b>	
Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at <a href="http://www.gethalls.com">www.gethalls.com</a>	