

RESEALABLE BAG

TEAR HERE

MENTHOL • COUGH SUPPRESSANT/ORAL ANESTHETIC

# HALLS

SUGAR FREE

TRIPLE SOOTHING ACTION

- Soothes Sore Throats
- Relieves Coughs
- Cools Nasal Passages



COOLING FLAVOR METER

BLACK CHERRY FLAVOR



CODE DATE AREA

12546 62542 6  
 FPO 100% REFRESHING  
 Not for children under 4. MANDREZ INTERNATIONAL GROUP EAST HANOVER, NJ 07936 USA  
 CHONGS WARNING: DISTRI BUTED BY: MONDEZ GLOBAL LLC  
 www.gethalls.com

**Drug Facts**  
 Active ingredient (per drop): Menthol 2.5 mg, Cough suppressant, Oral anesthetic  
 Uses: temporarily relieves cough due to a cold, an occasional minor irritation or sore throat  
 Warnings: Do not exceed 10 drops per day. Do not use for more than 7 days. If cough is accompanied by fever, rash, or difficulty breathing, stop use. Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other cough suppressant or expectorant. Do not use if you are taking any other medicine for cough, cold, or flu. Do not use if you are taking any other medicine for pain, fever, or headache. Do not use if you are taking any other medicine for allergies, asthma, or emphysema. Do not use if you are taking any other medicine for heart disease, high blood pressure, or diabetes. Do not use if you are taking any other medicine for thyroid disease, kidney disease, or liver disease. Do not use if you are taking any other medicine for seizures, epilepsy, or Parkinson's disease. Do not use if you are taking any other medicine for depression, anxiety, or bipolar disorder. Do not use if you are taking any other medicine for schizophrenia, schizoaffective disorder, or psychotic disorder. Do not use if you are taking any other medicine for bipolar disorder, major depressive disorder, or major depressive disorder with psychotic features. Do not use if you are taking any other medicine for anxiety disorder, panic disorder, or agoraphobia. Do not use if you are taking any other medicine for obsessive-compulsive disorder, post-traumatic stress disorder, or specific phobia. Do not use if you are taking any other medicine for eating disorder, binge eating disorder, or bulimia nervosa. Do not use if you are taking any other medicine for alcohol use disorder, tobacco use disorder, or substance use disorder. Do not use if you are taking any other medicine for attention deficit hyperactivity disorder, conduct disorder, or oppositional defiant disorder. Do not use if you are taking any other medicine for tic disorder, Tourette syndrome, or chronic tic disorder. Do not use if you are taking any other medicine for autism spectrum disorder, intellectual disability, or global developmental delay. Do not use if you are taking any other medicine for epilepsy, seizure disorder, or convulsion. Do not use if you are taking any other medicine for bipolar disorder, major depressive disorder, or major depressive disorder with psychotic features. Do not use if you are taking any other medicine for anxiety disorder, panic disorder, or agoraphobia. Do not use if you are taking any other medicine for obsessive-compulsive disorder, post-traumatic stress disorder, or specific phobia. Do not use if you are taking any other medicine for eating disorder, binge eating disorder, or bulimia nervosa. Do not use if you are taking any other medicine for alcohol use disorder, tobacco use disorder, or substance use disorder. Do not use if you are taking any other medicine for attention deficit hyperactivity disorder, conduct disorder, or oppositional defiant disorder. Do not use if you are taking any other medicine for tic disorder, Tourette syndrome, or chronic tic disorder. Do not use if you are taking any other medicine for autism spectrum disorder, intellectual disability, or global developmental delay. Do not use if you are taking any other medicine for epilepsy, seizure disorder, or convulsion.

Based on Chase Your Food: Food Lists for Dieters. ©2014 Academy of Nutrition and Dietetics.  
 FOOD CHOICE FOR DIETERS™ - 1 FREE Food Choice per drop.  
 gethalls.com

Let the Cooling Flavor Meter guide you.



RESEALABLE BAG

TEAR HERE

**BONUS 20% MORE**

MENTHOL • COUGH SUPPRESSANT/ORAL ANESTHETIC

# HALLS

SUGAR FREE

TRIPLE SOOTHING ACTION

- Soothes Sore Throats
- Relieves Coughs
- Cools Nasal Passages



COOLING FLAVOR METER

HONEY LEMON FLAVOR



CODE DATE AREA

12546 63027 7  
 FPO 100% REFRESHING  
 Not for children under 4. MANDREZ INTERNATIONAL GROUP EAST HANOVER, NJ 07936 USA  
 CHONGS WARNING: DISTRI BUTED BY: MONDEZ GLOBAL LLC  
 www.gethalls.com

**Drug Facts**  
 Active ingredient (per drop): Menthol 2.5 mg, Cough suppressant, Oral anesthetic  
 Uses: temporarily relieves cough due to a cold, an occasional minor irritation or sore throat  
 Warnings: Do not exceed 10 drops per day. Do not use for more than 7 days. If cough is accompanied by fever, rash, or difficulty breathing, stop use. Do not use if you are pregnant or breastfeeding. Do not use if you are taking any other cough suppressant or expectorant. Do not use if you are taking any other medicine for cough, cold, or flu. Do not use if you are taking any other medicine for pain, fever, or headache. Do not use if you are taking any other medicine for allergies, asthma, or emphysema. Do not use if you are taking any other medicine for heart disease, high blood pressure, or diabetes. Do not use if you are taking any other medicine for thyroid disease, kidney disease, or liver disease. Do not use if you are taking any other medicine for seizures, epilepsy, or Parkinson's disease. Do not use if you are taking any other medicine for depression, anxiety, or bipolar disorder. Do not use if you are taking any other medicine for schizophrenia, schizoaffective disorder, or psychotic disorder. Do not use if you are taking any other medicine for bipolar disorder, major depressive disorder, or major depressive disorder with psychotic features. Do not use if you are taking any other medicine for anxiety disorder, panic disorder, or agoraphobia. Do not use if you are taking any other medicine for obsessive-compulsive disorder, post-traumatic stress disorder, or specific phobia. Do not use if you are taking any other medicine for eating disorder, binge eating disorder, or bulimia nervosa. Do not use if you are taking any other medicine for alcohol use disorder, tobacco use disorder, or substance use disorder. Do not use if you are taking any other medicine for attention deficit hyperactivity disorder, conduct disorder, or oppositional defiant disorder. Do not use if you are taking any other medicine for tic disorder, Tourette syndrome, or chronic tic disorder. Do not use if you are taking any other medicine for autism spectrum disorder, intellectual disability, or global developmental delay. Do not use if you are taking any other medicine for epilepsy, seizure disorder, or convulsion.

Based on Chase Your Food: Food Lists for Dieters. ©2014 Academy of Nutrition and Dietetics.  
 FOOD CHOICE FOR DIETERS™ - 1 FREE Food Choice per drop.  
 gethalls.com

Let the Cooling Flavor Meter guide you.









RESEALABLE BAG

TEAR HERE

DIETARY SUPPLEMENT DROPS

# HALLS

SUGAR FREE

## DEFENSE

100% Daily Value  
Antioxidant  
Vitamin C

IN EACH DROP



ASSORTED  
CITRUS  
NATURALLY AND ARTIFICIALLY FLAVORED

COOLING FLAVOR METER



25 DROPS

RESEALABLE BAG

TEAR HERE

DIETARY SUPPLEMENT DROPS

# HALLS

SUGAR FREE

## DEFENSE

Excellent Source  
of Antioxidant  
Vitamins C & E

IN EACH DROP



ENLARGED

POMEGRANATE  
BERRY  
ARTIFICIALLY FLAVORED

COOLING FLAVOR METER



17 DROPS

CODE DATE AREA



Assorted Citrus Halls Defense  
Drops are available in the  
following flavors: Lemon, Sweet  
Grapefruit and Orange. Assortment  
may vary.  
www.gethalls.com

CHOKING WARNING:  
Not for children  
under 4.

Amount Per Serving	% Daily Value*
Calories 5	
Total Carbohydrate 3g	1%
Sugars 0g	†
Sugar Alcohol 3g	†
Vitamin C 60mg	100%
Sodium 5mg	<1%

\* Percent Daily Values are based on a 2,000 calorie diet.  
† Daily Value not established.

### Supplement Facts

Serving Size 1 Drop

INGREDIENTS: SODIUM ASCORBATE, CITRIC ACID, ASCORBIC ACID, NATURAL AND ARTIFICIAL FLAVORING, ASPARTAME, ACESULFAME POTASSIUM, BETA CAROTENE (COLOR), SOY LECITHIN, RED 40. PHENYLETHANOLAMINE. CONTAINS PHENYLETHANOLAMINE. EXCESSIVE CONSUMPTION MAY HAVE A LAXATIVE EFFECT. CONTAINS: SOY. DISTRIBUTED BY: MONDELEZ GLOBAL LLC, EAST HANOVER, NJ 07936 USA. MADE IN CANADA. © Mondelez International group 04050037855000 / BAG-10220649

FOOD CHOICE FOR DIETITERS™ - FREE Food Choice Meter per drop. Based on House Your Foods. Food Lists for Dietitians. ©2014 Academy of Nutrition and Dietetics.

Let the Cooling Flavor Meter guide you. FIND YOUR LEVEL OF COOL!



CODE DATE AREA



100% PRESS DIRECTION  
www.gethalls.com

CHOKING WARNING:  
Not for children  
under 4.

Amount Per Serving	% Daily Value*
Calories 10	
Total Carbohydrate 4g	1%
Sugars 0g	†
Sugar Alcohol 4g	†
Vitamin C 30mg	50%
Vitamin E 7.5 IU	25%

\* Percent Daily Values are based on a 2,000 calorie diet.  
† Daily Value not established.

### Supplement Facts

Serving Size 1 Drop

INGREDIENTS: SODIUM ASCORBATE, XANTHAN GUM, LESS THAN 2% OF ACESULFAME POTASSIUM, ASCORBIC ACID, BETA CAROTENE (COLOR), BLUE 1, DATEM (EMULSIFIER), DL-ALPHA-TOCOPHERYL ACETATE, NATURAL AND ARTIFICIAL FLAVORING, RED 40, SORBITOL, SOY LECITHIN, SUCRALOSE. CONTAINS: SOY. DISTRIBUTED BY: MONDELEZ GLOBAL LLC, EAST HANOVER, NJ 07936 USA. MADE IN CANADA. © Mondelez International group 04050038283900 / BAG-10223588

FOOD CHOICE FOR DIETITERS™ - FREE Food Choice Meter per drop. Based on House Your Foods. Food Lists for Dietitians. ©2014 Academy of Nutrition and Dietetics.

Let the Cooling Flavor Meter guide you. FIND YOUR LEVEL OF COOL!



### Drug Facts

<i>Active ingredient (per drop)</i>	<i>Purposes</i>
Menthol 2.5 mg .....	Cough suppressant, Oral anesthetic

**Uses** temporarily relieves: ■ cough due to a cold  
■ occasional minor irritation or sore throat

### Warnings

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.

**Ask a doctor before use if you have:** ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema  
■ cough accompanied by excessive phlegm (mucus)

**Stop use and ask a doctor if:** ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ■ sore mouth does not improve in 7 days ■ irritation, pain, or redness persists or worsens

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed. ■ children under 5 years: ask a doctor

### Other information

■ excessive consumption may have a laxative effect  
■ <5 calories per drop ■ Contains: SOY.

**Inactive ingredients** beta carotene, citric acid, eucalyptus oil, flavors, isomalt, soy lecithin, sucralose, water

**Questions?** Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at [www.gethalls.com](http://www.gethalls.com)

**DISTRIBUTED BY MONDELEZ GLOBAL LLC**  
EAST HANOVER, NJ 07936 USA  
MADE IN CANADA 04050050398887  
© Mondelēz International group

**CHOKING WARNING:**  
Not for children under 4.  
[www.MDLZKidsSafe.com](http://www.MDLZKidsSafe.com)

**WARNING:**  
Closure flap may detach and pose a choking hazard.



\*Not recycled in all communities

### Drug Facts

<b>Active ingredient (per drop)</b>	<b>Purposes</b>
Menthol 2.9 mg .....	Cough suppressant, Oral anesthetic

**Uses** temporarily relieves: ■ cough due to a cold  
■ occasional minor irritation or sore throat

### Warnings

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.

**Ask a doctor before use if you have:** ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema  
■ cough accompanied by excessive phlegm (mucus)

**Stop use and ask a doctor if:** ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ■ sore mouth does not improve in 7 days ■ irritation, pain, or redness persists or worsens

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away

**Directions** ■ adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed.  
■ children under 5 years: ask a doctor

**Other information** ■ phenylketonurics: contains phenylalanine 1 mg per drop ■ excessive consumption may have a laxative effect  
■ <5 calories per drop ■ Contains: SOY.

**Inactive ingredients** acesulfame potassium, aspartame, eucalyptus oil, FD&C blue 2, FD&C red 40, flavors (includes cinnamon), isomalt, soy lecithin, water

**Questions?** Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or **visit our website at** [www.gethalls.com](http://www.gethalls.com)

**DISTRIBUTED BY MONDELEZ GLOBAL LLC**  
**EAST HANOVER, NJ 07936 USA**  
**MADE IN CANADA 04050050398886**  
© Mondelez International group

**CHOKING WARNING:**  
Not for children under 4.  
[www.MDLZKidsSafe.com](http://www.MDLZKidsSafe.com)

**WARNING:**  
Closure flap may detach and pose a choking hazard.



\*Not recycled in all communities

## Drug Facts

<b>Active ingredient (per drop)</b>	<b>Purposes</b>
Menthol 2.7 mg .....	Cough suppressant, Oral anesthetic

**Uses** temporarily relieves: ■ cough due to a cold  
■ occasional minor irritation or sore throat

### Warnings

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. These may be serious.

**Ask a doctor before use if you have:** ■ persistent or chronic cough such as occurs with smoking, asthma, or emphysema  
■ cough accompanied by excessive phlegm (mucus)

**Stop use and ask a doctor if:** ■ cough persists for more than 1 week, tends to recur, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition. ■ sore mouth does not improve in 7 days ■ irritation, pain, or redness persists or worsens

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ adults and children 5 years and over: dissolve 2 drops (one at a time) slowly in the mouth. Repeat every 2 hours as needed. ■ children under 5 years: ask a doctor

**Other information** ■ phenylketonurics: contains phenylalanine 0.5 mg per drop ■ excessive consumption may have a laxative effect ■ <5 calories per drop ■ Contains: SOY.

**Inactive ingredients** acesulfame potassium, aspartame, citric acid, eucalyptus oil, FD&C blue 1, FD&C red 40, flavors, isomalt, soy lecithin, water

**Questions?** Call 1-800-524-2854, Monday to Friday, 9 AM - 6 PM Eastern Time or visit our website at [www.gethalls.com](http://www.gethalls.com)

DISTRIBUTED BY MONDELEZ GLOBAL LLC

EAST HANOVER, NJ 07936 USA

MADE IN CANADA 04050050398879

© Mondeléz International group

#### CHOKING WARNING:

Not for children under 4.

[www.MDLZKidsSafe.com](http://www.MDLZKidsSafe.com)

#### WARNING:

Closure flap may detach and pose a choking hazard.

Empty Before Recycling



PLASTIC BOX

how2recycle.info

\*Not recycled in all communities