

1. Identification

Product identifier **SENSODYNE CLINICAL WHITE CLEAN MINT (1150 PPM F)**

Other means of identification

Product code MFC05967

Synonyms MFC05967

Recommended use Consumer Healthcare Product

Oral Care

This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.

Recommended restrictions No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

COMPANY NAME GlaxoSmithKline US

Address: 5 Moore Drive

 Research Triangle Park, NC 27709 USA

Telephone: +1-888-825-5249 (General Inquiries)

Email: msds@gsk.com

Website: www.gsk.com

EMERGENCY CONTACTS

Telephone: 3E GLOBAL INCIDENT RESPONSE

 +(1) 760 476 3971 (In country)

 +(1) 760 476 3962 or +(1) 866 519 4752 (International)

 24/7; multi-language response

Contract Number: 335879

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

 Serious eye damage/eye irritation Category 2A

 Sensitization, skin Category 1

Environmental hazards Hazardous to the aquatic environment, acute hazard Category 3

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life.

Precautionary statement**Prevention**

Avoid breathing mist/vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.

Response

If on skin: Wash with plenty of water/. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage

Not available.

Disposal

Not available.

Hazard(s) not otherwise classified (HNOC)

Assume that this product is capable of sustaining combustion.
See section 11 of the SDS for additional information on health hazards.

Supplemental information

1% of the mixture consists of component(s) of unknown acute oral toxicity. 37.6% of the mixture consists of component(s) of unknown acute dermal toxicity. 46.5% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 51.5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
AMORPHOUS SYNTHETIC SILICA GEL	AMORPHOUS PRECIPITATED SILICA AMORPHOUS SYNTHETIC SILICA GEL CRYSTAL FREE SILICA GEL SYNTHETIC AMORPHOUS SILICA PRECIPITATED SILICA SILICA GEL SILICA GEL, CRYSTAL-FREE SILICA GEL, PRECIPITATED, CRYSTAL-FREE SILICA, HYDRATED AMORPHOUS SILICON DIOXIDE SYNTHETIC AMORPHOUS SILICA (PRECIPITATED) SYNTHETIC AMORPHOUS SILICON DIOXIDE SYNTHETIC CRYSTALLINE-FREE SILICA GEL ABSIL100C MFIL LV SORBOSIL AC36 ZEODENT 113 ZEODENT 116 ZEODENT 124 ZEODENT 153 SILICA, DENTAL TYPE (MEDIUM THICKENING SILICA) SILICA, DENTAL TYPE (MEDIUM ABRASIVE SILICA) TIXOSIL 73 SILICA, AMORPHOUS: SILICA GEL SILICA GEL (INSPIRABLE FRACTION)	112926-00-8	10 - < 20
GLYCERIN	GLYCEROL GLYCERIN ANHYDROUS GLYCERINE GLYCERITOL GLYCYL ALCOHOL 1,2,3-PROPANETRIOL PROPANETRIOL GLYROL GLYSANIN TRIHIDROXYPROPANE 1,2,3-TRIHIDROXYPROPANE OSMOGLYN	56-81-5	10 - < 20
POTASSIUM NITRATE	NITRIC ACID POTASSIUM SALT NITRIC ACID POTASSIUM SALT (1:1)	7757-79-1	5 - < 10

Chemical name	Common name and synonyms	CAS number	%
SODIUM TRIPOLYPHOSPHATE	TRIPHOSPHORIC ACID, PENTASODIUM SALT PENTASODIUM TRIPHOSPHATE PENTASODIUM TRIPOLYPHOSPHATE SODIUM TRIPHOSPHATE SODIUM POLYPHOSPHATE SODIUM PHOSPHATE	7758-29-4	5 - < 10
POLYETHYLENE GLYCOL (LIQUID)	ALPHA-HYDRO-OMEGA-HYDROXY-PO LY(OXY-1,2-ETHANEDIYL) ETHYLENE GLYCOL HOMOPOLYMER ETHYLENE GLYCOL POLYMER GLYCOLS, POLYETHYLENE PEG PEG 1000 PEG 1450 PEG 200 PEG 300 PEG 400 PEG 4000 PEG 600 PEG 6000 POLY(ETHYLENE ETHER)GLYCOL POLY(OXY-1,2-ETHANEDIYL), .ALPHA.-HYDRO.-OMEGA. POLYETHYLENE GLYCOL POLYETHYLENE GLYCOL 1000 POLYETHYLENE GLYCOL 1450 POLYETHYLENE GLYCOL 200 POLYETHYLENE GLYCOL 300 POLYETHYLENE GLYCOL 400 POLYETHYLENE GLYCOL 4000 POLYETHYLENE GLYCOL 600 POLYETHYLENE GLYCOL 6000 POLYETHYLENGLYKOLE (PEG) (MOLMASSE 200-600) RTECS TQ3630000	25322-68-3	3 - < 5
ALUMINA	ALUMINA OXIDE ALUMINIUM OXIDE ALUMINUM OXIDE ALUMINUM TRIOXIDE	1344-28-1	1 - < 3
DODECYL SODIUM SULFATE	SODIUM DODECYL SULPHATE DODECYL SULFATE, SODIUM SALT SODIUM LAURYL SULPHATE LAURYL SULFATE SODIUM SALT SLS	151-21-3	1 - < 3
OPTAMINT INDIANA 888401		Mixture	1 - < 3
CARRAGEENAN	CARRAGEENAN GUM CARRAGEENIN GUM CHOND GELCARIN HWG CHONDRUS EXTRACT VISCARIN CELLOID J GELOZONE GENUVISCO CARRAGEEN CARRAGHEANIN	9000-07-1	< 1

Chemical name	Common name and synonyms	CAS number	%
COCAMIDOPROPYL BETAINE	COCOAMIDO BETAINE N-(COCO ALKYL) AMIDO PROPYL DIMETHYL BETAINE COCONUT OIL AMIDOPROPYL BETAINE E 1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DI M 1-PROPANAMINIUM, 3-AMINO-N-(CARBOXYMETHYL)-N,N-DI METHYL-, N-COCO ACYL DERIVATIVES, HYDROXIDES, INNER SALTS 1-PROPANAMINIUM,3-AMINO-N-(CARB OXYMETHYL)-N,N-DIMETHYL-,N-COCO ACYL DERIVS.,HYDROXIDES,INNER SALTS Tego Betain CK D	61789-40-0	< 1
SODIUM HYDROXIDE	CAUSTIC SODA LYE SODIUM HYDRATE HIDROXIDO SODICO HIDRÓXIDO DE SÓDIO CAUSTIC SODA SOLUTION Caustic soda (as NaOH) Soda lye Soda, caustic	1310-73-2	< 1
TITANIUM DIOXIDE	TITANIUM OXIDE TITANIUM(IV) OXIDE TITANIUM PEROXIDE (TiO ₂) PIGMENT WHITE 6	13463-67-7	< 1
XANTHAN GUM	ACTIGUM CX 9 BIOPOLYMER XB-23 XANTHAN GUM BIOZAN R ENORFLO X FLOCON 1035 GALAXY XB KELFLO KELTROL (GUM) KELZAN KENTROL POLYSACCHARIDE B 1459 RHODOPOL 23 XANFLOOD XANTHOMONAS GUM	11138-66-2	< 1
SODIUM FLUORIDE	SODIUM MONOFLUORIDE NATURAL VILLIAUMITE	7681-49-4	< 0.3
Other components below reportable levels			50 - < 60

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged skin contact may cause temporary irritation. Irritation of eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Dry powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Water.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Assume that this product is capable of sustaining combustion.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

GSK Components	Type	Value	Form
CARRAGEENAN (CAS 9000-07-1)	OHC	1	>1000 - <=5000 mcg/m ³
COCAMIDOPROPYL BETAINE (CAS 61789-40-0)	OHC	1	>1000 - ≤5000 mcg/m ³
	PDE	3000 mcg/day 10000 mcg/day	Parenteral, Inhalation Oral, Dermal
DODECYL SODIUM SULFATE (CAS 151-21-3)	OHC	1	>1000 - ≤5000 mcg/m ³
OPTAMINT INDIANA 888401	OHC	3	>10 - <=100 mcg/m ³ SKIN SENSITISER
POTASSIUM NITRATE (CAS 7757-79-1)	OHC	3	>10 - <= 100 mcg/m ³ PROVISIONAL

GSK Components	Type	Value	Form
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)	OHC	1	
XANTHAN GUM (CAS 11138-66-2)	OHC	1	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
ALUMINA (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
SODIUM FLUORIDE (CAS 7681-49-4)	PEL	2.5 mg/m3	
SODIUM HYDROXIDE (CAS 1310-73-2)	PEL	2 mg/m3	
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.

US. OSHA Table Z-2 (29 CFR 1910.1000)

Components	Type	Value	Form
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3	Dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
ALUMINA (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
AMORPHOUS SYNTHETIC SILICA GEL (CAS 112926-00-8)	TWA	0.8 mg/m3	
		20 mppcf	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3	
SODIUM HYDROXIDE (CAS 1310-73-2)	Ceiling	2 mg/m3	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	2.5 mg/m3	Respirable finescale particles
		0.2 mg/m3	Respirable nanoscale particles

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
AMORPHOUS SYNTHETIC SILICA GEL (CAS 112926-00-8)	TWA	6 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3
SODIUM HYDROXIDE (CAS 1310-73-2)	Ceiling	2 mg/m3

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
POLYETHYLENE GLYCOL (LIQUID) (CAS 25322-68-3)	TWA	10 mg/m3	Aerosol.

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
SODIUM FLUORIDE (CAS 7681-49-4)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls

An Exposure Control Approach (ECA) is established for operations involving this material based upon the OEL/Occupational Hazard Category and the outcome of a site- or operation-specific risk assessment. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended. (e.g. EN 166).

Skin protection

Hand protection Select suitable chemical resistant protective gloves (EN 374) with a protective index 6 (>480min permeation time).

Other Wear suitable protective clothing as protection against splashing or contamination. (EN 14605 for splashes, EN ISO 13982 for dust).

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Where breathable aerosols/dust are formed, use suitable combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (eg. EN 14387).

Thermal hazards Not available.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. For advice on suitable monitoring methods, seek guidance from a qualified environment, health and safety professional.

9. Physical and chemical properties**Appearance**

Physical state Liquid.
Form Paste.Pump/tube
Color Not available.

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	36.5 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	May cause an allergic skin reaction. Prolonged skin contact may cause temporary irritation.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May be harmful if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics Prolonged skin contact may cause temporary irritation. Irritation of eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity May be harmful if swallowed.

Components	Species	Test Results
AMORPHOUS SYNTHETIC SILICA GEL (CAS 112926-00-8)		
Acute		
Oral		
LD50	Rat	> 5000 mg/kg
CARRAGEENAN (CAS 9000-07-1)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LCLo	Rat	> 930 mcg/m3
Oral		
LD50	Rat	> 5000 mg/kg

Components	Species	Test Results
COCAMIDOPROPYL BETAINE (CAS 61789-40-0)		
Acute		
Oral		
LD50	Mouse	> 2000 mg/kg
DODECYL SODIUM SULFATE (CAS 151-21-3)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	1288 mg/kg
GLYCERIN (CAS 56-81-5)		
Acute		
Oral		
LD50	Rat	> 2000 mg/kg
POLYETHYLENE GLYCOL (LIQUID) (CAS 25322-68-3)		
Acute		
Oral		
LD50	Rat	> 20 g/kg
POTASSIUM NITRATE (CAS 7757-79-1)		
Acute		
Dermal		
LD50	Rat	> 5000 mg/kg, 24 Hours
Oral		
LD50	Rat	> 2000 mg/kg
SODIUM FLUORIDE (CAS 7681-49-4)		
Acute		
Oral		
LD50	Rat	51.6 mg/kg
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)		
Acute		
Oral		
LD50	Rat	3120 mg/kg
TITANIUM DIOXIDE (CAS 13463-67-7)		
Acute		
Inhalation		
LC50	Rat	6820 mcg/m3
Oral		
LD50	Rat	> 24 g/kg
Chronic		
Inhalation		
LOEC	Rat	8.6 mg/m3, 1 years TiO2 accumulated in interstitial macrophages, aggregated interstitial cells and particle laden macrophages in lymphoid tissue.
NOAEC	Rat	250 mg/m3, 2 years Highest dose 5 mg/m3, 24 months
Subacute		
Inhalation		
LOEL	Rat	0.1 - 35 mg/m3, 4 weeks Mild macrophage hyperplasia, no change in bronchio-alveolar lavage fluid.
NOAEC	Guinea pig	26 mg/m3, 3 weeks No evidence of significant inflammation in respiratory tract.

Components	Species	Test Results
Oral NOAEL	Rat	100000 ppm, 14 Day Dietary study, highest dose tested.
<u>Subchronic</u>		
Inhalation LOEC	Rat	3.2 - 20 mg/m ³ , 8 min Accumulation of TiO ₂ in macrophages and evidence of pulmonary inflammation.
XANTHAN GUM (CAS 11138-66-2)		
<u>Acute</u>		
Inhalation LC50	Rat	> 21 mg/l, 1 hour exposure
Oral LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Health injuries are not known or expected under normal use. May cause skin irritation.	
Corrosivity SODIUM HYDROXIDE	Literature search Result: Causes severe burns.	
Irritation Corrosion - Skin TITANIUM DIOXIDE	0, Literature data Result: Non-irritant Species: Guinea pig 0, Literature data Result: Non-irritant Species: Human Acute dermal irritation; OECD 404, Literature data Result: Non-irritant Species: Rabbit	
Serious eye damage/eye irritation	Health injuries are not known or expected under normal use. Direct contact with eyes may cause temporary irritation.	
Eye SODIUM HYDROXIDE	Literature search Result: Causes severe burns.	
TITANIUM DIOXIDE	OECD 405, Literature data Result: Mild irritant Species: Rabbit	
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	May cause an allergic skin reaction. Health injuries are not known or expected under normal use.	
Sensitization TITANIUM DIOXIDE	5 % Optimisation Test, Literature data - Vehicle: petrolatum Result: Negative Species: Guinea pig Test Duration: 48 hour exposure Patch test, Literature data Result: Negative Species: Human	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Mutagenicity TITANIUM DIOXIDE	Ames, Literature data Result: Negative Micronucleus Assay in vitro, CHO cells, Literature data Result: Negative Micronucleus Assay in vitro, cultured human peripheral lymphocytes, Literature data Result: Positive Syrian Hamster Embryo (SHE) cell transformation assay Result: Negative	

Mutagenicity
TITANIUM DIOXIDE

WIL2-NS HPRT/ t-Thioguanidine - Human B-Cell lymphoblastoid, Literature data
Result: Positive

Carcinogenicity

Carcinogenic effects are not expected as a result of occupational exposure. Contains a material (potassium nitrate) classified as a carcinogen by external agencies.

TITANIUM DIOXIDE

0.5 mg/m3, Literature data
Result: Negative
Species: Rat
Test Duration: 24 months
0.72 - 14.8 mg/m3, Literature data
Result: Negative
Species: Mouse
10 - 250 mg/m3, Dietary study - Literature data.
Result: Inflammation at all doses with alveolar/bronchiolar adenoma at the highest concentration.
Species: Rat
Test Duration: 24 months
25000 - 50000 ppm, Dietary study - Literature data.
Result: Negative
Species: Rat
25000 - 50000 ppm, Dietary study
Result: Negative
Species: Mouse
7.2 - 14.8 mg/m3, Literature data
Result: Lung tumour
Species: Rat
Test Duration: 24 months

IARC Monographs. Overall Evaluation of Carcinogenicity

AMORPHOUS SYNTHETIC SILICA GEL (CAS 112926-00-8) 3 Not classifiable as to carcinogenicity to humans.
CARRAGEENAN (CAS 9000-07-1) 3 Not classifiable as to carcinogenicity to humans.
POTASSIUM NITRATE (CAS 7757-79-1) 2A Probably carcinogenic to humans.
SODIUM FLUORIDE (CAS 7681-49-4) 3 Not classifiable as to carcinogenicity to humans.
TITANIUM DIOXIDE (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure None known.

Specific target organ toxicity - repeated exposure None known.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

Further information Occupational exposure to the substance or mixture may cause adverse effects.

12. Ecological information

Ecotoxicity Harmful to aquatic life. Contains a substance which causes risk of hazardous effects to the environment.

Components	Species	Test Results
COCAMIDOPROPYL BETAINE (CAS 61789-40-0)		
Aquatic		
<i>Acute</i>		
Algae	EC50	Green algae (Scenedesmus subspicatus) 0.55 mg/l, 96 hours
	NOEC	Green algae (Scenedesmus subspicatus) 0.09 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna) 6.5 mg/l, 48 hours
	NOEC	Water flea (Daphnia magna) 1.6 mg/l, 48 hours

Components		Species	Test Results
Fish	EC50	Zebra fish (Adult Brachydanio rerio)	2 mg/l, 96 hours semi-static test conditions
	NOEC	Zebra fish (Adult Brachydanio rerio)	1.7 mg/l, 96 hours semi-static test conditions
Microtox	MIC	Pseudomonas	> 3000 mg/l, 16 hours
<i>Chronic</i>			
Crustacea	LOEC	Water flea (Daphnia magna)	3.6 mg/l, 21 days
	NOEC	Water flea (Daphnia magna)	0.9 mg/l, 21 days
DODECYL SODIUM SULFATE (CAS 151-21-3)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	5.4 mg/l, 48 hours Static test
Fish	EC50	Rainbow trout (Adult Oncorhynchus mykiss)	4.6 mg/l, 96 hours Flow-through test
<i>Chronic</i>			
Algae	NOEC	Green algae (Desmodesmus subspicatus)	30 mg/l, 72 hours
Crustacea	NOEC	Ceriodaphnia dubia	0.88 mg/l, 7 days Flow-through Test
Fish	NOEC	Fathead minnow (Pimephales promelas)	3.8 mg/l, 28 days Flow-through test
POLYETHYLENE GLYCOL (LIQUID) (CAS 25322-68-3)			
Aquatic			
<i>Acute</i>			
Fish	LC50	Atlantic salmon (Salmo salar)	> 1000 mg/l, 96 hours
		Crucian carp (Carassius carassius)	> 20000 mg/l, 96 hours
		Rainbow trout,donaldson trout (Oncorhynchus mykiss)	> 20000 mg/l, 96 hours
POTASSIUM NITRATE (CAS 7757-79-1)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	490 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	420 mg/l, 96 hours Static test
		Guppy (Juvenile Poecilia reticulata)	180 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	22.5 mg/l, 96 hours Static test
SODIUM FLUORIDE (CAS 7681-49-4)			
<i>Acute</i>			
	IC50	Activated sludge	2930 mg/L, 3 hours
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	272 mg/L, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	340 mg/L, 48 hours Static test
Fish	EC50	Fathead minnow (Juvenile Pimephales promelas)	180 mg/L, 96 hours Static renewal test
		Mosquito fish (Adult Gambusia affinis)	418 mg/L, 96 hours Static test
		Rainbow trout (Juvenile Oncorhynchus mykiss)	108 mg/L, 96 hours Static test
SODIUM HYDROXIDE (CAS 1310-73-2)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Mosquito fish (Adult Gambusia affinis)	125 mg/l, 96 hours Static test

Components	Species	Test Results
	Rainbow trout (Adult Oncorhynchus mykiss)	45.4 mg/l, 96 hours Static test
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)		
<i>Acute</i>		
IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic		
<i>Acute</i>		
Algae	EC50	Algae > 60 to < 120 mg/l
Crustacea	EC50	Water flea (Daphnia magna) 1089 mg/l, 50 hours
Fish	EC50	Golden ide/orfe (Adult Leuciscus idus) 1650 mg/l, 48 hours
		Orange-red killfish (Adult Oryzias latipes) 590 mg/l, 48 hours Static test
TITANIUM DIOXIDE (CAS 13463-67-7)		
Aquatic		
Fish	LC50	Mummichog (Fundulus heteroclitus) > 1000 mg/l, 96 hours
<i>Acute</i>		
Crustacea	EC50	Water flea (Daphnia magna) > 1000 mg/l, 48 hours Static test
XANTHAN GUM (CAS 11138-66-2)		
Aquatic		
<i>Acute</i>		
Fish	EC50	Rainbow trout (Adult Oncorhynchus mykiss) 420 mg/l, 96 hours Static test

Persistence and degradability No data is available on the degradability of this product.

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

COCAMIDOPROPYL BETAINE 97 %, 28 days Modified Zahn-Wellens, DOC removal., Activated sludge
99 %, 28 days Modified Zahn-Wellens, DOC removal., Activated sludge

Percent degradation (Aerobic biodegradation-ready)

COCAMIDOPROPYL BETAINE 100 %, 20 Days Modified Sturm test., Activated sludge
84 %, 30 days Closed bottle test, Activated sludge
DODECYL SODIUM SULFATE 95 % OECD 301 B

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

DODECYL SODIUM SULFATE 1.6
GLYCERIN -1.76

Bioconcentration factor (BCF)

SODIUM FLUORIDE 2.3 Measured

Mobility in soil No data available.

Mobility in general Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as a dangerous good.

Read safety instructions, SDS and emergency procedures before handling.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SODIUM FLUORIDE (CAS 7681-49-4) Listed.

SODIUM HYDROXIDE (CAS 1310-73-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Skin corrosion or irritation
Serious eye damage or eye irritation
Respiratory or skin sensitization

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ALUMINA	1344-28-1	1 - < 3
POTASSIUM NITRATE	7757-79-1	5 - < 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Contains component(s) regulated under the Safe Drinking Water Act.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

US state regulations

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

SODIUM HYDROXIDE (CAS 1310-73-2)

TITANIUM DIOXIDE (CAS 13463-67-7)

California Proposition 65



WARNING: This product can expose you to TITANIUM DIOXIDE, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 04-06-2023

Version # 01

HMIS® ratings
Health: 2*
Flammability: 1
Physical hazard: 0

NFPA ratings
Health: 2
Flammability: 1
Instability: 0

References GSK Hazard Determination.

Disclaimer The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.