

1. Identification

Product identifier	POLIDENT ACTIVE BUBBLES 3-MINUTE (PROJECT CLARK) MFC06162
Other means of identification	
Product code	MFC06162
Synonyms	PROJECT CLARK * MFC06162
Recommended use	This safety data sheet is written to provide health, safety and environmental information for people handling this formulated product in the workplace. It is not intended to provide information relevant to medicinal use of the product. In this instance patients should consult prescribing information/package insert/product label or consult their pharmacist or physician. For health and safety information for individual ingredients used during manufacturing, refer to the appropriate safety data sheet for each ingredient.
	Consumer Healthcare Product
Recommended restrictions	No other uses are advised.
Manufacturer/Importer/Supplier/Distributor information	

COMPANY NAME	Haleon PLC
Address:	184 Liberty Corner Road, Suite 200 Warren, NJ 07059 USA
Telephone:	+1-908-293-4000 (General Inquiries)
Email:	msds@haleon.com
Website:	www.haleon.com

EMERGENCY CONTACTS

	3E GLOBAL INCIDENT RESPONSE
Telephone:	+(1) 760 476 3971 (In country) +(1) 760 476 3962 or +(1) 866 519 4752 (International) 24/7; multi-language response
Contract Number:	335879

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Serious eye damage/eye irritation Category 2A
Environmental hazards	Hazardous to the aquatic environment, acute hazard Category 3
OSHA defined hazards	Not classified.
Label elements	



Signal word	Warning
Hazard statement	Causes serious eye irritation. Harmful to aquatic life.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face protection.
Response	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage	Not available.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

3.5% of the mixture consists of component(s) of unknown acute oral toxicity. 10.83% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 19.33% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SODIUM BICARBONATE	BAKING SODA BICARBONATE OF SODA CARBONIC ACID MONOSODIUM SALT CARBONIC ACID SODIUM SALT (1:1) MONOSODIUM CARBONATE MONOSODIUM HYDROGEN CARBONATE RTECS VZ0950000 SODIUM ACID CARBONATE SODIUM HYDROGEN CARBONATE	144-55-8	30 - < 40
CITRIC ACID ANHYDROUS	BETA-HYDROXYTRICARBALLYLIC ACID ANHYDROUS CITRIC ACID 2-HYDROXY-1,2,3-PROPANETRICARBOXYLIC ACID CITIRIC ACID	77-92-9	20 - < 30
POTASSIUM CAROATE	OXONE MONOPERSULFATE COMPOUND - PS16 POTASSIUM MONOPERSULFATE PENTAKALIUM-BIS(PEROXYMONOSULFATE)-BIS(SULFATE) POTASSIUM PEROXYMONOSULFATE	70693-62-8	10 - < 20
SODIUM PERCARBONATE	CARBONIC ACID DISODIUM SALT, COMPD. WITH HYDROGEN PEROXIDE (H2O2) CARBONIC ACID DISODIUM SALT, COMPD. WITH HYDROGEN PEROXIDE (2:3) PERDOX PEROXY SODIUM CARBONATE SODIUM CARBONATE PEROXIDE	15630-89-4	10 - < 20
SODIUM CARBONATE	CARBONIC ACID, DISODIUM SALT BISODIUM CARBONATE DISODIUM CARBONATE SODA ASH	497-19-8	5 - < 10
POLYETHYLENE GLYCOL (SOLID)	Carbowax PEG 8000 ETHYLENE GLYCOL HOMOPOLYMER ETHYLENE GLYCOL POLYMER PEG 3350 PEG 3400 PEG 8000 POLYETHYLENE GLYCOL 3350 POLYETHYLENE GLYCOL 3400 POLYETHYLENE GLYCOL 8000 POLYGLYCOL E-8000 POLYOXYETHYLENE 8000	25322-68-3	1 - < 3

Chemical name	Common name and synonyms	CAS number	%
PVP/VA COPOLYMER	COPOVIDONE POVIDONE S630 PVP - VA POLY(VINYL ACETATE-CO-VINYLPYRROLIDONE) VINYLPYRROLIDON-VINYLACETAT-CO POLYMER PVP/VA S-630 COPOLYMER POLYVINYLPYRROLIDONE-VINYL ACETATE COPOLYMER VINYLPYRROLIDONE/VINYL ACETATE COPOLYMER PVP/VA S-630 KOLLIDON VA 64 POLYVISCOL VA64 PLASDONE S-630	25086-89-9	1 - < 3
SODIUM BENZOATE	BENZOIC ACID, SODIUM SALT BENZOATE OF SODA SODIUM BENZOIC ACID	532-32-1	1 - < 3
SODIUM C12-18 ALKYL SULFATE	SODIUM MONO-C12-18-ALKYL SULPHATE SULFURIC ACID, MONO-C12-18-ALKYL ESTERS, SODIUM SA SODIUM MONO-C12-18-ALKYL SULFAT E SULFURIC ACID, MONO-C12-18-ALKYL ESTERS, SODIUM SALTS SODIUM LAURYL SULFATE	68955-19-1	1 - < 3
PEPPERMINT OIL, NATURAL	OILS, PEPPERMINT OIL OF PEPPERMINT ESSENTIAL OILS, MENTHA PIPERITA ESSENTIAL PEPPERMINT OIL PEPPERMINT LEAF OIL PEPPERMINT TERPENES PEPPERMINT OIL (MENTHA PIPERITA) PEPPERMINT OIL (PEPPERMINT AMERICAN, MENTHA PIPERITA)	8006-90-4	< 1
FD AND C BLUE NO. 1 ALUMINUM LAKE	BENZENEMETHANAMINIUM, N-ETHYL-N-(4-((4-(ETHYL(3-SULFOPH ENYL) METHYL) AMINO) PHENYL)(2-SULFOPHENYL) METHYLENE)-2,5-CYCLOHEXADIEN-1- YLIDENE) -3-SULFOHYDROXIDE, INNER SALT, ALUMINUM SALT C.I. 42090:2 C.I. FOOD BLUE 2:1 C.I. FOOD BLUE 2 ALUMINUM LAKE FD AND C BLUE NO.1 LAKE	68921-42-6	< 0.1
FD&C YELLOW NO. 5	C.I. ACID YELLOW 23 C.I. 19140 C.I. FOOD YELLOW 4 TARTRAZINE YELLOW 5 FD AND C YELLOW NO. 5 EGG YELLOW A LAKE YELLOW LEMON YELLOW A TARTRAN YELLOW TARTRAZIN YELLOW LAKE 69 FD&C YELLOW NO. 5 (TARTRAZINE) ACID YELLOW 23	1934-21-0	< 0.1
Other components below reportable levels			3 - < 5

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Prevent product from entering drains. Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Small Spills: Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Haleon Exposure Limits
Components

Type	Value	Form
CITRIC ACID ANHYDROUS (CAS 77-92-9)	8 HR TWA	5000 mcg/m3
FD&C YELLOW NO. 5 (CAS 1934-21-0)	OHC	1
POLYETHYLENE GLYCOL (SOLID) (CAS 25322-68-3)	OHC	2
	OHC	1
		PROVISIONAL

Haleon Exposure Limits Components	Type	Value	Form
POTASSIUM CAROATE (CAS 70693-62-8)	OHC	3	>10 - <=100 mcg/m3
PVP/VA COPOLYMER (CAS 25086-89-9)	OHC	2	>100 - <=1000 mcg/m3
SODIUM BENZOATE (CAS 532-32-1)	8 HR TWA	5000 mcg/m3	
SODIUM BICARBONATE (CAS 144-55-8)	OHC	1	>1000 - <=5000 mcg/m3
SODIUM C12-18 ALKYL SULFATE (CAS 68955-19-1)	OHC	1	>1000 - <=5000 mcg/m3
SODIUM CARBONATE (CAS 497-19-8)	OHC	1	>1000 - <=5000 mcg/m3
SODIUM PERCARBONATE (CAS 15630-89-4)	OHC	1	1000 - <= 5000 mcg/m3 CORROSIVE

US. ACGIH Threshold Limit Values (TLV)

Components	Type	Value	Form
FD AND C BLUE NO. 1 ALUMINUM LAKE (CAS 68921-42-6)	TWA	1 mg/m3	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Components	Type	Value
FD AND C BLUE NO. 1 ALUMINUM LAKE (CAS 68921-42-6)	TWA	2 mg/m3

US. OARS. Workplace Environmental Exposure Level (WEEL) Guide

Components	Type	Value
POLYETHYLENE GLYCOL (SOLID) (CAS 25322-68-3)	TWA	10 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

SODIUM BENZOATE (CAS 532-32-1) Danger of cutaneous absorption

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Not available.

Color Not available.

Odor Not available.

Odor threshold Not available.

pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
--	---

Information on toxicological effects

Acute toxicity	Not known.
----------------	------------

Components	Species	Test Results
CITRIC ACID ANHYDROUS (CAS 77-92-9)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	11700 mg/kg

Components	Species	Test Results
FD AND C BLUE NO. 1 ALUMINUM LAKE (CAS 68921-42-6)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	> 2000 mg/kg
FD&C YELLOW NO. 5 (CAS 1934-21-0)		
<u>Acute</u>		
Oral		
LD50	Mouse	12750 mg/kg
PEPPERMINT OIL, NATURAL (CAS 8006-90-4)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg
Oral		
LD50	Rat	2426 mg/kg
POLYETHYLENE GLYCOL (SOLID) (CAS 25322-68-3)		
<u>Acute</u>		
Oral		
LD50	Rat	10000 mg/kg
POTASSIUM CAROATE (CAS 70693-62-8)		
<u>Acute</u>		
Oral		
LD50	Rat	2000 mg/kg
SODIUM BENZOATE (CAS 532-32-1)		
<u>Acute</u>		
Oral		
LD50	Rat	2000 mg/kg
SODIUM BICARBONATE (CAS 144-55-8)		
<u>Acute</u>		
Oral		
LD50	Rat	> 4000 mg/kg
SODIUM C12-18 ALKYL SULFATE (CAS 68955-19-1)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
SODIUM CARBONATE (CAS 497-19-8)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
<i>Aerosol</i>		
LC50	Rat	2300 mg/m3, 2 Hours
LC50	Rat	2.3 mg/l, 2 Hours
Oral		
LD50	Rat	2800 mg/kg
SODIUM PERCARBONATE (CAS 15630-89-4)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours

Components	Species	Test Results
Oral		
LD50	Rat	893 mg/kg
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Corrosivity		
PVP/VA COPOLYMER		Literature search, BASF Test Data Result: Non-irritant Species: Rabbit
SODIUM BENZOATE		OECD 404 Result: Negative Species: Rabbit
Irritation Corrosion - Skin: P.I.I. value		
CITRIC ACID ANHYDROUS		OECD 404 Result: Mild to moderate irritant. Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye irritation.	
Eye		
SODIUM BENZOATE		Acute ocular irritation; OECD 405 Result: Mild irritant Species: Rabbit
SODIUM CARBONATE		Acute ocular irritation; OECD 405 Result: Moderate Irritant Species: Rabbit
CITRIC ACID ANHYDROUS		Acute ocular irritation; OECD 405 Result: Severe Irritant Species: Rabbit
PVP/VA COPOLYMER		Literature search, BASF Test Data Result: Non-irritant Species: Rabbit
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Sensitization		
SODIUM BENZOATE		Local lymph node assay Result: Negative Species: Mouse
PVP/VA COPOLYMER		Maximisation assay (Magnusson and Kligman); OECD 406, BASF Test Data Result: Negative Species: Guinea pig
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Mutagenicity		
PVP/VA COPOLYMER		Ames Assay Result: Negative
SODIUM BENZOATE		Ames Result: Negative Chromosomal aberration assay Result: Negative Species: Rat
Carcinogenicity	Not classifiable as to carcinogenicity to humans.	
PVP/VA COPOLYMER		12 month bioassay Result: Negative Species: Dog 2 year bioassay Result: Negative Species: Rat
SODIUM BENZOATE		2 year study, Male + Female Result: Negative - dietary Species: Rat
IARC Monographs. Overall Evaluation of Carcinogenicity	Not listed.	

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.**Reproductivity**

SODIUM BENZOATE

Embryofetal Development
Result: Negative
Reproduction/Fertility Study
Result: Negative
Species: Rat**Specific target organ toxicity - single exposure** Not classified.**Specific target organ toxicity - repeated exposure** Not classified.**Aspiration hazard** Not an aspiration hazard.**Chronic effects** Prolonged inhalation may be harmful.**12. Ecological information****Ecotoxicity** Harmful to aquatic life.

Components		Species	Test Results
CITRIC ACID ANHYDROUS (CAS 77-92-9)			
Aquatic			
Acute			
Algae	NOEC	Green algae (Scenedesmus quadricauda)	425 mg/l, 8 days Static Test
Crustacea	EC50	Water flea (Daphnia magna)	120 mg/l, 72 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	1516 mg/l, 96 hours Static test
		Golden ide/orfe (Adult Leuciscus idus)	> 440 to < 760 mg/l, 96 hours Static test
FD AND C BLUE NO. 1 ALUMINUM LAKE (CAS 68921-42-6)			
Aquatic			
Acute			
Algae	EC50	Green algae (Chlorella vulgaris)	125.46 mg/L, 72 hours
Crustacea	EC50	Daphnia magna	> 200 mg/L, 48 hours
Fish	LC50	Danio rerio	> 100 mg/L, 96 hours
POLYETHYLENE GLYCOL (SOLID) (CAS 25322-68-3)			
Aquatic			
Acute			
Fish	EC50	Goldfish (Adult Carassius auratus)	> 50000 mg/L, 24 hours
Microtox	EC50	Microtox	> 100000 mg/L, 15 minutes
SODIUM BENZOATE (CAS 532-32-1)			
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/L, 96 hours Static test
Fish	EC50	Fathead minnow (Juvenile Pimephales promelas)	484 mg/L, 96 hours Flow-through test
SODIUM BICARBONATE (CAS 144-55-8)			
Aquatic			
Acute			
Algae	EC50	Algae (Nitscheria linearis)	650 mg/l, 5 days
Crustacea	EC50	Water flea (Daphnia magna)	2350 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	> 8250 to < 9000 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	7550 mg/l, 96 hours Static test

Components	Species		Test Results
SODIUM CARBONATE (CAS 497-19-8)			
Aquatic			
Acute			
Algae	EC50	Green algae (Selenastrum capricornutum)	> 800 mg/l
Crustacea	EC50	Water flea (Daphnia magna)	265 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	300 mg/l, 96 hours Static test
		Fathead minnow (Juvenile Pimephales promelas)	< 850 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	740 mg/l, 96 hours Static test
SODIUM PERCARBONATE (CAS 15630-89-4)			
Aquatic			
Acute			
Crustacea	EC50	Daphnia pulex	4.9 mg/L, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	70.7 mg/L, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Biodegradability			
Percent degradation (Aerobic biodegradation-inherent)			
CITRIC ACID ANHYDROUS	98 %, 2 days Modified Zahn-Wellens, Activated sludge		
Percent degradation (Aerobic biodegradation-ready)			
SODIUM BENZOATE	100 %, 28 days Modified OECD Screening Test (OECD 301E), Sea water		
	90 %, 7 days Modified Sturm test., Activated sludge		
Percent degradation (Anaerobic biodegradation)			
SODIUM BENZOATE	93 %, 7 days Other degradation test system, Mixed Residential/Industrial		
Bioaccumulative potential	Not available.		
Partition coefficient n-octanol / water (log Kow)			
CITRIC ACID ANHYDROUS	-1.64		
SODIUM BENZOATE	1.89		
	-2.27		
Mobility in soil	No data available.		
Adsorption			
Soil/sediment sorption - log Koc			
SODIUM BENZOATE	1.16 Calculated		
Mobility in general			
Volatility			
Henry's law			
CITRIC ACID ANHYDROUS	< 0 atm m^3/mol Calculated, 25 °C		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considerations			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

14. Transport information

DOT

Not regulated as a dangerous good.

Read safety instructions, SDS and emergency procedures before handling.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	11-06-2023
Revision date	05-30-2024
Version #	02
HMIS® ratings	Health: 2 Flammability: 0 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 0 Instability: 0
Disclaimer	Haleon cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	Product and Company Identification: Product and Company Identification Hazard(s) identification: Response Hazard(s) identification: Supplemental information