

Safety Data Sheet

according to US HazCom 2012

Issue date: 11 January 2023 Revision date: 22 March 2024 Supersedes: 6 April 2023 Version: 1.2

SECTION 1: Identification**1.1. Identification**

Product form : Mixtures
 Trade name : PhD Dry Shampoo
 2023 CARB VOC Compliant
 Product code : AF-457

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Living Proof, Inc.
 One Design Center Place
 Suite 600
 Boston, MA 02210
 T: 617-621-1800 F: 617-621-1880
 E: questions@livingproof.com
 livingproof.com

1.4. Emergency telephone number

Emergency number : Chemtrec - +1-800-424-9300 or +1-703-527-3887

SECTION 2: Hazard(s) identification**2.1. Classification of the substance or mixture****GHS US classification**

Flammable aerosol Category 1	Extremely flammable aerosol
Gases under pressure Compressed gas	Contains gas under pressure; may explode if heated
Serious eye damage/eye irritation Category 2A	Causes serious eye irritation

2.2. GHS Label elements, including precautionary statements**GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) :

: Danger

Hazard statements (GHS US) :

: Extremely flammable aerosol
 Contains gas under pressure; may explode if heated
 Causes serious eye irritation

Precautionary statements (GHS US) :

: Keep out of reach of children.
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Do not spray on an open flame or other ignition source.
 Pressurized container: Do not pierce or burn, even after use.
 Wash hands thoroughly after handling.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 If eye irritation persists: Get medical advice/attention.
 Protect from sunlight. Store in a well-ventilated place.
 Do not expose to temperatures exceeding 50 °C/ 122 °F.
 Use only as directed.

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
ethanol, ethyl alcohol	CAS-No.: 64-17-5	< 9	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
D-Limonene	CAS-No.: 5989-27-5	< 0.04	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. If symptoms persist call a doctor.
First-aid measures after skin contact	: If skin irritation occurs: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Seek medical attention if irritation develops.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Not expected to be a primary route of exposure.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact	: Eye irritant upon direct contact. Causes serious eye irritation.
------------------------------------	--

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Water spray.
Unsuitable extinguishing media	: None known.

5.2. Specific hazards arising from the chemical

Fire hazard	: Extremely flammable aerosol. Cool closed containers exposed to fire with water spray. Contains gas under pressure; may explode if heated. Thermal decomposition may produce : Carbon oxides (CO, CO2).
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

Hazardous decomposition products in case of fire : Thermal decomposition can lead to the release of irritating gases and vapors.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire-fighting water from entering environment.
Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Avoid contact with eyes.

6.1.1. For non-emergency personnel

Protective equipment : No special protection required.
Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of residues refer to section 13: "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with eyes. Do not breathe vapors. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Aerosol Storage level 1. Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible materials : Strong oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol, ethyl alcohol (64-17-5)

USA - ACGIH - Occupational Exposure Limits

Local name	Ethanol
ACGIH OEL STEL	1000 ppm

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

ethanol, ethyl alcohol (64-17-5)	
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA	1900 mg/m ³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - IDLH - Occupational Exposure Limits	
IDLH	3300 ppm (10% LEL)
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	1900 mg/m ³
	1000 ppm
Cornstarch (9005-25-8)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Starch
ACGIH OEL TWA	10 mg/m ³
Remark (ACGIH)	TLV® Basis: Dermatitis. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Starch
OSHA PEL TWA	15 mg/m ³ (Total dust)
	5 mg/m ³ (Respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
Cellulose (9004-34-6)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Cellulose
ACGIH OEL TWA	10 mg/m ³
Remark (ACGIH)	TLV® Basis: URT irr
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Cellulose
OSHA PEL TWA	15 mg/m ³ (total dust)
	5 mg/m ³ (respirable fraction)
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

Cellulose (9004-34-6)

USA - NIOSH - Occupational Exposure Limits

NIOSH REL C	10 mg/m ³ CELLULOSE, TOTAL 5 mg/m ³ CELLULOSE, RESPIRABLE
-------------	--

8.2. Appropriate engineering controls

Appropriate engineering controls	: None in normal use conditions. Normal use of this product shall imply use in accordance with the instructions on the packaging.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None in normal use conditions. Normal use of this product shall imply use in accordance with the instructions on the packaging.

Hand protection:

None in normal use conditions

Eye protection:

None in normal use conditions

Respiratory protection:

None in normal use conditions

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Cloudy. Dispersion.
Color	: White
Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Extremely flammable aerosol.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

9.2. Other information

VOC content : < 19 %
Gas group : Compressed gas

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating will cause a rise in pressure with a risk of bursting. Avoid ignition sources. Avoid temperature above. 50 °C.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

No hazardous decomposition products known at room temperature.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

ethanol, ethyl alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg (Source: NLM_CIP)
LD50 oral	10470 mg/kg body weight
LD50 dermal	15800 mg/kg body weight
LC50 Inhalation - Rat	133.8 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	> 99999 mg/l
LC50 Inhalation - Rat (Vapours)	116.9 mg/l Source: ECHA

D-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 oral	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg Source: National Library of Medicine
LD50 dermal	5000 mg/kg

Skin corrosion/irritation : Not classified (On basis of test data)
Serious eye damage/irritation : Causes serious eye irritation.
Respiratory or skin sensitization : Not classified (On basis of test data)

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)
 Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

D-Limonene (5989-27-5)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)
 STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)
 STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

ethanol, ethyl alcohol (64-17-5)	
LOAEL (oral,rat,90 days)	3200 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral,rat,90 days)	1730 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:
NOAEL (subchronic,oral,animal/male,90 days)	< 9700 mg/kg body weight Animal: mouse, Animal sex: male, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)
NOAEL (subchronic,oral,animal/female,90 days)	> 9400 mg/kg body weight Animal: mouse, Animal sex: female, Guideline: EPA OPPTS 870.3100 (90-Day Oral Toxicity in Rodents)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)
 Viscosity, kinematic : No data available

ethanol, ethyl alcohol (64-17-5)	
Viscosity, kinematic	1.492 mm ² /s

Symptoms/effects after eye contact : Eye irritant upon direct contact. Causes serious eye irritation.
 Other information : Historical Data, not tested on Animals for cosmetics. Likely routes of exposure: inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Historical Data, not tested on Animals for cosmetics.

ethanol, ethyl alcohol (64-17-5)	
LC50 - Fish [1]	12 – 16 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
LC50 - Other aquatic organisms [1]	5012 mg/l 48 hours- daphnia
EC50 - Crustacea [1]	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Other aquatic organisms [1]	5012 mg/l waterflea
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [2]	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 - Other aquatic organisms [2]	275 mg/l
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	275 mg/l Source: ECHA
ErC50 other aquatic plants	4432 mg/l
NOEC (acute)	9.6 mg/l Daphnia magna
NOEC (chronic)	9.6 mg/l Test organisms (species): Daphnia magna Duration: '9 d'

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

ethanol, ethyl alcohol (64-17-5)	
NOEC chronic crustacea	9.6 mg/l
D-Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.307 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	702 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.32 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.214 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

PhD Dry Shampoo 2023 CARB VOC Compliant

Persistence and degradability	Not determined
-------------------------------	----------------

12.3. Bioaccumulative potential

ethanol, ethyl alcohol (64-17-5)

Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4)
---	-----------------------------

D-Limonene (5989-27-5)

Partition coefficient n-octanol/water (Log Pow)	4.38 Source: ECHA Registered substances
---	---

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecological information : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA






DOT	TDG	IMDG	IATA
14.1. UN number			
1950	UN1950	1950	1950
14.2. Proper Shipping Name			
Aerosols	AEROSOLS	AEROSOLS	Aerosols, flammable

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

DOT	TDG	IMDG	IATA
14.3. Transport hazard class(es)			
2.1 (LTD QTY)	2.1 (LTD QTY)	2.1 (LTD QTY)	2.1 (LTD QTY)
			 
14.4. Packing group			
None	None	None	None
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
Consult the associated transport regulations for available and applicable exceptions or exemptions.			
, Emergency Response Guide (ERG) Number : 126, ERG code (IATA) : 10L, , Transport regulations (IATA) : , Proper Shipping Name and UN number must be shown on packaging. , May also be transported as a consumer commodity when classified as ID8000 under Class 9 Miscellaneous Dangerous Goods			

14.6. Special precautions for user

- DOT**
- UN-No.(DOT) : UN1950
 - DOT Special Provisions (49 CFR 172.102) : N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.
 - DOT Packaging Exceptions (49 CFR 173.xxx) : 306
 - DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 75 kg
 - DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 150 kg
 - DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
 - DOT Vessel Stowage Other : 25 - Protected from sources of heat, 87 - Stow "separated from" Class 1 (explosives) except Division 14, 126 - Segregation same as for Class 9, miscellaneous hazardous materials
- TDG**
- UN-No. (TDG) : UN1950
 - TDG Special Provisions : 80 - Despite section 1.17 of Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases), a person must not offer for transport or transport these dangerous goods unless they are in a means of containment that is in compliance with the requirements for transporting gases in Part 5 (Means of Containment), 107 - (1) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to the handling, offering for transport or transporting of UN1950, AEROSOLS, and UN2037, GAS CARTRIDGES, that contain dangerous goods included in Class 2.1 or Class 2.2 and that are transported on a road vehicle, a railway vehicle or a vessel on a domestic voyage, if the aerosols or gas cartridges have a capacity less than or equal to 50 mL.
(2) Subsection (1) does not apply to self-defence spray.
 - Explosive Limit and Limited Quantity Index : 1 L
 - Excepted quantities (TDG) : E0
 - Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index : 75 L
 - Emergency Response Guide (ERG) Number : 126

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

IMDG

Special provision (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Limited quantities (IMDG)	: SP277
Packing instructions (IMDG)	: P207, LP200
Packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES
EmS-No. (Spillage)	: S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69

IATA

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provision (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory: All components not listed.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Component	State or local regulations
1,1-Difluoroethane(75-37-6)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Massachusetts - Right To Know List
isobutane(75-28-5)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
propane(74-98-6)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Minnesota - Hazardous Substance List; U.S. - Massachusetts - Right To Know List
ethanol, ethyl alcohol(64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Minnesota - Hazardous Substance List; U.S. - Massachusetts - Right To Know List; U.S. - Maine - Chemicals of Concern
Cornstarch(9005-25-8)	U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) List

PhD Dry Shampoo

2023 CARB VOC Compliant

Safety Data Sheet

according to US HazCom 2012

Component	State or local regulations
Cellulose(9004-34-6)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Minnesota - Hazardous Substance List; U.S. - Massachusetts - Right To Know List
Oxydipropanol(25265-71-8)	U.S. - Pennsylvania - RTK (Right to Know) List

Canadian DSL (Domestic Substances List): Not all components listed

Canadian NDSL (Non-Domestic Substances List) : Not all components listed

Australian Industrial Chemicals Introduction Scheme (AICIS Inventory) : Not all components listed

PICCS (Philippines Inventory of Chemicals and Chemical Substances) : Not all components listed

Japanese ENCS (Existing New Chemical Substances) inventory: Not all components listed

KECL/KECI (Korean Existing Chemicals Inventory) : Not all components listed

IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) : Not all components listed

NZIoC (New Zealand Inventory of Chemicals) : Not all components listed

INSQ (Mexican National Inventory of Chemical Substances) : Not all components listed

TCSI (Taiwan Chemical Substance Inventory) : Not all components listed

NCI (Vietnam - National Chemical Inventory) : Not all components listed

SECTION 16: Other information

according to US HazCom 2012

Revision date : 22 March 2024

Other information : None.

Safety Data Sheet (SDS), USA

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.