

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach
Product code : USA004075

1.2. Recommended use and restrictions on use

Recommended use : Toilet bowl cleaner

1.3. Supplier

Manufacturer

The Clorox Company
1221 Broadway
Oakland, CA, 94612
US
T 1-510-271-7000

1.4. Emergency telephone number

Emergency number : Medical Emergency: 1-800-446-1014; Transportation Emergency: 1-800-424-9300 (Chemtrec)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Serious eye damage/eye irritation Category 2B

Causes eye irritation

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Signal word (GHS US) : Warning
Hazard statements (GHS US) : Causes eye irritation
Precautionary statements (GHS US) : Wash hands, forearms and face thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice or attention.
Supplementary information : This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure. This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
D-Glucopyranose, oligomeric, C9-11-alkyl glycosides	CAS-No.: 132778-08-6	10 – 30
Acetic acid, 2-hydroxy-	CAS-No.: 79-14-1	7 - 13
Sodium lauryl sulfate	CAS-No.: 151-21-3	1 - 5
Benzene, 1,1'-oxybis-, tetrapropylene derivatives, sulfonated, sodium salts	CAS-No.: 119345-04-9	1 - 5
Sodium hydroxide	CAS-No.: 1310-73-2	0.1 – 1
Acetic acid, methoxy-	CAS-No.: 625-45-6	0.1 – 1

Comments : US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). Medical personnel should be made aware of substance(s) involved and take measures for self protection. Show this safety data sheet to the doctor in attendance. Avoid contact with skin and eyes. Keep out of the reach of children.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash skin with plenty of water. Obtain medical attention if irritation persists.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : Do not induce vomiting. If vomiting occurs have person lean forward. Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Prolonged inhalation may be harmful.

Symptoms/effects after skin contact : Prolonged or repeated contact may dry skin and cause irritation.

Symptoms/effects after eye contact : Causes eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Symptoms/effects after ingestion : May cause stomach distress, nausea or vomiting.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Treat for surrounding material.

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

5.2. Specific hazards arising from the chemical

Fire hazard	: During fire, gases hazardous to health may be formed. In case of fire or explosion do not breathe fumes.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: May include and are not limited to: oxides of carbon.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Move containers from fire area if it can be done without personal risk.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. In the event of a significant spillage : Notify authorities if product enters sewers or public waters.
------------------	--

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Stop leaks if it can be done without personal risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Pick up spilled material and collect it in a suitable container for disposal. . Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Clean contaminated surfaces with an excess of water.
Other information	: This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Do not taste or swallow. Ensure good ventilation of the work station. Wear personal protective equipment. Handle and open container with care.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep out of reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
--------------------	---

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach	
No additional information available	
D-Glucopyranose, oligomeric, C9-11-alkyl glycosides (132778-08-6)	
No additional information available	
Acetic acid, 2-hydroxy- (79-14-1)	
No additional information available	
Sodium lauryl sulfate (151-21-3)	
No additional information available	
Benzene, 1,1'-oxybis-, tetrapropylene derivatives, sulfonated, sodium salts (119345-04-9)	
No additional information available	
Sodium hydroxide (1310-73-2)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL C	2 mg/m ³
Remark (ACGIH)	TLV® Basis: URT, eye, & skin irr
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	2 mg/m ³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - IDLH - Occupational Exposure Limits	
IDLH	10 mg/m ³
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL C	2 mg/m ³
US-NIOSH chemical category	SK: DIR(COR) Apr 2011
Acetic acid, methoxy- (625-45-6)	
No additional information available	

8.2. Appropriate engineering controls

Appropriate engineering controls	: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Wear protective gloves. Confirm with a reputable supplier first.
Eye protection:
Wear safety glasses with side shields (or goggles).
Skin and body protection:
Wear suitable protective clothing. As required by employer code.

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Respiratory protection:

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Color	: Purple - red , white
Odor	: Citrus , Floral , Musk
Odor threshold	: No data available
pH	: 2.1 – 2.9
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidising.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat and direct sunlight. Do not mix with other chemicals.

10.5. Incompatible materials

Strong oxidizing agents.

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

10.6. Hazardous decomposition products

May include and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acetic acid, 2-hydroxy- (79-14-1)	
LD50 oral rat	1950 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	3.6 mg/l/4h
ATE US (oral)	1950 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	3.6 mg/l/4h
ATE US (dust, mist)	3.6 mg/l/4h

Sodium lauryl sulfate (151-21-3)	
LD50 oral rat	1288 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 3900 mg/m ³ (Exposure time: 1 h Source: NLM_CIP)
ATE US (oral)	1288 mg/kg body weight

Benzene, 1,1'-oxybis-, tetrapropylene derivatives, sulfonated, sodium salts (119345-04-9)	
LD50 oral rat	> 2000 mg/kg (Source: EPA_HP V)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other:
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)

Sodium hydroxide (1310-73-2)	
LD50 oral rat	325 mg/kg (Source: OECD_SIDS)
LD50 dermal rabbit	1350 mg/kg (Source: NLM_HSDB)
LC50 Inhalation - Rat [ppm]	< ppm
ATE US (oral)	325 mg/kg body weight
ATE US (dermal)	1350 mg/kg body weight

Acetic acid, methoxy- (625-45-6)	
ATE US (oral)	500 mg/kg body weight

Skin corrosion/irritation : Not classified.
Serious eye damage/irritation : Causes eye irritation.
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Reproductive toxicity: Not classified.
STOT-single exposure : Not classified

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Sodium hydroxide (1310-73-2)	
STOT-single exposure	May cause respiratory irritation.
Acetic acid, methoxy- (625-45-6)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Acetic acid, 2-hydroxy- (79-14-1)	
LOAEL (oral,rat,90 days)	300 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity), Guideline: other:, Guideline: other:
NOAEL (oral,rat,90 days)	150 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity), Guideline: other:, Guideline: other:
Benzene, 1,1'-oxybis-, tetrapropylene derivatives, sulfonated, sodium salts (119345-04-9)	
NOAEL (oral,rat,90 days)	25 mg/kg body weight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:
Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eye contact. Ingestion. Inhalation.
Symptoms/effects after inhalation	: Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Prolonged or repeated contact may dry skin and cause irritation.
Symptoms/effects after eye contact	: Causes eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Symptoms/effects after ingestion	: May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : See below for route-specific details.

Acetic acid, 2-hydroxy- (79-14-1)	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)
EC50 - Crustacea [1]	141 mg/l Test organisms (species): Daphnia magna
Sodium lauryl sulfate (151-21-3)	
LC50 - Fish [1]	15 – 18.9 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1]	1.8 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Other aquatic organisms [1]	11.1 mg/l Test organisms (species): other aquatic crustacea:
LC50 - Fish [2]	8 – 12.5 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 72h - Algae [1]	53 mg/l (Species: Desmodesmus subspicatus)
EC50 72h - Algae [2]	53 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	30 – 100 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [2]	117 mg/l (Species: Pseudokirchneriella subcapitata)
EC50 96h algae (3)	3.59 – 15.6 mg/l (Species: Pseudokirchneriella subcapitata [static])
NOEC chronic fish	≥ 1.357 mg/l Test organisms (species): Pimephales promelas Duration: '42 d'

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	45.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: IUCLID)
EC50 - Crustacea [1]	40 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)
Acetic acid, methoxy- (625-45-6)	
LC50 - Fish [1]	> 500 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	68.3 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	66.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	56.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

Sodium hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Acetic acid, 2-hydroxy- (79-14-1)	
Partition coefficient n-octanol/water (Log Pow)	< 0.3 (at 25 °C (at pH 4-10)
Sodium lauryl sulfate (151-21-3)	
BCF - Fish [1]	(will not bioconcentrate)
Partition coefficient n-octanol/water (Log Pow)	1.6
Benzene, 1,1'-oxybis-, tetrapropylene derivatives, sulfonated, sodium salts (119345-04-9)	
Partition coefficient n-octanol/water (Log Pow)	≤ -2.68 (at 20 °C)
Sodium hydroxide (1310-73-2)	
Bioaccumulative potential	Not bioaccumulative.

12.4. Mobility in soil

Sodium hydroxide (1310-73-2)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of the material collected according to regulations.
Sewage disposal recommendations	: Disposal must be done according to official regulations.

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling, disposal or collection.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	IATA
14.1. UN number			
Not regulated for transport			
14.2. Proper Shipping Name			
Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)			
Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards			
Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available			

14.6. Special precautions for user

DOT

Not regulated

TDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Clorox® Scentiva ToiletWand® Refills Cherry Blossom & Peach

Product is compliant with CPSC regulatory guidelines.

15.2. International regulations

No additional information available

15.3. US State regulations



WARNING:

This product can expose you to Formaldehyde, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Other information : For an updated SDS, please contact the supplier or manufacturer listed on the first page of the document.

Document number: 523190-001-001.

Prepared by: The Clorox Company, 4900 Johnson Drive, Pleasanton, CA 94588, 925-368-6000.

The information in the safety data sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.