

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

SECTION 1. IDENTIFICATION

Product name : LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Formula Center Reference : 2067537 01

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
30 Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Warning

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version 1.0 Revision Date: 04/24/2025 SDS Number: 00-54-400000197344 Date of last issue: -
Date of first issue: 04/24/2025

Hazard Statements : H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 1.5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 1.5 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 1.5 %

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
GLYCERIN	56-81-5*	>= 3 - <= 7
C15-19 ALKANE	90622-53-0*	>= 3 - <= 7
ETHYLHEXYL SALICYLATE	118-60-5*	>= 3 - <= 7
NIACINAMIDE	98-92-0*	>= 3 - <= 7
BUTYL METHOXYDIBENZOYLMET	70356-09-1*	>= 3 - <= 7

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version 1.0 Revision Date: 04/24/2025 SDS Number: 00-54-400000197344 Date of last issue: -
Date of first issue: 04/24/2025

HANE		
TOCOPHEROL	10191-41-0*	$\geq 0.1 - \leq 1$

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air.
Call a physician if symptoms develop or persist.

In case of skin contact : Get medical attention if irritation develops and persists.

In case of eye contact : Rinse with water.
If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
Standard procedure for chemical fires.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version 1.0 Revision Date: 04/24/2025 SDS Number: 00-54-400000197344 Date of last issue: -
Date of first issue: 04/24/2025

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid exposure - obtain special instructions before use.
For personal protection see section 8.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
GLYCERIN	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1

Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally re-

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

quired.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Safety glasses

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : lotion

Color : off-white

Odor : Unscented.

pH : 7.0 - 7.6

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

Flash point : > 199 °F / > 93 °C
Method: ISO 3679

Fire Point : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

Relative density : 1.027 - 1.033 (68 °F / 20 °C)

Solubility(ies)
Water solubility : partly soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : Not applicable

Viscosity
Viscosity, kinematic : No data available

Dust explosion class : Not applicable

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

C15-19 ALKANE:

Acute oral toxicity : LD50: 2,500 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50: 2,500 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

ETHYLHEXYL SALICYLATE:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

NIACINAMIDE:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

TOCOPHEROL:

Acute oral toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

Components:

ETHYLHEXYL SALICYLATE:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

NIACINAMIDE:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

TOCOPHEROL:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

ETHYLHEXYL SALICYLATE:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

NIACINAMIDE:

Species	:	Rabbit
Result	:	Eye irritation
Method	:	OECD Test Guideline 405

TOCOPHEROL:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks	:	May cause sensitization.
---------	---	--------------------------

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

Components:

ETHYLHEXYL SALICYLATE:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

NIACINAMIDE:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

TOCOPHEROL:

Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	The product is a skin sensitizer, sub-category 1B.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

C15-19 ALKANE:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

ETHYLHEXYL SALICYLATE:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

Components:

C15-19 ALKANE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

ETHYLHEXYL SALICYLATE:

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

C15-19 ALKANE:

NOAEL : > 495 mg/kg
Application Route : Dermal
Exposure time : 90 d
Method : OECD Test Guideline 411
Remarks : Based on data from similar materials

NOEC : 10 mg/l
Application Route : inhalation (vapor)
Exposure time : 90 d
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

C15-19 ALKANE:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

C15-19 ALKANE:

- | | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Fish): > 1,028 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | LC50: > 42,000 mg/l
Exposure time: 48 h
Method: ISO TC147/SC5/WG2 |
| Toxicity to algae/aquatic plants | : | EC50 (Skeletonema costatum (marine diatom)): > 3,200 mg/l
Exposure time: 72 h
Method: ISO 10253

NOEC (algae): 993 mg/l
Exposure time: 72 h |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l
Exposure time: 28 d
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc. |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 21 d
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc. |

ETHYLHEXYL SALICYLATE:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Danio rerio (zebra fish)): > 82 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility. |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 48 h
Method: Regulation (EC) No. 440/2008, Annex, C.2
Remarks: No toxicity at the limit of solubility. |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.011 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility. |

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0.0084 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

NIACINAMIDE:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

TOCOPHEROL:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 11 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 23.53 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 25.8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility.

Toxicity to fish (Chronic toxicity) : (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 215

Persistence and degradability

Components:

C15-19 ALKANE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 86 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

ETHYLHEXYL SALICYLATE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 89 %
Exposure time: 28 d

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

Method: Regulation (EC) No. 440/2008, Annex, C.4-E

NIACINAMIDE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 96 %
Exposure time: 14 d
Method: OECD Test Guideline 301E

TOCOPHEROL:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 60 - 70 %
Exposure time: 67 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

ETHYLHEXYL SALICYLATE:

Bioaccumulation : Bioconcentration factor (BCF): 123.7

Partition coefficient: n-octanol/water : log Pow: 5.94
pH: 7.8
Method: OECD Test Guideline 123

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Send to a licensed waste management company.

Contaminated packaging : Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

UN/ID/NA number	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Octocrylene, Ethylhexyl salicylate)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes (Octocrylene, Ethylhexyl salicylate)

International Regulations

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Octocrylene, Ethylhexyl salicylate)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (OCTOCRYLENE, ETHYLHEXYL SALICYLATE)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Remarks	: Packagings containing a net quantity per single package or inner packaging of 5L or less are not subject to transportation restrictions for marine pollutants except for general packing provisions.
---------	--

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Reproductive toxicity

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

SAFETY DATA SHEET

LA ROCHE-POSAY ANTHELIOS UV AIR SPF 50+

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/24/2025	00-54-400000197344	Date of first issue: 04/24/2025

OSHA Z-1 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 04/24/2025

US / EN