

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

1 Identification

• Product identifier

• Trade name : Zinc Chloride Dry Battery (No Lead Added)

• Item No.:

SUM1/EXTRA、SUM1/SUPER、SUM2/EXTRA、SUM2/SUPER、SUM3/EXTRA、SUM3/SUPER、SUM4/EXTRA、SUM4/SUPER、SUM5/EXTRA、SUM9V/EXTRA、SUM9V/SUPER

• Recommended use of the chemical and restrictions on use :

• Application of the substance / the preparation : Electronic products

• Details of the supplier of the safety data sheet

• Manufacturer/Supplier :

CHUNG PAK BATTERY WORKS LIMITED

CHUNG PAK (GUANG DONG) BATTERY INDUSTRIAL CO., LTD

• Full address :

UNIT B, 2/F., WAH SHUN INDUSTRIAL BUILDING, No.4 CHO YUEN STREET, YAU TONG BAY, KOWLOON, HONGKONG

GANCUN SECTION FOCHEN ROAD CHEN CUN COUNTY SHUNDE DISTRICT
FOSHAN CITY GUANGDONG PROVINCE CHINA

• Phone number :

852-27171338

Fax : 852 2772 7727

• Email : vinnic@chungpak.com

• Other US contact point : No available

• Further information obtainable from :

CHUNG PAK BATTERY WORKS LIMITED

CHUNG PAK (GUANG DONG) BATTERY INDUSTRIAL CO., LTD

• Emergency telephone number :

USA Poison Center Tel: +1 800 222 1222

+86-757-23312338 Bobo

• Remark :

*This sample is likely to be classified as article and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated for client's reference only.

2 Hazard(s) identification

• Classification of the substance or mixture

Classification according to OSHA Hazard Communication Standard (29 CFR 1910.1200)



GHS05 Corrosion

Skin Corr.	1A	H314	Causes severe skin burns and eye damage.
Eye Dam.	1	H318	Causes serious eye damage.



GHS07

Acute Tox.	4	H302	Harmful if swallowed.
Acute Tox.	4	H332	Harmful if inhaled.

• Information concerning particular hazards for human and environment :

The product has to be labeled due to the calculation procedure of OSHA Hazard Communication Standard (29 CFR 1910.1200).

• Classification system :

The classification is according to the latest edition of OSHA Hazard Communication Standard (29 CFR 1910.1200), and extended by company and literature data.

(Contd. on page 2)

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

(Contd. on page 1)

• Label elements

• Labeling according to OSHA Hazard Communication Standard (29 CFR 1910.1200)

• Hazard pictograms



GHS05 GHS07

• Signal word : Danger

• Hazard-determining components of labeling :

manganese dioxide

• Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

• Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P260 Do not breathe dusts or mists.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local / regional / national / international regulations.

• Hazards not otherwise classified (HNOC) No further relevant information available.


3 Composition / information on ingredients

• Chemical characterization: Mixtures

• Description:

Mixture of the substances listed below with nonhazardous additions.

For the wording of listed risk phrases refer to section 16.

• Composition:		
1313-13-9	manganese dioxide  Acute Tox.4, H302; Acute Tox. 4, H332	22.8-25.7%
7439-89-6	iron	17.4-23.8%
7440-66-6	zinc	16.8-19.3%
7732-18-5	water	14.1-16.2%
1333-86-4	carbon black	11.1-15.5%
7646-85-7	zinc chloride	5.3-5.8%
12125-02-9	ammonium chloride	0.02-0.25%
9004-34-6	Cellulose	0.6-0.74%
9002-88-4	PE	0.97-1.26%
9003-07-0	PP	0.14-0.17%
9002-86-2	PVC	0.77-1.28%

(Contd. on page 3)

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

(Contd. on page 2)

• Remark :

zinc (CAS: 7440-66-6)

Note: Zn

manganese dioxide (CAS: 1313-13-9)

Note: MnO₂

carbon black (CAS: 1333-86-4)

Note: C

iron (CAS: 7439-89-6)

Note: Fe

zinc chloride (CAS: 7646-85-7)

Note: ZnCl₂

ammonium chloride (CAS: 12125-02-9)

Note: NH₄Cl₂

water (CAS: 7732-18-5)

Note: H₂O

Cellulose (CAS: 9004-34-6)

Note: Paper

Polyethylene (CAS: 9002-88-4)

Note: PE

Polypropylene(CAS: 9003-07-0)

Note: PP

Polyvinyl chloride (CAS: 9002-86-2)

Note: PVC

4 First-aid measures

• Description of first aid measures

• General description:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly. Then consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Do not induce vomiting; immediately call for medical help.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Most important symptoms and effects, both acute and delayed No further relevant information available.

• Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

• Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture: No further relevant information available.

(Contd. on page 4)

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

(Contd. on page 3)

- **Special protective equipment and precautions for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures:**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**
Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

7 Handling and storage

- **Precautions for safe handling:**
Thorough dedusting.
Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage:**
- **Conditions for safe storage, including any incompatibilities**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

8 Exposure controls / personal protection

- **Components with limit values that require monitoring at the workplace:**

1313-13-9 manganese dioxide (22.8-25.7%)

PEL (USA)	Ceiling limit value: 5mg/m ³ as Mn
REL (USA)	Short-term value: 3mg/m ³ Long-term value: 1mg/m ³ as Mn
TLV (USA)	Long-term value: 0.02*0.1* mg/m ³ as Mn; * respirable **inhalable fraction

9004-34-6 Cellulose (0.6-0.74%)

PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV(USA)	Long-term value: 10mg/m ³

(Contd. on page 5)

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

(Contd. on page 4)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.**
- **Appropriate engineering controls:**
 - Wash clothing and shoes before reuse.
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
 - See Section 7 for information about design of technical facilities.

- **Personal protective equipment:**

- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

- **Protection of hands :**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **General Information**

- **Appearance:**

Form: Cylindrical
Color: Black, Red

- **Odor:** Odorless

- **Odour threshold:** Not available

- **pH-value:** Not available

- **Change in condition**

Melting point/ Melting range: Not available

Freezing point: Not available

Boiling point/ Boiling range: Not available

- **Flash point:** Not available

(Contd. on page 6)

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

(Contd. on page 5)

. Flammability (solid, gaseous):	Not available
. Auto-Ignition temperature:	Not available
. Decomposition temperature:	Not available
. Explosion limits:	
Lower:	Not available
Upper:	Not available
. Vapor pressure:	Not available
. Density:	Not available
. Relative density:	Not available
. Vapour density:	Not available
. Evaporation rate:	Not available
. Solubility in/ Miscibility with	
Water:	Not available
. Partition coefficient (n-octanol/water)	Not available
. Viscosity:	
Dynamic:	Not available
Kinematic:	Not available
. Other information	Voltage 1.5V

10 Stability and reactivity

- . Reactivity:** Data not available
- . Chemical stability:** Stable under normal operating and storage conditions.
- . Possibility of hazardous reactions:** No dangerous reactions known.
- . Conditions to avoid:** No further relevant information available.
- . Incompatible materials:** No further relevant information available.
- . Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

. Acute toxicity:

. LD/LC50 values that are relevant for classification:		
7439-89-6 iron		
Oral	LD50	30000 mg/kg (rat)
9004-34-6 Cellulose		
Oral	LD50	>5000 mg/kg (rat)

. Primary irritant effect:

- . on the skin:** Strong caustic effect on skin and mucous membranes.
- . on the eye:** Strong caustic effect.
- . Sensitization:** No sensitizing effects known.

. Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful
Corrosive

(Contd. on page 7)

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

(Contd. on page 6)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

• Carcinogenic categories

• IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

• NTP (National Toxicology Program)

None of the ingredients is listed.

• OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

• Toxicity

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Other adverse effects:** No further relevant information available.

13 Disposal considerations

• Waste treatment methods

• Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- Zinc Chloride Dry Battery (No Lead Added) is exempt from dangerous goods. It is considered non-dangerous goods by the international Civil Aviation Organization (ICAO), the International Air Transport Association (IATA), International Maritime Dangerous Goods regulations (IMDG), the «Recommendations on the Transport of Dangerous Goods Model Regulations» and also is not classified as dangerous goods under the 66th Edition of the IATA Dangerous Good Regulation 2025 Special Provision A123.

Separate batteries when shipping to prevent short-circuiting. They should be packed in strong packaging for support during transport.

Transport Fashion: By air, by sea, by road.

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture

• Sara

• Section 335 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

(Contd. on page 7)

. Section 313 (specific toxic chemical listings):

1313-13-9	manganese dioxide
-----------	-------------------

. TSCA (Toxic Substances Control Act):

1313-13-9	manganese dioxide
7439-89-6	iron
7732-18-5	water
9004-34-6	Cellulose

. Proposition 65

. Chemical known to cause cancer:

None of the ingredients is listed.

. Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

. Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

. Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

. Cancerogenity categories

. EPA (Environmental Protection Agency)

1313-13-9	manganese dioxide	D
7440-66-6	zinc	II

. TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

. NIOSH-Ca (National Institution for Occupational Safety & Health)

None of the ingredients is listed.

16 Other information

NFPA ratings (scale 0-4)



Health = 3
Fire = 0
Reactivity = 0

. HMIS ratings (scale 0-4)



Health = 4
Fire = 0
Reactivity = 0

(Contd. on page 9)

Safety Data Sheet

29 CFR 1910.1200

Effective Date : 01/01-2025

Trade Name : Zinc Chloride Dry Battery (No Lead Added)

(Contd. on page 8)

• **Relevant phrases**

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H332 Harmful if inhaled.

• *****

The contents and format of this SDS are in accordance with 29 CFR 1910.1200 (g)

DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in anyway connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Remark:

*This sample is likely to be classified as article and is out of scope of a SDS as set out in 29 CFR Part 1910.1200. This SDS is generated for client's reference only.

• **Date of preparation/last revision 2025.01.01/-**

• **Abbreviations and acronyms:**

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
- Eye Dam . 1: Serious eye damage/eye irritation, Hazard Category 1

• *****

End of document



Material Safety Data Sheet

化学品安全技术说明书

Sample Name: Rechargeable Li-ion Battery
样品名称: 可充电锂离子电池

Model: GT PO602030
型号: GT PO602030

Applicant: Dongguan Guante Electronics Technology Co.,Ltd.
申请商: 东莞市莞特电子科技有限公司

Report No.: DGGT20231110MSDS03
报告编号: DGGT20231110MSDS03

Category: MSDS
报告类别: MSDS

广州三帕认证技术服务有限公司

Guangzhou CPUP Certification Technology Service Co., Ltd.



Section 1 - Chemical and Company Identification		
第一部分-化学品及企业标识		
Sample Name 样品名称	Rechargeable Li-ion Battery 可充电锂离子电池	
Model/型号	GT PO602030	
Ratings/额定参数	3.7V, 300mAh, 1.11Wh	
Applicant 申请商	Dongguan Guante Electronics Technology Co.,Ltd. 东莞市莞特电子科技有限公司	
Applicant address 申请商地址	Room405, Hengtai building, Middle road of dongcheng, Guancheng district, Dongguan city 东莞市莞城区东城中路恒泰大厦 405 室	
Manufacturer 制造商	Dongguan Guante Electronics Technology Co.,Ltd. 东莞市莞特电子科技有限公司	
Manufacturer Contact information 制造商联系信息	address 地址	Room405, Hengtai building, Middle road of dongcheng, Guancheng district, Dongguan city 东莞市莞城区东城中路恒泰大厦 405 室
	Tel./应急电话	0769-23102849
	Email/邮箱	guantecell@vip.163.com

Section 2 - Hazards Identification	
第二部分-危险性概述	
Hazards Identification: 危险性描述	
<p>Not dangerous with normal use. Do not dismantle, open or shred the battery ingredients contained within or their ingredients products could be harmful.</p> <p>正常使用没有危险，不能拆解、打开或分解电池，里面的材料或成分是有害的。</p>	
Primary Route (s) of Exposure: 接触途径	
<p>inhalation, ingestion, Skin contact and Eye contact.</p> <p>吸入、食入、皮肤接触、眼睛接触。</p>	
Potential Health Effects: 潜在健康影响	
<p>inhalation: Vapors or mists from a ruptured battery may cause respiratory irritation.</p> <p>吸入: 破裂的电池散发出来的气雾会引起呼吸道刺激。</p>	
<p>Ingestion: The battery ingredients contained within or their ingredients products can cause serious chemical burns of mouth, esophagus, and gastrointestinal tract.</p> <p>食入: 电池的组成成分或原料可以导致嘴，食道和胃肠道的严重化学烧伤。</p>	
<p>Skin: Skin contact with contents of an open battery can cause severe irritation or burns to the skin.</p> <p>皮肤: 皮肤接触到电池的内部化学材料可能会导致严重的刺激或烧伤皮肤。</p>	
<p>Eye: Eye contact with contents of an open battery can cause severe irritation or burns to the eye.</p> <p>眼睛: 眼睛接触到电池的内部化学材料可能会导致严重的刺激或烧伤眼睛。</p>	

Section 3- Composition/Information on Ingredients 第三部分-成分/组成信息		
Chemical Name 化学名称	CAS Number CAS 号 (化学文摘登记号)	Concentration or concentration ranges (%) 浓度或浓度范围(%)
Lithium Cobalt Oxide	12190-79-3	34
Graphite	7782-42-5	18
Lithium hexafluorophosphate	21324-40-3	17
Copper Foil	7440-50-8	7
Aluminum Foil	7429-90-5	6
Styrene Butadiene Rubber	9003-55-8	18
Note: CAS number is Chemical Abstract Service Registry Number. 注意: CAS 号是化学文摘服务注册号。 N/A= Not applicable.. N/A=不适用		

Section 4- First Aid Measure 第四部分-急救措施	
Inhalation 吸入	Remove source of contamination or move victim to fresh air. Obtain medical advice. 移除污染源或者将受害者移至新鲜空气处。寻求医生建议。
Ingestion 食入	Please rinse mouth thoroughly with water, induce vomiting under the guidance of professional personage. Please seek medical treatment in time. 立即用清水漱口, 在专业人士的指导下催吐, 速就医。
Skin contact 皮肤接触	Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid. 脱下已污染衣服, 用大量的水冲洗至少 15 分钟, 速就医。
Eye contact 眼睛接触	Irrigate with flowing water for 15 minutes. If irritation persists, consult a physician. 用流动水冲洗 15 分钟, 如刺激持续发生, 请求助于医生。

Section 5- Fire Fighting Measures 第五部分-消防措施	
Characteristics of Hazard 危险特性	Toxic fumes, gases or vapors may evolve on burning. 火灾时可释放有害浓烟、气体或者蒸汽。
Hazardous Combustion Products 燃烧产生的危险物品	Carbon monoxide, carbon dioxide, lithium oxide fumes and so on. 一氧化碳, 二氧化碳, 锂氧化物烟气等。
Fire-extinguishing Methods and Extinguishing Media 灭火方法及灭火剂	Please use water, dry sand and other proper fire extinguishing media. 请使用水, 干沙等合适的灭火介质。

Attention in Fire-extinguishing 灭火注意事项	The firemen should put on antigas masks and full fire-fighting suits. 消防人员须佩戴防毒面具、穿全身消防服。
--	--

Section 6- Accidental Release Measure 第六部分-泄漏应急处理	
Personal Precautions, protective equipment, and emergency procedures 个人预防措施、防护装备和应急程序	Restrict access to area until completion of clean-up. Do not touch the spilled material. Wear adequate personal protective equipment as indicated in Section 8. 限制区域，直到完成清理工作。请勿触摸泄漏的材料。穿戴适当的个人防护设备，如第 8 部分所示。
Environmental Precautions 环境保护措施	Prevent material from contaminating soil and from entering sewers or waterways. 防止物质污染土壤和进入下水道或水道。
Methods and materials for Containment 方法和材料控制	Stop the leak if safe to do so. Contain the spilled liquid with dry sand or earth. Clean up spills immediately. 出于安全，阻止泄漏，可以用干沙或沙土来遏制液体泄露，立即清理泄漏。
Methods and materials for cleaning up 清理的方法和材料	Absorb spilled material with an inert absorbent (dry sand or earth). Scoop contaminated absorbent into an acceptable waste container. Collect all contaminated absorbent and dispose of according to directions in Section 13. Scrub the area with detergent and water; collect all contaminated wash water for proper disposal. 用惰性吸收剂(干沙或沙土)吸收溢出的材料。污染物转移到可吸收废物的容器。收集所有受污染的吸收剂和根据第 13 部分的指令处置。用洗涤剂和水清洁污染区域,收集所有受污染的洗涤水进行适当处置。

Section 7- Handling and Storage 第七部分-操作处置与储存	
Handling 操作	Don't handling the batteries in manner that allows terminals to short circuit. Do not open, disassemble, crush or burn battery. 不要让接头短路的方式对电池进行操作。不要打开，分解，挤压或燃烧电池。
Storage 储存	if the battery is subject to storage for such a long term as more than 3 months, it is recommended to recharge the battery periodically. 如果电池长期存放超过 3 个月，建议定期对电池充电。 Long period storage: 25±5°C, 60±25%R.H 长期存储: 25±5°C,相对湿度 60±25% Do not storage the battery haphazardly in a box or drawer where they may short-circuit each other or be short-circuited by other metal objects. 不要将电池随意丢在盒子或抽屉里，以免电池之间或电池与其他金属物质发生短路。 Keep out of reach of children. 储存在小孩接触不到的地方。 Do not expose the battery to heat or fire. Avoid storage in direct sunlight. 不要将电池暴露在火源和热源附近，避免在阳光直射下存储。

	<p>Do not store together with oxidizing and acidic materials. 不要与氧化和酸性物质存储在一起。</p>
--	---

Section 8 - Exposure Controls/Personal Protection 第八部分-接触控制和个体防护	
Engineering Controls 工程控制	<p>No engineering controls are required for handling batteries that have not been damaged. Personal protective equipments for damaged batteries should include chemical resistant gloves and safety glasses. 操作未破损的电池，没有工程控制要求。对于破损的电池，个人防护用品应包括化学品防护手套和安全眼镜。</p>
Personal Protective Equipment 个人防护设备	<p>Respiratory Protection: in case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use. Not necessary under conditions of normal use. 呼吸保护：当电池排气阀打开时，应尽量使通风设备开至最大，避免将打开排气阀的电芯局限在某一狭窄空间内。正常操作条件下，呼吸保护是不必要的。正常使用条件下不必考虑。</p> <p>Protective Gloves: Not necessary under conditions of normal use. 防护手套：正常使用条件下不必考虑。</p> <p>Other Protective Clothing or Equipment: Not necessary under conditions of normal use. 其他防护服装或设备：正常使用条件下不必考虑。</p> <p>Personal Protection is recommended for venting battery: Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields. 当电池排气阀打开时，应做好个人防护。呼吸防护，防护手套，防护服装和有护边的安全玻璃罩都是要准备的。</p>

Section 9- Physical and Chemical Properties 第九部分-理化特性	
Appearance: Silver	外观颜色：银色
Physical state: Solid	物理状态：固体
Form: Approximate Cuboid	形状：近长方体
Melting Point °C: >300°C	熔点°C：>300°C
Odor: Odorless	气味：无气味
Solubility: Partial soluble in water	溶解度：部分溶于水

Section 10 - Stability and Reactivity 第十部分-稳定性和反应性	
Stability 稳定性	Stable under normal temperatures and pressures. 常温常压下稳定。
Conditions to Avoid 应避免的条件	Heat above 70°C or Incinerate, Deform, Mutilate, Crush, Disassemble, Overcharge, Short circuit, Expose over a long period to humid conditions. 加热 70°C 以上或焚烧、变形、毁坏、粉碎、拆卸、过充电、短路，长时间暴露在潮湿的条件下。
Hazardous Decomposition Products 危害分解物	Toxic Fumes, and may form peroxides. 有毒烟雾，并可能形成过氧化物。
Possibility of Hazardous Reaction 危险反应的可能性	If leaked, forbidden to contact with strong oxidizers ,mineral acids ,strong alkalis, halogenated hydrocarbons. 如果发生泄露，避免与强氧化剂，无机酸，强碱，卤代烃接触。

Section 11 - Toxicological Information 第十一部分-毒理学信息	
Irritation 刺激	In the event of exposure to internal contents, vapor fumes may be very irritating to the eyes and skin. 内部物质暴露的情况下，蒸汽烟雾可能对眼睛和皮肤产生刺激性。
Sensitization 致敏	Not applicable. 不适用
Reproductive Toxicity 再生毒性	Not applicable. 不适用
Toxicologically Synergistic Materials 协同材料毒理学	Not applicable. 不适用

Section 12-Ecological Information 第十二部分-生态学信息	
General note 通用信息	Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. 不允许未稀释或大量的产品到达地下水、水道或污水系统。
Anticipated behavior of a chemical product in environment/possible environmental impact/ ecotoxicity 化学产品在环境/可能的环境预期的行为的一种生态毒性	Not applicable. 不适用
Mobility in soil 土壤中移动性	Not applicable. 不适用
Persistence and Degradability 持久性和降解性	Not applicable. 不适用

Section 13 - Disposal Considerations 第十三部分-废弃处置	
Waste Treatment 废弃处置方法	Recycle or dispose of in accordance with government, state & local regulations. 建议遵照国家和地方法规处置或再利用。
Attention for Waste Treatment 废弃注意事项	Deserted batteries couldn't be treated as ordinary trash. Couldn't be thrown into fire or placed in high temperature. Couldn't be dissected, pierced, crushed or treated similarly. Best way is recycling. 废电池不能被当做普通垃圾。不能扔进火中或置于高温下。不能解体，刺穿，破碎或类似的处理。最好的办法是回收利用。

Section 14 - Transport Information 第十四部分-运输信息	
<p>The battery shall be passed the test items of the UNITED NATIONS "Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria" section 38.3 and meet the requirements of UNITED NATIONS "Recommendations on the Transport of Dangerous Goods, model Regulations "</p> <p>该电池必须通过联合国《关于危险货物运输的建议书 试验和标准手册》第 38.3 章节的测试项目和满足联合国《关于危险货物运输的建议书 规章范本》的要求。</p> <p>The battery shall be protected so as to prevent short circuits. This includes protection against contact with conductive materials within the same packaging that could lead to short circuit; 该电池必须做好防短路保护。包括防止与同一封装内的导电材料接触可能导致的短路。</p> <p>The packaging shall be adequate to avoid mechanical damage during transport, handling and stacking. 包装应足以避免在运输，处理和堆放期间的机械损坏。</p> <p>The package must be handled with care and that a flammability hazard exists if the package is damaged. 包装必须小心处理，如果包装损坏，存在易燃危险。</p> <p>With regard to transport, the following regulations are cited and considered: 关于运输，引用和考虑了以下法规： -The international Civil Aviation Organization (ICAO) Technical Instructions. -国际民用航空组织(ICAO)技术细则。 -The international Air transport Association (IATA) Dangerous Goods Regulations. -国际航空运输协会(IATA)危险物品规则。</p> <p>The battery can be shipped by air in according to PACKING INSTRUCTION 965 Section IB, or PACKING INSTRUCTION 966~967 Section II of the 2024 IATA Dangerous Goods regulations 65th Edition. 该电池可以根据 2024 年 IATA 危险物品规则第 65 版包装指令 965 第 IB 部分或包装指令 966~967 第 II 部分运输。 UN number: UN3480 or UN3481; UN 编号: UN3480 或 UN3481: UN Proper shipping name/Description (technical name): Lithium ion batteries or Lithium ion batteries packed with equipment or Lithium ion batteries contained in equipment; UN 合适的运输名称/描述(技术名称): 锂离子电池或锂离子电池与设备包装在一起或锂离子电池内置于设备中; UN Classification (Transport hazard class): Class 9 (PI965 Section IB) or Not applicable (PI966~967 Section II) UN 分类(运输危险类别): 9 类危险品(包装指令 965 第 IB 部分)或者不适用(包装指令 966~967 第 II 部分)</p>	

Report No.: DGGT20231110MSDS03

 UN Packing Group: Not applicable.
 UN 包装类别: 不适用

-The international Maritime Dangerous Goods (IMDG) Code.

-国际海运危险货物(IMDG)规则。

UN number: UN3480 or UN3481;

UN 编号: UN3480 或 UN3481;

UN Proper shipping name/Description (technical name): Lithium ion batteries or Lithium ion batteries packed with equipment or Lithium ion batteries contained in equipment;

UN 合适的运输名称/描述(技术名称): 锂离子电池或锂离子电池与设备包装在一起或锂离子电池内置于设备中;

UN Classification (Transport hazard class): Not applicable.

UN 分类(运输危险类别): 不适用

UN Packing Group: Not applicable

UN 包装类别: 不适用

The battery is not restricted according to IMO IMDG Code (inc. Amendment 41-22) Special Provision 188.

海运按照国际海事组织《国际海运危险货物规则》(41-22 版)特殊规定 188 不受限制。

Section 15 - Regulatory Information

第十五部分-法规信息

International Civil Aviation Organization (ICAO) Technical Instructions

ICAO 国际民用航空组织(ICAO)技术细则:

1. Unless be exempted according to ICAO TI, the lithium ion cell/batteries (UN 3480, PI 965) and lithium metal cell/batteries (UN 3090, PI 968) are forbidden for carriage on passenger aircraft.

除非依据《技术细则》的相关要求取得豁免, 单独包装的锂离子电池(芯)(UN 3480, PI 965)和锂金属电池(芯)(UN 3090, PI 968)货物禁止使用客机运输。

2. Unless be approved according to ICAO TI, Lithium ion cells/batteries (UN 3480, PI 965) must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated design capacity.

除非依据《技术细则》的相关要求取得特别批准, 按照包装说明 965 要求运输的锂离子电池(芯)货物, 交运时锂离子电池(芯)的荷电状态不得超过其额定容量的 30%。

Section 16 - Additional Information

第十六部分-附加信息

 Compiler 编制人: *Kevin Xu*

 Reviewer 审核人: *Tracy Chen*

 Approver 批准人: *Leorhi*

Issue Date 签发日期: 2023.12.04

Effective date 生效日期: 2024.01.01

Compile unit 编制单位:

Guangzhou CPUP Certification Technology Service Co., Ltd.

广州三帕认证技术服务有限公司

Report No.: DGGT20231110MSDS03

Room C101/C102/C103/C104, No.9, Hengji Road, Yunxing Zhukeng, Shiqiao Street, Panyu District, Guangzhou, Guangdong, China

广州市番禺区市桥街云星珠坑村横基路 9 号 C101、C102、C103、C104 室

Tel./电话: 0086-20-31127037 Web/网址: www.cp-up.com Email/邮箱: info@cp-up.com

Other Information 其他信息:

The information above is believed to be accurate and represents the best information currently available to us. However, we makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

在我们看来上面的信息是准确的，这是我们目前能提供的最佳的信息。但是，对于这些信息，我们不对商品的性能做任何明示的或者暗示的保证，我们也不对使用这些信息造成的后果担负任何责任。用户应当自己调查研究后决定这些信息是否适用于他们的特定用途。尽管在该文档里提出了合理的预警，但是这仅仅只是给您做参考、考量和调查。这份安全技术说明书提供了安全处理和使用该产品的指南，但是它没有，也不能对所有可能发生的情景提出建议，所以您需要根据您对该产品的特定使用情况来决定是否需要其他的预防措施。

--End of report--

--报告结束--