



essence call me Queen dramatic false lash effect mascara waterproof

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 08/07/2024

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : essence call me Queen dramatic false lash effect mascara waterproof
Product code : 4059729490322
Other means of identification :

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

cosnova GmbH
Am Limespark 2
Sulzbach, D-65843 - Germany
T +49(0)6196-76156-0 - F +49(0)6196761561899
info@cosnova.com

1.4. Emergency telephone number

Emergency number : GBK/Infotrac ID 102396: (USA domestic) 1 800 535 5053 or international (001) 352 323 3500

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 4 H227 Combustible liquid

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Signal word (GHS US) : Warning
Hazard statements (GHS US) : H227 - Combustible liquid
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P370+P378 - In case of fire: Use media other than water to extinguish.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Isododecane	(CAS-No.) 31807-55-3	≤35	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Chronic 4, H413
Dimethicone	(CAS-No.) 63148-62-9	<5	Eye Irrit. 2A, H319
Phenoxyethanol	(CAS-No.) 122-99-6	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 2 (Inhalation:dust,mist), H330 Eye Dam. 1, H318 STOT SE 3, H335
Caprylyl Glycol	(CAS-No.) 1117-86-8	<1	Aquatic Acute 3, H402

Full text of hazard classes and H-statements : see section 16

essence call me Queen dramatic false lash effect mascara waterproof

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

- | | |
|---------------------------------------|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest. |
| First-aid measures after skin contact | : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |

4.2. Most important symptoms and effects (acute and delayed)

- | | |
|---|--|
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- | | |
|------------------------------|---|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Sand. |
|------------------------------|---|

5.2. Specific hazards arising from the chemical

- | | |
|------------------|-----------------------------|
| Fire hazard | : Combustible liquid. |
| Explosion hazard | : Product is not explosive. |

5.3. Special protective equipment and precautions for fire-fighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting media from entering environment. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- | | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| Methods for cleaning up | : Clear up spills immediately and dispose of waste safely. |
|-------------------------|--|

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|-------------------------------|--|

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|-----------------------|--|
| Storage conditions | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Incompatible products | : Strong bases. Strong acids. |

essence call me Queen dramatic false lash effect mascara waterproof

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silica (7631-86-9)	
IDLH	3000 mg/m ³
NIOSH REL (TWA)	6 mg/m ³
Talc (14807-96-6)	
ACGIH OEL TWA	2 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)
ACGIH chemical category	Not Classifiable as a Human Carcinogen containing no asbestos fibers
OSHA PEL TWA	20 mppcf (if 1% Quartz or more, use Quartz limit)
IDLH	1000 mg/m ³ (containing no asbestos and <1% quartz)
NIOSH REL (TWA)	2 mg/m ³ (containing no Asbestos and <1% Quartz-respirable dust)
Sodium Benzoate (532-32-1)	
ACGIH OEL TWA	2.5 mg/m ³ (inhalable particulate matter)
ACGIH chemical category	Not Suspected as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route
Synthetic Wax (8002-74-2)	
ACGIH OEL TWA	2 mg/m ³ (fume)
NIOSH REL (TWA)	2 mg/m ³ (fume)

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Small oblong bottle with applicator cap
Color	: Black
Odor	: Characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 67 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

essence call me Queen dramatic false lash effect mascara waterproof

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight
Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1850 mg/kg (Source: EU_CLH)
LD50 dermal rat	14422 mg/kg
LD50 dermal rabbit	5 ml/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 0.057 mg/l (Exposure time: 8 h Source: EU_CLH)
ATE US (oral)	1850 mg/kg body weight
ATE US (dermal)	5550 mg/kg body weight
ATE US (dust, mist)	0.05 mg/l/4h
Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7900 mg/kg (Source: ATSDR)
LD50 dermal rabbit	> 5000 mg/kg (Source: ECETOC)
LC50 Inhalation - Rat	> 58.8 mg/l/4h
ATE US (oral)	7900 mg/kg body weight
Caprylyl Glycol (1117-86-8) (Historical information; not tested on animals for cosmetics)	
LC50 Inhalation - Rat	> 7.015 mg/l/4h
Sodium Benzoate (532-32-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4070 mg/kg (Source: NLM_CIP)
ATE US (oral)	4070 mg/kg body weight
Dimethicone (63148-62-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 24 g/kg (Source: NLM_CIP)
Synthetic Wax (8002-74-2) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 3600 mg/kg (Source: NLM_CIP)

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified

essence call me Queen dramatic false lash effect mascara waterproof

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Carcinogenicity : Not classified

Talc (14807-96-6) (Perineal area only; not applicable to this product)

IARC group : 3 - Not classifiable

National Toxicology Program (NTP) Status : Evidence of Carcinogenicity

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)

LC50 - Fish [2] : ≥ 366 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)

LC50 - Fish [1] : 5000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)

EC50 - Crustacea [1] : 7600 mg/l (Exposure time: 48 h - Species: Ceriodaphnia dubia)

Talc (14807-96-6) (Historical information; not tested on animals for cosmetics)

LC50 - Fish [1] : > 100 g/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])

Caprylyl Glycol (1117-86-8) (Historical information; not tested on animals for cosmetics)

LC50 - Fish [1] : 2.2 – 22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)

Sodium Benzoate (532-32-1) (Historical information; not tested on animals for cosmetics)

LC50 - Fish [1] : 420 – 558 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: EPA)

EC50 - Crustacea [1] : < 650 mg/l (Exposure time: 48 h - Species: Daphnia magna)

LC50 - Fish [2] : > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Phenoxyethanol (122-99-6) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : 1.107

Silica (7631-86-9) (Historical information; not tested on animals for cosmetics)

BCF - Fish [1] : (no bioaccumulation expected)

Talc (14807-96-6) (Historical information; not tested on animals for cosmetics)

BCF - Fish [1] : (no known bioaccumulation)

Caprylyl Glycol (1117-86-8) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : 2.1 (at 25 °C (at pH 6)

Sodium Benzoate (532-32-1) (Historical information; not tested on animals for cosmetics)

BCF - Fish [1] : (no bioaccumulation)

Partition coefficient n-octanol/water (Log Pow) : -2.13

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecological waste information : Avoid release to the environment.

essence call me Queen dramatic false lash effect mascara waterproof

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: Transport information

Department of Transportation (DOT)

Not regulated as hazmat for transport since flash point > 60°C

Transportation of Dangerous Goods

Exempted from Hazmat classification per TDG Class 3, Flammable Liquids: General Exemption 1.33 since flash point > 60.5°C

Transport by sea

Not regulated as hazmat for transport since flash point > 60.5°C

Air transport

Not regulated as hazmat for transport since flash point > 60.5°C

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Phenoxyethanol (122-99-6)	U.S. - Pennsylvania - RTK (Right to Know) List
Silica (7631-86-9)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Talc (14807-96-6)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
Synthetic Wax (8002-74-2)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

SECTION 16: Other information

Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.


Full text of hazard classes and H-statements listed in Section 2 or Section 3:

H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H402	Harmful to aquatic life
H413	May cause long lasting harmful effects to aquatic life

essence call me Queen dramatic false lash effect mascara waterproof

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.	
NFPA fire hazard	: 2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.	
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.	
Hazard Rating		
Health	: 0 Minimal Hazard - No significant risk to health	
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II IIIA)	
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.	

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.