

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26-400000047331	Date of first issue: 08/28/2024

SECTION 1. IDENTIFICATION

Product name : L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Formula Center Reference : 1190014

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
133, Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read label before use.

Other hazards

None known.

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26- 400000047331	Date of first issue: 08/28/2024

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
HYDROGEN PEROXIDE	7722-84-1	>= 3 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	: Move to fresh air. Call a physician if symptoms develop or persist.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	: Rinse with water. If eye irritation persists, consult a specialist.
If swallowed	: Rinse mouth with water. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: None known.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: No hazardous combustion products are known.
Further information	: Prevent fire extinguishing water from contaminating surface water or the ground water system. Standard procedure for chemical fires.
Special protective equipment for fire-fighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version 1.0 Revision Date: 08/28/2024 SDS Number: 00-26-400000047331 Date of last issue: -
Date of first issue: 08/28/2024

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use non-slip safety shoes in areas where spills or leaks can occur.

Environmental precautions : Prevent product from entering drains.

Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Materials to avoid : No materials to be especially mentioned.
Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
HYDROGEN PEROXIDE	7722-84-1	TWA	1 ppm	ACGIH
		TWA	1 ppm 1.4 mg/m ³	NIOSH REL
		TWA	1 ppm 1.4 mg/m ³	OSHA Z-1
		TWA	1 ppm 1.4 mg/m ³	OSHA P0

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version 1.0	Revision Date: 08/28/2024	SDS Number: 00-26- 400000047331	Date of last issue: - Date of first issue: 08/28/2024
----------------	------------------------------	---------------------------------------	--

Safety glasses

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : white

Odor : Unscented.

pH : > 2.0 - 2.4

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

Flash point : > 212 °F / > 100 °C
Method: ISO 3679

Fire Point : > 100 °C
Method:ISO 2592

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1 (68 °F / 20 °C)

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : Not applicable

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26- 400000047331	Date of first issue: 08/28/2024

Viscosity		
Viscosity, kinematic	:	No data available
Dust explosion class	:	Not applicable
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 200 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method

Components:

HYDROGEN PEROXIDE:

Acute oral toxicity	:	LD50 (Rat, male and female): 693.7 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 0.17 mg/l Exposure time: 4 h Test atmosphere: vapor Method: OECD Test Guideline 403 Assessment: The component/mixture is moderately toxic after short term inhalation.

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26- 400000047331	Date of first issue: 08/28/2024

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

HYDROGEN PEROXIDE:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

HYDROGEN PEROXIDE:

Species	: Rabbit
Result	: Risk of serious damage to eyes.
Method	: OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

HYDROGEN PEROXIDE:

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
--	--

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26- 400000047331	Date of first issue: 08/28/2024

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

HYDROGEN PEROXIDE:

Routes of exposure	:	Inhalation
Target Organs	:	Respiratory Tract
Assessment	:	May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

HYDROGEN PEROXIDE:

Species	:	Mouse, male and female
NOAEL	:	26 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Method	:	OECD Test Guideline 408

Species	:	Rat, male and female
NOAEL	:	0.0103 mg/l
Application Route	:	inhalation (vapor)
Exposure time	:	90 d
Method	:	OECD Test Guideline 413

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks	:	The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.
---------	---	--

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26- 400000047331	Date of first issue: 08/28/2024

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

HYDROGEN PEROXIDE:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): 16.4 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia pulex (Water flea)): 2.4 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Skeletonema costatum (marine diatom)): 1.38 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.63 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	IC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Persistence and degradability

Components:

HYDROGEN PEROXIDE:

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

Bioaccumulative potential

Components:

HYDROGEN PEROXIDE:

Partition coefficient: n-octanol/water	:	log Pow: -1.57
--	---	----------------

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information	:	The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.
-----------------------------------	---	--

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26- 400000047331	Date of first issue: 08/28/2024

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)
HYDROGEN PEROXIDE	7722-84-1	1000

SARA 311/312 Hazards : No SARA Hazards

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26- 400000047331	Date of first issue: 08/28/2024

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -

SAFETY DATA SHEET

L'ORÉAL PARIS CASTING NATRUAL GLOSS DEVELOPER - 15 VOLUME

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/28/2024	00-26- 400000047331	Date of first issue: 08/28/2024

Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 08/28/2024

US / EN

1. Identification

Product identifier	L'ORÉAL PARIS FERIA BONDING AFTER COLOR CONDITIONER
Other means of identification	
SDS number	00-12-0001304
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Specific target organ toxicity, repeated exposure	Category 2
OSHA defined hazards	Not classified.	
Label elements		



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN		56-81-5	5
BEHENTRIMONIUM CHLORIDE		68607-24-9	3.56
BIS-CETEARYL AMODIMETHICONE		1126942-72-0	1.8
CITRIC ACID		77-92-9	1.2
ISOPROPYL ALCOHOL		67-63-0	1.11
DICETYLDIMONIUM CHLORIDE		68391-05-9	1.05

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Avoid discharge into drains, water courses or onto the ground.

Environmental precautions**7. Handling and storage****Precautions for safe handling**

Do not breathe mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection**Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
ISOPROPYL ALCOHOL (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	400 ppm
	TWA	200 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	1225 mg/m3
		500 ppm
	TWA	980 mg/m3
		400 ppm

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
ISOPROPYL ALCOHOL (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.
Skin protection	
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.
Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Cream.
Color	White.
Odor	Characteristic.
Odor threshold	Not available.
pH	3 - 4
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 199.4 °F (> 93.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.

Solubility(ies) Not available.

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density	>= 0.98 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
L'ORÉAL PARIS FERIA BONDING AFTER COLOR CONDITIONER		
<u>Acute</u>		
Dermal		
ATEmix		219800 mg/kg
Oral		
ATEmix		36390 mg/kg
Components	Species	Test Results
BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)		
<u>Acute</u>		
Oral		
LD50	Rat	3190 mg/kg OECD 401
BIS-CETEARYL AMODIMETHICONE (CAS 1126942-72-0)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Oral		
LD50	Rat	> 2000 mg/kg OECD 423
CITRIC ACID (CAS 77-92-9)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg bw OECD 402
Oral		
LD50	Mouse	5400 mg/kg bw OECD 401
DICETYLDIMONIUM CHLORIDE (CAS 68391-05-9)		
<u>Acute</u>		
Oral		
LD50	Rat	960 mg/kg

Components	Species	Test Results
GLYCERIN (CAS 56-81-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 18700 mg/kg bw
Inhalation		
LC50	Rat	> 570 mg/L air, 1 h
Oral		
LD50	Rat	27200 mg/kg bw
ISOPROPYL ALCOHOL (CAS 67-63-0)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	12870 mg/kg 16.4 ml/kg bw OECD 402
Inhalation		
LC50	-	51.05 mg/l, 8 Hours
<i>Vapor</i>		
LC50	Rat	> 10000 ppm, 6 Hours OECD 403
Oral		
LD50	Rat	5840 mg/kg OECD 401
Skin corrosion/irritation	Causes skin irritation.	
Irritation Corrosion - Skin		
DICETYLDIMONIUM CHLORIDE		OECD 404 Result: Corrosive Species: Rabbit
BIS-CETEARYL AMODIMETHICONE		OECD 404 Result: Irritating Species: Rabbit
CITRIC ACID		OECD 404 Result: Slightly Irritating Species: Rabbit
BEHENTRIMONIUM CHLORIDE		OECD 405 Result: Irritating Species: Rabbit
GLYCERIN		Result: Not Irritating Species: Rabbit
ISOPROPYL ALCOHOL		Result: Not Irritating Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye irritation.	
Irritation Corrosion - Eye		
BEHENTRIMONIUM CHLORIDE		OECD 404 Result: Corrosive Species: Rabbit
DICETYLDIMONIUM CHLORIDE		OECD 405 Result: Corrosive Species: Rabbit
BIS-CETEARYL AMODIMETHICONE		OECD 405 Result: Irritating Species: Rabbit
CITRIC ACID		OECD 405 Result: Irritating Species: Rabbit
ISOPROPYL ALCOHOL		OECD 405 Result: Severely Irritating Species: Rabbit
GLYCERIN		Result: Not Irritating Species: Rabbit

Respiratory or skin sensitization**Respiratory sensitization** Not a respiratory sensitizer.**Skin sensitization** This product is not expected to cause skin sensitization.**Skin sensitization**

GLYCERIN	167 mg/m3 air OECD 413, Inhalation Result: NOAEL Species: Rat Test Duration: 90 d
BEHENTRIMONIUM CHLORIDE	OECD 406 Result: Not Sensitizing Species: Guinea pig
BIS-CETEARYL AMODIMETHICONE	OECD 406 Result: Not Sensitizing Species: Guinea pig
DICETYLDIMONIUM CHLORIDE	OECD 406 Result: Not Sensitizing Species: Guinea pig
ISOPROPYL ALCOHOL	OECD 406 Result: Not Sensitizing Species: Guinea pig
CITRIC ACID	OECD 406 Result: Not Sensitizing Species: Guinea pig
GLYCERIN	OECD 406 Result: Not Sensitizing Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.**Mutagenicity**

CITRIC ACID	Result: In vitro and in vivo tests did not show mutagenic effects.
GLYCERIN	Result: In vitro and in vivo tests did not show mutagenic effects.
ISOPROPYL ALCOHOL	Result: In vitro and in vivo tests did not show mutagenic effects.
BEHENTRIMONIUM CHLORIDE	Result: In vitro tests did not show mutagenic effects
DICETYLDIMONIUM CHLORIDE	Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans.**IARC Monographs. Overall Evaluation of Carcinogenicity**

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.**Developmental effects**

CITRIC ACID	> 295 mg/kg bw/d, No effects on development Result: NOAEL Species: Rat
DICETYLDIMONIUM CHLORIDE	12 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
GLYCERIN	1310 mg/kg bw/d, No effects on development Result: NOAEL Species: Rat
ISOPROPYL ALCOHOL	400 mg/kg bw/d OECD 414, No effects on development Result: NOAEL Species: Rabbit

Reproductivity

ISOPROPYL ALCOHOL	1000 mg/kg bw/d OECD 416, No effects on fertility Result: NOAEL Species: Rat
GLYCERIN	2000 mg/kg bw/d, No effects on fertility Result: NOAEL Species: Rat

Reproductivity
CITRIC ACID

2500 mg/kg bw/d, No effects on fertility
Result: NOAEL
Species: Rat
56.3 mg/kg bw/d OECD 416
Result: NOAEL
Species: Rat
75 mg/kg bw/d OECD 421
Result: NOAEL
Species: Rat

DICETYLDIMONIUM CHLORIDE

BEHENTRIMONIUM CHLORIDE

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure May cause damage to organs through prolonged or repeated exposure.

BEHENTRIMONIUM CHLORIDE

10 mg/kg bw/d OECD 407, Oral
Result: NOAEL
Species: Rat
Test Duration: 28 d

CITRIC ACID

4000 mg/kg bw/d, Oral
Result: NOAEL
Species: Rat
Test Duration: 10 d

DICETYLDIMONIUM CHLORIDE

42 - 49 mg/kg bw/d OECD 408, Oral
Result: NOAEL
Species: Rat

ISOPROPYL ALCOHOL

Test Duration: 93 d
5000 ppm OECD 413, Inhalation
Result: NOAEL
Species: Rat

GLYCERIN

Test Duration: 90 d
8000 mg/kg bw/d, Oral
Result: NOAEL
Species: Rat
Test Duration: 2 yr

Aspiration hazard Not an aspiration hazard.

Chronic effects May cause damage to organs through prolonged or repeated exposure.

Further information The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)			
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	3.48 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.39 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	0.5 - 1 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	43 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.128 mg/l, 21 d OECD 211
Fish	NOEC	Danio rerio	0.24 mg/l, 9 d OECD 212
CITRIC ACID (CAS 77-92-9)			
Aquatic			
Algae	EC50	Microcystis aeruginosa	80 mg/l, 7 d
Crustacea	LC50	Daphnia magna	1535 mg/l, 24 h
Fish	LC50	Leuciscus idus	440 - 760 mg/l, 96 h OECD 203

Components		Species	Test Results
Other	EC50	Pseudomonas putida	4235 mg/l, 18 h OECD 209
DICETYLDIMONIUM CHLORIDE (CAS 68391-05-9)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.386 mg/l, 72 h OECD 201
Crustacea	EC50	Acartia tonsa	0.295 mg/l, 48 h ISO 14669
Fish	LC50	Danio rerio	0.26 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	68 mg/l, 3 h OECD 209
<i>Chronic</i>			
Algae	NOEC	Pseudokirchneriella subcapitata	0.06 mg/l, 72 h OECD 201
Crustacea	NOEC	Daphnia magna	0.5 mg/l, 21 d OECD 202
Fish	NOEC	Pimephales promelas	0.23 mg/l, 35 d EPA-66013-75-00
GLYCERIN (CAS 56-81-5)			
Aquatic			
<i>Acute</i>			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
ISOPROPYL ALCOHOL (CAS 67-63-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Scenedesmus quadricauda	> 1000 mg/l, 72 h
Crustacea	EC50	Daphnia magna	9714 mg/l, 24 h OECD 202
Fish	LC50	Pimephales promelas	9640 mg/l, 96 h OECD 203
Other	TD	Pseudomonas putida	1050 mg/l, 16 DIN 38412, Pt. 8

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

BEHENTRIMONIUM CHLORIDE	80 % OECD 301 Result: Readily Biodegradable Test Duration: 28 d
CITRIC ACID	97 % OECD 301 B Test Duration: 28 d
DICETYLDIMONIUM CHLORIDE	61 % OECD 301 B Result: Readily Biodegradable Test Duration: 28 d
GLYCERIN	OECD 301 Result: Readily Biodegradable
ISOPROPYL ALCOHOL	95 % OECD 301 E Result: Readily Biodegradable Test Duration: 21 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

CITRIC ACID	-1.64
DICETYLDIMONIUM CHLORIDE	4.7 - 4.9 OECD 123
GLYCERIN	-1.76
ISOPROPYL ALCOHOL	0.05

Bioaccumulation

ISOPROPYL ALCOHOL	Result: Bioaccumulation is unlikely.
-------------------	--------------------------------------

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
-------------------------------	--

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ISOPROPYL ALCOHOL (CAS 67-63-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ISOPROPYL ALCOHOL	67-63-0	1.11

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5)

Other Flavoring Substances with OSHA PEL's

ISOPROPYL ALCOHOL (CAS 67-63-0)

Low priority

16. Other information, including date of preparation or last revision**Issue date** 09-12-2022**Version #** 01**NFPA ratings** Health: 2
Flammability: 1
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

1. Identification

Product identifier	GARNIER NUTRISSE ULTRA COLOR FRUIT OIL CONCENTRATE
Other means of identification	
SDS number	00-22-0000130
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Aspiration hazard	Category 1
OSHA defined hazards	Not classified.	

Label elements

Signal word	Danger
Hazard statement	May be fatal if swallowed and enters airways.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Combustible.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
MINERAL OIL		8042-47-5	47.5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Aspiration may cause pulmonary edema and pneumonitis.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Foam. Dry chemicals. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Cool containers exposed to heat with water spray and remove container, if no risk is involved.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged or repeated contact with skin. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat and sources of ignition. Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	PEL	5 mg/m3	Mist.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	TWA	5 mg/m3	Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
MINERAL OIL (CAS 8042-47-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Color Not available.

Odor Characteristic.

Odor threshold Not available.

pH 6.7 - 7.3

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point > 212.0 °F (> 100.0 °C)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Specific gravity	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	No adverse effects due to eye contact are expected.
Ingestion	Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.
Symptoms related to the physical, chemical and toxicological characteristics	Aspiration may cause pulmonary edema and pneumonitis.

Information on toxicological effects

Acute toxicity	May be fatal if swallowed and enters airways.
-----------------------	---

Components	Species	Test Results
MINERAL OIL (CAS 8042-47-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 5 mg/L air, 4 h OECD 403
Oral		
LD50	Rat	> 5000 mg/kg OECD 401

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	No adverse effects due to skin contact are expected.
----------------------------------	--

Irritation Corrosion - Skin MINERAL OIL

OECD 404
Result: Not Irritating
Species: Rabbit

Serious eye damage/eye irritation	No adverse effects due to eye contact are expected.
--	---

Irritation Corrosion - Eye
MINERAL OIL

OECD 405
Result: Not Irritating
Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization
MINERAL OIL

OECD 406
Result: Not Sensitizing
Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity
MINERAL OIL

Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

MINERAL OIL (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects
MINERAL OIL

> 5000 mg/kg bw/d OECD 414, No effects on development
Result: NOAEL
Species: Rat

Reproductivity
MINERAL OIL

>= 2000 mg/kg bw/d OECD 415, No effects on fertility
Result: NOAEL
Species: Rat

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

MINERAL OIL

> 2000 mg/kg bw/d OECD 411, Dermal
Result: NOAEL
Species: Rat
Test Duration: 90 d
> 50 mg/m³ air OECD 412, Inhalation
Result: NOAEC
Species: Rat
Test Duration: 28 d
>= 1200 mg/kg bw/d OECD 453, Oral
Result: NOAEL
Species: Rat
Test Duration: 2 years

Aspiration hazard May be fatal if swallowed and enters airways.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
MINERAL OIL (CAS 8042-47-5)		
Aquatic		
<i>Acute</i>		
Algae	NOEL	Pseudokirchneriella subcapitata > 100 mg/l, 72 h OECD 201
Crustacea	EL50	Daphnia magna > 100 mg/l, 48 h OECD 202
Fish	LL50	Oncorhynchus mykiss > 100 mg/l, 96 h OECD 203

Components	Species		Test Results
<i>Chronic</i> Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 211

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

MINERAL OIL

31 % OECD 301 F

Result: Not Readily Biodegradable

Bioaccumulative potential

No data available.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

Not regulated.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
 Delayed Hazard - No
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date 04-30-2019

Version # 01

NFPA ratings Health: 2
 Flammability: 1
 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

1. Identification

Product identifier	GARNIER NUTRISSE PERMANENT HAIR COLOUR - GROUP 1
Other means of identification	
SDS number	80-21-0000171
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier/Distributor information	

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 1B
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1A
OSHA defined hazards	Not classified.	
Label elements		



Signal word Danger

Hazard statement Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statement

Prevention

Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
AMMONIUM HYDROXIDE		1336-21-6	< 7
DECETH-3		66455-15-0	≤ 9
LAURETH-12		68439-50-9	≤ 7
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE		155601-30-2	< 3
TOLUENE-2,5-DIAMINE		95-70-5	< 3
5-AMINO-6-CHLORO-O-CRESOL		84540-50-1	< 2
RESORCINOL		108-46-3	< 2
4-AMINO-2-HYDROXYTOLUENE		2835-95-2	< 2
LAURIC ACID		143-07-7	≤ 3
ETHANOLAMINE		141-43-5	< 2
2-METHYL-5-HYDROXYETHYLAMI NOPHENOL		55302-96-0	< 2
2-METHYLRESORCINOL		608-25-3	< 2
SILICA DIMETHYL SILYLATE		68611-44-9	< 2
P-PHENYLENEDIAMINE		106-50-3	≤ 2
P-AMINOPHENOL		123-30-8	< 1
N,N-BIS(2-HYDROXYETHYL)-p-PH ENYLENEDIAMINE SULFATE		54381-16-7	< 0.6
2,4-DIAMINOPHENOXYETHANOL HCL		66422-95-5	≤ 1
M-AMINOPHENOL		591-27-5	≤ 0.9
4-AMINO-M-CRESOL		2835-99-6	< 0.2
6-HYDROXYINDOLE		2380-86-1	< 0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Alcohol resistant foam. Powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Use water spray to reduce vapors or divert vapor cloud drift. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	PEL	35 mg/m ³
		50 ppm
ETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m ³
		3 ppm
P-PHENYLENEDIAMINE (CAS 106-50-3)	PEL	0.1 mg/m ³

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value
SILICA DIMETHYL SILYLATE (CAS 68611-44-9)	TWA	0.8 mg/m3
		20 mppcf

US. ACGIH Threshold Limit Values

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	STEL	35 ppm
	TWA	25 ppm
ETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm
	TWA	3 ppm
P-PHENYLENEDIAMINE (CAS 106-50-3)	TWA	0.1 mg/m3
RESORCINOL (CAS 108-46-3)	STEL	20 ppm
	TWA	10 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	STEL	27 mg/m3
		35 ppm
	TWA	18 mg/m3
		25 ppm
ETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3
		6 ppm
	TWA	8 mg/m3
		3 ppm
P-PHENYLENEDIAMINE (CAS 106-50-3)	TWA	0.1 mg/m3
RESORCINOL (CAS 108-46-3)	STEL	90 mg/m3
		20 ppm
	TWA	45 mg/m3
		10 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
TOLUENE-2,5-DIAMINE (CAS 95-70-5)	TWA	0.025 mg/m3
		0.005 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines**US - California OELs: Skin designation**

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

P-PHENYLENEDIAMINE (CAS 106-50-3) Skin designation applies.

US - Tennessee OELs: Skin designation

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

P-PHENYLENEDIAMINE (CAS 106-50-3) Can be absorbed through the skin.

US WEEL Guides: Skin designation

TOLUENE-2,5-DIAMINE (CAS 95-70-5)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

P-PHENYLENEDIAMINE (CAS 106-50-3)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.

Skin protection**Hand protection**

Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection

Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties**Appearance****Physical state**

Liquid.

Color

Shaded

Odor

Not available.

Odor threshold

Not available.

pH

10.3

Melting point/freezing point

Not available.

Initial boiling point and boiling range

> 212 °F (> 100 °C)

Flash point

> 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate

Not available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or explosive limits**Flammability limit - lower (%)**

Not available.

Flammability limit - upper (%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

Not available.

Solubility(ies)**Solubility (water)**

Not available.

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature

Not available.

Decomposition temperature

Not available.

Viscosity

Not available.

Other information

Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns. May cause an allergic skin reaction. Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Eye contact Causes serious eye damage.

Ingestion Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Product	Species	Test Results
GARNIER NUTRISSE PERMANENT HAIR COLOUR - GROUP 1		
Acute		
Dermal		
ATEmix		9873 mg/kg
Oral		
ATEmix		1208 mg/kg
Components	Species	Test Results
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE (CAS 155601-30-2)		
Acute		
Inhalation		
<i>Aerosol</i>		
LD50	Rat	> 5.24 mg/m3, 4 h OECD 403
Oral		
LD50	Rat	> 2000 mg/kg OECD 401
2,4-DIAMINOPHENOXYETHANOL HCL (CAS 66422-95-5)		
Acute		
Oral		
LD50	Rat	1000 mg/kg OECD 401
2-METHYL-5-HYDROXYETHYLAMINOPHENOL (CAS 55302-96-0)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402

Components	Species	Test Results
Oral		
LD50	Rat	> 2000 mg/kg OECD 420
2-METHYLRESORCINOL (CAS 608-25-3)		
<u>Acute</u>		
Oral		
LC50	Rat	200 mg/kg
4-AMINO-2-HYDROXYTOLUENE (CAS 2835-95-2)		
<u>Acute</u>		
Oral		
LD50	Rat	3600 mg/kg
4-AMINO-M-CRESOL (CAS 2835-99-6)		
<u>Acute</u>		
Oral		
LD50	Rat	870 mg/kg bw OECD 401
5-AMINO-6-CHLORO-O-CRESOL (CAS 84540-50-1)		
<u>Acute</u>		
Oral		
LD50	Rat	1360 mg/kg bw
6-HYDROXYINDOLE (CAS 2380-86-1)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 2000 mg/m3, 4 h OECD 403
Oral		
LD50	Rat	600 - 1200 mg/kg
AMMONIUM HYDROXIDE (CAS 1336-21-6)		
<u>Acute</u>		
Inhalation		
LC50	Rat	11590 mg/l, 1 h
Oral		
LD50	Rat	350 mg/kg bw OECD 401
DECETH-3 (CAS 66455-15-0)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg Based on test data for structurally similar materials.
Oral		
LD50	Rat	> 2000 mg/kg Based on test data for structurally similar materials.
ETHANOLAMINE (CAS 141-43-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2504 mg/kg OECD 402
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 1.3 mg/l, 6 h
Oral		
LD50	Rat	1515 mg/kg OECD 401

Components	Species	Test Results
LAURETH-12 (CAS 68439-50-9)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 1.6 mg/l, 4 h OECD 403
Oral		
LD50	Rat	> 2000 mg/kg OECD 401
LAURIC ACID (CAS 143-07-7)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 434
Inhalation		
<i>Vapor</i>		
LC50	Rat	> 0.1621 mg/l, 4 h
Oral		
LD50	Rat	> 5000 mg/kg OECD 401
M-AMINOPHENOL (CAS 591-27-5)		
<u>Acute</u>		
Inhalation		
LC50	Rat	1162 mg/m3
Oral		
LD50	Rat	924 mg/kg
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE (CAS 54381-16-7)		
<u>Acute</u>		
Oral		
LD50	Rat	264 mg/kg
P-AMINOPHENOL (CAS 123-30-8)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 8000 mg/kg EPA OPTTS 870.1200
Inhalation		
<i>Dust</i>		
LC50	Rat	> 3.42 mg/l, 4 h OECD 403
Oral		
LD50	Rat	671 mg/kg EPA OPPTS 870.1100
P-PHENYLENEDIAMINE (CAS 106-50-3)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 7940 mg/kg
Inhalation		
<i>Vapor or aerosol</i>		
LC50	Rat	0.92 mg/l, 4 Hours
Oral		
LD50	Rat	80 - 100 mg/kg bw
RESORCINOL (CAS 108-46-3)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	2830 mg/kg FHSL Act

Components	Species	Test Results
Inhalation		
<i>Aerosol</i>		
LC0	Rat	> 7800 mg/m³, 1 h FHSL Act
Oral		
LD50	Rat	510 mg/kg OECD 401
TOLUENE-2,5-DIAMINE (CAS 95-70-5)		
Oral		
LD50	Rat	102 mg/kg OECD 401
<u>Acute</u>		
Dermal		
LD50	Rabbit	3520 mg/kg
Inhalation		
<i>Dust</i>		
LC50	Rat	0.99 mg/l, 4 h
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Irritation Corrosion - Skin		
RESORCINOL		FHLS Act, (100%) Result: Irritating Species: Rabbit
ETHANOLAMINE		OECD 404 Result: Corrosive Species: Rabbit
AMMONIUM HYDROXIDE		OECD 404 Result: Corrosive Species: Rat
2,4-DIAMINOPHENOXYETHANOL HCL		OECD 404 Result: Not Irritating Species: Rabbit
2-METHYL-5-HYDROXYETHYLAMINOPHENOL		OECD 404 Result: Not Irritating Species: Rabbit
5-AMINO-6-CHLORO-O-CRESOL		OECD 404 Result: Not Irritating Species: Rabbit
6-HYDROXYINDOLE		OECD 404 Result: Not Irritating Species: Rabbit
LAURETH-12		OECD 404 Result: Not Irritating Species: Rabbit
M-AMINOPHENOL		OECD 404 Result: Not Irritating Species: Rabbit
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE		OECD 404 Result: Slightly Irritating Species: Rabbit
2-METHYLRESORCINOL		OECD 404 Result: Slightly Irritating Species: Rabbit
LAURIC ACID		OECD 404 Result: Slightly Irritating Species: Rabbit
RESORCINOL		OECD 404, (2.5%) Result: Not Irritating Species: Rabbit
DECETH-3		OECD 404, Based on test data for structurally similar materials. Result: Slightly Irritating Species: Rabbit
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE		OECD 439 Result: Not Irritating Species: In vitro

Irritation Corrosion - Skin

TOLUENE-2,5-DIAMINE

OECD 439

Result: Not Irritating

Species: In vitro

4-AMINO-2-HYDROXYTOLUENE

OECD 439

Result: Not Irritating

Species: RhE

4-AMINO-M-CRESOL

Result: Irritating

P-PHENYLENEDIAMINE

Result: Not Irritating

Species: Guinea pig

P-AMINOPHENOL

Result: Slightly Irritating

Species: Rabbit

Serious eye damage/eye irritation

Causes serious eye damage.

Irritation Corrosion - Eye

P-AMINOPHENOL

EPA OPPTS 870.2400

Result: Slightly Irritating

Species: Rabbit

RESORCINOL

FHLS Act, (100%)

Result: Corrosive

Species: Rabbit

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE

OECD 405

Result: Corrosive

Species: Rabbit

2-METHYLRESORCINOL

OECD 405

Result: Corrosive

Species: Rabbit

6-HYDROXYINDOLE

OECD 405

Result: Corrosive

Species: Rabbit

ETHANOLAMINE

OECD 405

Result: Corrosive

Species: Rabbit

LAURETH-12

OECD 405

Result: Corrosive

Species: Rabbit

LAURIC ACID

OECD 405

Result: Corrosive

Species: Rabbit

TOLUENE-2,5-DIAMINE

OECD 405

Result: Corrosive

Species: Rabbit

2,4-DIAMINOPHENOXYETHANOL HCL

OECD 405

Result: Irritating

Species: Rabbit

2-METHYL-5-HYDROXYETHYLAMINOPHENOL

OECD 405

Result: Irritating

Species: Rabbit

5-AMINO-6-CHLORO-O-CRESOL

OECD 405

Result: Irritating

Species: Rabbit

P-PHENYLENEDIAMINE

OECD 405

Result: Irritating

Species: Rabbit

M-AMINOPHENOL

OECD 405

Result: Not Irritating

Species: Rabbit

RESORCINOL

OECD 405, (2.5%)

Result: Not Irritating

Species: Rabbit

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE

OECD 438

Result: Irritating

Species: In vitro

4-AMINO-2-HYDROXYTOLUENE

OECD 492

Result: Not Irritating

Species: RhCE

AMMONIUM HYDROXIDE

Result: Corrosive

Irritation Corrosion - Eye

DECETH-3

Result: Corrosive

Species: Rabbit

4-AMINO-M-CRESOL

Result: Irritating

Respiratory or skin sensitization**Respiratory sensitization** Due to partial or complete lack of data the classification is not possible.**Skin sensitization** May cause an allergic skin reaction.**Skin sensitization**1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE
SULFATE

EU Method B.6 - Cat 1

Result: Sensitizing

Species: Guinea pig

LAURETH-12

OECD 406

Result: Not Sensitizing

Species: Guinea pig

LAURIC ACID

OECD 406

Result: Not Sensitizing

Species: Guinea pig

P-AMINOPHENOL

OECD 406

Result: Sensitizing

Species: Guinea pig

DECETH-3

OECD 406, Based on test data for structurally similar materials.

Result: Not Sensitizing

Species: Guinea pig

2-METHYL-5-HYDROXYETHYLAMINOPHENOL

OECD 429

Result: Not Sensitizing

Species: Mouse

5-AMINO-6-CHLORO-O-CRESOL

OECD 429

Result: Not Sensitizing

Species: Mouse

2,4-DIAMINOPHENOXYETHANOL HCL

OECD 429

Result: Sensitizing

Species: Mouse

2-METHYLRESORCINOL

OECD 429

Result: Sensitizing

Species: Mouse

4-AMINO-2-HYDROXYTOLUENE

OECD 429

Result: Sensitizing

Species: Mouse

4-AMINO-M-CRESOL

OECD 429

Result: Sensitizing

Species: Mouse

6-HYDROXYINDOLE

OECD 429

Result: Sensitizing

Species: Mouse

M-AMINOPHENOL

OECD 429

Result: Sensitizing

Species: Mouse

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE
SULFATE

OECD 429

Result: Sensitizing

Species: Mouse

P-PHENYLENEDIAMINE

OECD 429

Result: Sensitizing

Species: Mouse

RESORCINOL

OECD 429

Result: Sensitizing

Species: Mouse

TOLUENE-2,5-DIAMINE

OECD 429

Result: Sensitizing

Species: Mouse

ETHANOLAMINE

Result: Not Sensitizing

Species: Guinea pig

AMMONIUM HYDROXIDE

Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Mutagenicity

4-AMINO-M-CRESOL

Result: In vitro and in vivo tests did not show mutagenic effects.

LAURETH-12

Result: In vitro and in vivo tests did not show mutagenic effects.

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE

Result: In vitro and in vivo tests did not show mutagenic effects.

ETHANOLAMINE

Result: In vitro and in vivo tests did show mutagenic effects

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE

Result: In vitro tests did not show mutagenic effects

AMMONIUM HYDROXIDE

Result: In vitro tests did not show mutagenic effects

DECETH-3

Result: In vitro tests did not show mutagenic effects

LAURIC ACID

Result: In vitro tests did not show mutagenic effects

2,4-DIAMINOPHENOXYETHANOL HCL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

2-METHYL-5-HYDROXYETHYLAMINOPHENOL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

2-METHYLRESORCINOL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

M-AMINOPHENOL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

P-PHENYLENEDIAMINE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

RESORCINOL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

TOLUENE-2,5-DIAMINE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

4-AMINO-2-HYDROXYTOLUENE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo tests.

5-AMINO-6-CHLORO-O-CRESOL

Result: In vitro tests showed mutagenic effects which were not observed with in vivo tests.

6-HYDROXYINDOLE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo tests.

P-AMINOPHENOL

Result: In vivo tests showed mutagenic effects

Carcinogenicity

Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

P-PHENYLENEDIAMINE (CAS 106-50-3)

3 Not classifiable as to carcinogenicity to humans.

RESORCINOL (CAS 108-46-3)

3 Not classifiable as to carcinogenicity to humans.

TOLUENE-2,5-DIAMINE (CAS 95-70-5)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Developmental effects

LAURETH-12

>= 250 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

ETHANOLAMINE

>= 450 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE

>= 50 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

P-PHENYLENEDIAMINE

10 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

M-AMINOPHENOL

100 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

P-AMINOPHENOL

100 mg/kg bw/d OECD 421

Result: NOAEL

Species: Rat

Developmental effects

2-METHYL-5-HYDROXYETHYLAMINOPHENOL	1000 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
LAURIC ACID	1000 mg/kg bw/d OECD 422 Result: NOAEL Species: Rabbit
4-AMINO-2-HYDROXYTOLUENE	180 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
2,4-DIAMINOPHENOXYETHANOL HCL	20 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
RESORCINOL	250 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
5-AMINO-6-CHLORO-O-CRESOL	270 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
2-METHYLRESORCINOL	400 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
TOLUENE-2,5-DIAMINE	50 mg/kg bw/d OECD 414, Based on test data for structurally similar materials. Result: NOAEL Species: Rat
6-HYDROXYINDOLE	50 mg/kg bw/d Result: NOAEL Species: Rat
4-AMINO-M-CRESOL	80 mg/kg bw/d OECD 414, No effects on development Result: NOAEL Species: Rat

Reproductivity

LAURETH-12	>= 250 mg/kg bw/d OECD 416 Result: NOAEL Species: Rat
TOLUENE-2,5-DIAMINE	>= 45 mg/kg bw/d OECD 416, Based on test data for structurally similar materials. Result: NOAEL Species: Rat
P-AMINOPHENOL	100 mg/kg bw/d OECD 421 Result: NOAEL Species: Rat
LAURIC ACID	1000 mg/kg bw/d OECD 422 Result: NOAEL
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
4-AMINO-2-HYDROXYTOLUENE	200 mg/kg bw/d OECD 415 Result: NOAEL Species: Rat
RESORCINOL	245 mg/kg bw/d OECD 416 Result: NOAEL Species: Rat
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	300 mg/kg bw/d OECD 415 Species: Rat
ETHANOLAMINE	300 mg/kg bw/d OECD 416 Result: NOAEL Species: Rat

Specific target organ toxicity - single exposure Due to partial or complete lack of data the classification is not possible.

AMMONIUM HYDROXIDE Result: Highly Irritating

Specific target organ toxicity - repeated exposure Due to partial or complete lack of data the classification is not possible.

**Specific target organ toxicity -
repeated exposure**

LAURETH-12	>= 500 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
P-AMINOPHENOL	10 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
TOLUENE-2,5-DIAMINE	10 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
DECETH-3	100 mg/kg bw/d OECD 407, Based on test data for structurally similar materials. Result: NOAEL Species: Rat Test Duration: 28 d
2-METHYLRESORCINOL	100 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
5-AMINO-6-CHLORO-O-CRESOL	100 mg/kg bw/d OECD 408, Oral Result: LOAEL Species: Rat Test Duration: 90 d
6-HYDROXYINDOLE	100 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
LAURIC ACID	1000 mg/kg bw/d OECD 422 Result: NOAEL Species: Rat Test Duration: 90 d
ETHANOLAMINE	150 mg/m3 air OECD 412, Inhalation Result: NOAEC Species: Rat Test Duration: 28 d
P-PHENYLENEDIAMINE	16 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
4-AMINO-2-HYDROXYTOLUENE	180 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
2,4-DIAMINOPHENOXYETHANOL HCL	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
M-AMINOPHENOL	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	20 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
2-METHYL-5-HYDROXYETHYLAMINOPHENOL	220 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat Test Duration: 90 d
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	250 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Rat Test Duration: 90 d
ETHANOLAMINE	300 mg/kg bw/d OECD 416, Oral Result: NOAEL Species: Rat

Specific target organ toxicity - repeated exposure

4-AMINO-M-CRESOL

60 mg/kg bw/d

Result: NOAEL

Species: Rat

Test Duration: 90 d

RESORCINOL

80 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

Test Duration: 90 d

991 mg/m³

Result: NOAEC

Species: Rat

Test Duration: 14 d

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Chronic effects

May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

Further information

May cause allergic respiratory and skin reactions. The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE (CAS 155601-30-2)			
Aquatic			
<i>Acute</i>			
Algae		Pseudokirchneriella subcapitata	5.33 mg/l, 72 h EU C.3
Crustacea	EC50	Daphnia magna	11.12 mg/l, 48 h TG 202
Fish	LC50	Danio rerio	86.2 mg/l, 96 h EU C.1
2,4-DIAMINOPHENOXYETHANOL HCL (CAS 66422-95-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	36.5 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.4 mg/l, 48 h OECD 202
2-METHYL-5-HYDROXYETHYLAMINOPHENOL (CAS 55302-96-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	15.9 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	3.04 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	> 100 mg/l, 96 h OECD 236
Other	EC50	Activated sludge of a predominantly domestic sewage	603 mg/l, 3 h OECD 209
2-METHYLRESORCINOL (CAS 608-25-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	71 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.605 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	58.1 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	131 mg/l, 3 h OECD 209

Components		Species	Test Results
4-AMINO-2-HYDROXYTOLUENE (CAS 2835-95-2)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	41 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	2.3 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	25 mg/l, 96 h OECD 236
Other	EC50	Activated sludge of a predominantly domestic sewage	> 150 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.24 mg/l, 21 d OECD 211
6-HYDROXYINDOLE (CAS 2380-86-1)			
<i>Acute</i>			
Aquatic			
<i>Acute</i>			
Algae		Desmodesmus subspicatus	9.1 mg/l, 72 h
Crustacea	EC50	Daphnia magna	1.74 mg/l, 48 h
Fish	LC50	Danio rerio	21.7 mg/l, 96 h
Other	IC50	Activated sludge of a predominantly domestic sewage	> 0.9 mg/l, 3 d
AMMONIUM HYDROXIDE (CAS 1336-21-6)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Chlorella vulgaris	2700 mg/l, 18 d
Crustacea	EC50	Daphnia magna	101 mg/l, 48 h ASTM E729-80
Fish	LC50	Oncorhynchus mykiss	0.89 mg/l, 96 h
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.79 mg/l, 21 d
Fish	NOEC	Oncorhynchus mykiss	1.2 mg/l, 61 d OECD 210
DECETH-3 (CAS 66455-15-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	1.8 mg/l, 72 h 92/69/EWG
Crustacea	EC50	Daphnia magna	0.39 mg/l, 48 h 92/69/EWG
Fish	LC50	Cyprinus carpio	1.2 mg/l, 96 h EU C.1
Other	EC0	Activated sludge of a predominantly domestic sewage	140 mg/l, 3 h 88/302/EG
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	<= 1 mg/l, 21 d
Fish	NOEC	Lepomis macrochirus	0.16 mg/l, 10 d
ETHANOLAMINE (CAS 141-43-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	2.8 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	65 mg/l, 48 h EU C.2
Fish	LC50	Cyprinus carpio	349 mg/l, 96 h EU C.1
Other	EC10	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 30 min OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.85 mg/l, 21 d OECD 211
Fish	NOEC	Oryzias latipes	1.24 mg/l, 41 d OECD 210

Components		Species	Test Results
LAURETH-12 (CAS 68439-50-9)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.29 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.53 mg/l, 48 h
Fish	LC50	Danio rerio	1.2 mg/l, 96 h EU C.1
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16.9 h DIN 38412, 8
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.77 mg/l, 21 d
LAURIC ACID (CAS 143-07-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 7.6 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	3.6 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	5 mg/l, 96 h OECD 203
Other	EC10	Pseudomonas putida	> 1000 mg/l, 30 min OECD 209
M-AMINOPHENOL (CAS 591-27-5)			
<i>Acute</i>			
Other	IC50	Tetrahymena pyriformis	361 mg/l, 40 h
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	62 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.1 mg/l, 48 h DIN 38412, Pt. 11
Fish	LC50	Danio rerio	82.64 mg/l, 96 h OECD 203
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.05 mg/l, 21 d OECD 211
Fish	NOEC	Oryzias latipes	25 mg/l, 25 d OECD 204
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE (CAS 54381-16-7)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.338 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.381 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	> 235 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	228 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.674 mg/l, 21 d OECD 211
P-AMINOPHENOL (CAS 123-30-8)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 0.253 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.182 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	0.82 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	29.9 mg/l, 3 h OECD 209
P-PHENYLENEDIAMINE (CAS 106-50-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.27 mg/l, 72 h OECD 201

Components		Species	Test Results
Crustacea	EC50	Daphnia magna	0.33 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	3.9 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	13.4 mg/l, 3 h OECD 209

RESORCINOL (CAS 108-46-3)

Aquatic

Acute

Algae	EC50	Pseudokirchneriella subcapitata	> 97 mg/l, 97 h OECD 201
Crustacea	LC50	Daphnia magna	1 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	26.8 mg/l, 96 h EPA-660/3/75-009
Other		Activated sludge of a predominantly domestic sewage	79 mg/l, 3 h OECD 209

Chronic

Crustacea	NOEC	Daphnia magna	>= 0.172 mg/l, 21 d
Fish	LOEC	Oncorhynchus mykiss	320 mg/l, 60 d

TOLUENE-2,5-DIAMINE (CAS 95-70-5)

Aquatic

Acute

Algae	EC50	Pseudokirchneriella subcapitata	1.02 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.491 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	0.05 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	3.75 mg/l, 3 h OECD 209

Chronic

Algae	NOEC	Pseudokirchneriella subcapitata	0.11 mg/l, 72 h OECD 201
-------	------	---------------------------------	--------------------------

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE	33.3 % EU C.4-E Result: Not readily biodegradable
2-METHYL-5-HYDROXYETHYLAMINOPHENOL	2 - 3 % OECD 301 B Result: Not Readily Biodegradable
2-METHYLRESORCINOL	64 % OECD 301 B Result: Readily Biodegradable Test Duration: 28 d
4-AMINO-2-HYDROXYTOLUENE	0 % OECD 301 B Result: Not Readily Biodegradable Test Duration: 28 d
4-AMINO-M-CRESOL	Result: Not Readily Biodegradable
6-HYDROXYINDOLE	Result: Not Biodegradable
DECETH-3	78 % OECD 301 B Result: Readily Biodegradable Test Duration: 28 d
ETHANOLAMINE	> 90 % OECD 301 A Result: Readily Biodegradable Test Duration: 21 d
LAURETH-12	95 % OECD 301 F Result: Readily Biodegradable Test Duration: 28 d
N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE	14.3 % OECD 301B Result: Not Readily Biodegradable Test Duration: 28 d
P-PHENYLENEDIAMINE	28 - 30 % OECD 301 D Result: Not Readily Biodegradable Test Duration: 28 d

Biodegradability**Percent degradation (Aerobic biodegradation)**

RESORCINOL

66.7 % OECD 301 C

Result: Readily Biodegradable

Test Duration: 14 d

TOLUENE-2,5-DIAMINE

17 % OECD 301 D

Result: Not Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential**Partition coefficient n-octanol / water (log Kow)**

2-METHYL-5-HYDROXYETHYLAMINOPHENOL

0.772 OECD 117

4-AMINO-2-HYDROXYTOLUENE

-0.53 EU A.8

6-HYDROXYINDOLE

0.53 OECD 117

ETHANOLAMINE

1.46 EU A.8

LAURETH-12

-2.3 OECD 107

LAURIC ACID

6.1 OECD 117

M-AMINOPHENOL

4.2

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE

0.21

SULFATE

-2.8

-2.8 OECD 107

P-AMINOPHENOL

0.25

P-PHENYLENEDIAMINE

-0.25

RESORCINOL

0.8

TOLUENE-2,5-DIAMINE

-0.321 OECD 107

Bioconcentration factor (BCF)

P-AMINOPHENOL

10 - 46 OECD 305 C

Bioaccumulation

ETHANOLAMINE

Result: Bioaccumulation is unlikely.

P-AMINOPHENOL

Result: Bioaccumulation is unlikely.

TOLUENE-2,5-DIAMINE

Result: Bioaccumulation is unlikely.

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations**Disposal instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information**DOT****FINISHED GOODS****UN number**

UN1760

UN proper shipping name

CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE), Limited Quantity

Class

8

Packing group

II

Transport hazard class(es)**Label(s)**

Limited Quantity

Packaging exceptions

154

LTD QTY Net Inner Capacity

1.0 L

BULK**UN number**

UN1760

UN proper shipping name

CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE), MARINE POLLUTANT (DECETH-3)

Class	8
Packing group	II
Environmental hazards	
Marine pollutant	Yes
Transport hazard class(es)	
Label(s)	8
Special provisions	B2, IB2, T11, TP2, TP27
Packaging non bulk	202

IATA

FINISHED GOODS

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE)
Class	8
Packing group	II
Transport hazard class(es)	
Label(s)	Class 8, Limited Quantity
ERG Number	8L
LTD QTY Net Inner Capacity	0.1 L

BULK

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE)
Class	8
Packing group	II
Environmental hazards	
Marine pollutant	Yes
ERG Number	8L

IMDG

FINISHED GOODS

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE), Limited Quantity
Class	8
Packing group	II
Environmental Hazards	
Marine pollutant	No.
Transport hazard class(es)	
Label(s)	Limited Quantity
EmS	F-A, S-B
LTD QTY Net Inner Capacity	1.0 L

BULK

UN number	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (AMMONIUM HYDROXIDE, ETHANOLAMINE), MARINE POLLUTANT (DECETH-3)
Class	8
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-B

General information IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

AMMONIUM HYDROXIDE (CAS 1336-21-6)	Listed.
P-PHENYLENEDIAMINE (CAS 106-50-3)	Listed.
RESORCINOL (CAS 108-46-3)	Listed.

TOLUENE-2,5-DIAMINE (CAS 95-70-5)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
AMMONIUM HYDROXIDE	1336-21-6	< 7
P-PHENYLENEDIAMINE	106-50-3	≤ 2
TOLUENE-2,5-DIAMINE	95-70-5	< 3

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

P-PHENYLENEDIAMINE (CAS 106-50-3)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

RESORCINOL (CAS 108-46-3)

Low priority

16. Other information, including date of preparation or last revision

Issue date 04-03-2019

Version # 01

NFPA ratings Health: 3
Flammability: 1
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.