



中国认可  
国际互认  
检验  
INSPECTION  
CNAS IB0551



Report No.:GDLK20230718MSDS01

## SAFETY DATA SHEET

**Product** Rechargeable Li-ion Battery Pack

**Type/Model** FG2CELL21700P


**Issue Date** 2023-09-05

**Validity** 2023-09-05 ~ 2023-12-31

**Compiler** Xiao Fang Xing

**Reviewer** Chen Huang

**Approver** Hongbin Xu



Guangzhou MCM Certification & Testing Co., Ltd.



# Safety Data Sheet

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product Identifier

Name of Product: Rechargeable LI-Ion Battery Pack  
Registration number: N/A

### 1.2 Other means of identification

Product Models: FG2CELL21700P  
Nominal Voltage: 7.2V  
Nominal capacity: 4722mAh  
Nominal Power: 34Wh  
Weight: No information available

### 1.3 Recommended use of the chemical and restriction on use

Recommended Use: Rechargeable Li-ion Battery Pack  
Restriction on Use: No information available

### 1.4 Information Of Supplier:

Company Name: Guangdong Pow-Tech New Power Co., Ltd  
Address: No.9, Hengdong 3 Road,Hengkeng Shiling Industrial Zone , Liaobu Town, DongguanZip  
code: /  
Contact person: Alysa  
Tel: 0769-83527566-8056  
Fax: 0769-83520288  
E-mail: wangcong@szpowtech.com.cn

### 1.5 Emergency Telephone

0769-83527566-8056

## SECTION 2.Hazard(s) Identification

### 2.1 Classification

The sealed battery is not considered hazardous and does not require an SDS according to 29CFR1910.1200.  
The hazards indicated listed below are in the case of battery rupture.

Acute toxicity – Oral	Category 4
Acute toxicity - Dermal	Category 4
Skin corrosion/irritation	Category 1B
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 1

### 2.2 Label elements

2.2.1 Signal Word      Danger

#### 2.2.2 Hazard Statements

Harmful if swallowed  
Harmful in contact with skin  
Harmful if inhaled.  
Causes serious eye damage.

# Safety Data Sheet

Report No.:GDLK20230718MSDS01

May cause an allergic skin reaction  
May cause cancer  
May Cause damage to organs.  
May cause respiratory irritation

## 2.2.3 Symbol



GHS08



GHS05



GHS07

This product is an article which contains a chemical substance. Safety information is given for exposure to the article as solid. Intended use of the product should not result in exposure to the chemical substance, This is a battery. In case of rupture: the above hazards exist.

## 2.3 Precautionary Statements

### 2.3.1 Precautionary Statements – Prevention

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Use personal protective equipment as required.  
Wash face, hands and any exposed skin thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.  
Keep away from heat/sparks/open flames/hot surfaces –no smoking.  
Do not eat, drink or smoke when using this product.

### 2.3.2 Precautionary Statements – Response

If exposed or connected: Get medical advice/attention/Specific treatment(see supplemental first aid/instruction on this label).

#### Skin

If on skin: wash with plenty of soap and water. Take off contaminated clothing and water before reuse, if skin irritation or rash occurs: get medical advice/attention if feel unwell.

#### Eye

If in eyes: Rinse cautiously with water for several minutes, remove contact lenses, if present and easy to do, Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### Inhalation

If inhalation: if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician if you feel unwell.

#### Ingestion

If swallowed: rinse mouth, do not induce vomiting, Call a POISON CENTER or doctor/physician if you feel unwell.

### 2.3.3 Precautionary Statements – Storage

Store locked up

### 2.3.4 Precautionary Statements – Disposal

# Safety Data Sheet

Report No.:GDLK20230718MSDS01

Dispose of contents/container to an approved waste disposal plant.

## 2.4 Description of any hazards not otherwise classified

Not applicable

## 2.5 Unknown Toxicity

5% of the mixture consists of ingredient(s) of unknown toxicity.

## SECTION 3. Composition/ Information on Ingredients

Chemical Name	Molecular formula	CAS No.	Weigh%
Lithium Nickel Oxide	$LiNi_xCo_yMn_{z}O_2$	182442-95-1	25~35%
Graphite	$C_{24}X_{12}$	7782-42-5	20~30%
Iron	Fe	7439-89-6	10~20%
Copper foil	Cu	7440-50-8	5~15%
Lithium Cobalt Dioxide	LiCoO <sub>2</sub>	12190-79-3	1~5%
Methyl propanoate	C <sub>4</sub> H <sub>8</sub> O <sub>2</sub>	554-12-1	1~5%
Aluminium foil	Al	7429-90-5	1~5%
Lithium hexafluorophosphate	LiPF <sub>6</sub>	21324-40-3	1~3%
4-Fluoro-1,3-dioxolan-2-one	C <sub>3</sub> H <sub>3</sub> FO <sub>3</sub>	114435-02-8	1~3%
Dimethyl carbonate	C <sub>3</sub> H <sub>6</sub> O <sub>3</sub>	616-38-6	1~3%
Polyethylene (PE)	[C <sub>2</sub> H <sub>4</sub> ] <sub>n</sub>	9002-88-4	1~3%
Ferric oxide	Fe <sub>2</sub> O <sub>3</sub>	1309-37-1	0.1~1%
BOEHMITE	AlH <sub>2</sub> O <sub>2</sub>	1318-23-6	0.1~1%
Graphite /Acetylene Black	C	1333-86-4	0.1~1%
Nickel	Ni	7440-02-0	0.1~1%
Lithium aluminum oxide: (Lithium aluminate)	AlLiO <sub>2</sub>	11089-89-7	0.1~1%
chromium	Cr	7440-47-3	0.1~1%
Lithium carbonate	CLi <sub>2</sub> O <sub>3</sub>	554-13-2	0.1~1%
ether	C <sub>8</sub> H <sub>10</sub>	100-41-4	0.1~1%

## 4. First Aid Measures

### 4.1 General Advice

First aid is Applicable only in the case of cell rupture.

# Safety Data Sheet

Report No.:GDLK20230718MSDS01

## 4.1.1 Eye contact

If symptoms persist, call a physician. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eyes wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area.

## 4.1.2 Skin Contact

Wash off immediately with plenty of water and soap for at least 15 minutes. In the case of skin irritation or allergic reaction see a physician. May cause an allergic skin reaction.

## 4.1.3 Inhalation of Vented Gas

Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substances; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur. Get medical attention immediately if symptoms occur.

## 4.1.4 Ingestion

Do not induce vomiting. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

## 4.1.5 Self-protection of the first aider

Ensure that medical personnel are aware of the material(s) involved. Take precaution to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personnel protective equipment as required. Wear personnel protective clothing (see section8).

## 4.2 Most important symptoms and effects, both acute and delayed

Burning sensation, Itching. Rashes. Hives, Coughing.

## 4.3 Indication of any immediate medical attention and special treatment needed

### Notes to physician

Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. May cause sensitization of susceptible persons. Treat symptomatically.

## SECTION 5.Fire –Fighting Measures

### 5.1 Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### 5.2 Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

### 5.3 Specific Hazards Arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Product is or contains a sensitizer.

### **Hazardous Combustion products**

Carbon oxides.

### 5.4 Explosion Data

# Safety Data Sheet



Report No.:GDLK20230718MSDS01

Sensitivity to Mechanical Impact :No.

Sensitivity to Static Discharge: No.

## 5.5 Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, and full protective gear. Move containers from fire area if you can do it without risk.

## SECTION 6. Accidental Release Measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental Precautions

Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

### 6.3 Methods for containment

Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

### 6.4 Methods for cleaning up

Pick up and transfer to properly labeled containers.

## SECTION 7. Handling and Storage

### 7.1 Precaution for safe handling

In case of rupture, use personal protection equipment. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.

### 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage**

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

#### **Incompatible products**

Strong acids. Strong oxidizing agent. Strong bases.

## SECTION 8. Exposure Controls/Personal Protection

### 8.1 Control parameters

Chemical Name	TLV	PEL	IDLH
Graphite	TWA: 2 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 1250 mg/m <sup>3</sup>

# Safety Data Sheet



Report No.:GDLK20230718MSDS01

7782-42-5	respirable fraction all forms except graphite fibers	synthetic TWA: 5 mg/m <sup>3</sup> respirable fractionsynthetic (vacated) TWA: 2.5 mg/m <sup>3</sup> respirable dust natural (vacated) TWA: 10 mg/m <sup>3</sup> total dust synthetic (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic TWA: 15 mppcf natural	TWA 2.5 mg/m <sup>3</sup> (resp)
Lithium Cobalt oxide 12190-79-3	TWA:0.02mg/m <sup>3</sup>	-	
Lithium hexafluorophosphate 21324-40-3	TWA:2.5mg/m <sup>3</sup> F	TWA: 2.5mg/m <sup>3</sup> F TWA:2.5mg/m <sup>3</sup> dust(vacated) TWA: 2.5mg/m <sup>3</sup>	-
Acetylene Black 1333-86-4	TWA 3.5 mg/m <sup>3</sup> inhalable fraction	TWA 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup> TWA 3.5 mg/m <sup>3</sup> TWA 0.1 mg PAHs/m <sup>3</sup>
Copper 7440-50-8	TWA: 0.2 mg/m <sup>3</sup> fume TWA: 1mg/m <sup>3</sup> Cu dust and mist	TWA: 0.1 mg/m <sup>3</sup> fume TWA: 1 mg/m <sup>3</sup> dust and mist (vacated) TWA: 0.1 mg/m <sup>3</sup> Cu dust, fume, mist	IDLH: 100 mg/m <sup>3</sup> dust, fume and mist TWA: 1 mg/m <sup>3</sup> dust and mist TWA: 0.1 mg/m <sup>3</sup> fume
Aluminum 7429-90-5	TWA:1mg/m <sup>3</sup>	TWA:15mg/m <sup>3</sup> total dust TWA: 5mg/m <sup>3</sup> respirable fraction (vacated) TWA:15mg/m <sup>3</sup> total dust(vacated) TWA:5mg/m <sup>3</sup> respirable fraction (vacated)TWA:5mg/m <sup>3</sup> Aluminum	IDLH:10mg/m <sup>3</sup> Total dust TWA:5mg/m <sup>3</sup> Respirable dust

TLV: Threshold Limit Value

PEL: Permissible Exposure Limits

IDLH: Immediately Dangerous to Life or Health

## 8.2 Exposure controls

### Engineering Measures:

Showers, Eyewash stations, Ventilation systems

## 8.3 Individual protection measures, such as personal protective equipment

**Respiratory protection** : No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**Eye /face protection:** if splashes are likely to occur: Wear safety glasses with side shields(or goggles). None

# Safety Data Sheet

required for consumer use.

**Skin protection:** Wear protective gloves and protective clothing. Long sleeved clothing. Imperious gloves.

**Hygiene Measure:** Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product. For environmental protection, remove and wash all contaminated protective equipment before re-use. No information available.

## SECTION 9. Physical and Chemical Properties

**Physical State:** Solid

**Color:** No information available

**Odor:** Odorless

**Odor Threshold:** No information available

**pH:** No data available

**Melting/freezing point:** No data available

**Boiling point/boiling range:** No data available

**Flash Point:** No data available

**Evaporation Rate:** No data available

**Flammability (Solid, gas):** No data available

**Flammability Limit in Air:**

**Upper flammability limit:** No data available

**Lower flammability limit:** No data available

**Vapor pressure:** No data available

**Vapor density:** No data available

**Specific Gravity:** No data available

**Solubility:** Insoluble in water

**Partition coefficient:n-octanol/water:** No data available

**Autoignition temperature:** No data available

**Decomposition temperature:** No data available

**Kinematic viscosity:** No data available

**Dynamic viscosity:** No data available

## SECTION 10. Stability and Reactivity

# Safety Data Sheet

Report No.:GDLK20230718MSDS01

**Reactivity:**

No data available

**Chemical stability:**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions:**

None under normal processing.

**Hazardous Polymerization:**

Hazardous polymerization dose not occur.

**Conditions to avoid:**

Do not subject battery to mechanical shock. Keep away from open flames, high temperature.

**Incompatible materials:**

Strong acids, Strong oxidizing agents. Strong bases.

**Hazardous decomposition products:**

Carbon oxides

## SECTION 11. Toxicological Information

### 11.1 Information on likely routes of exposure

**Product information:**

Product does not present an acute toxicity hazard based on known or supplied information. In case of rupture:

**Inhalation:**

Specific test data for the substance or mixture is not available. Corrosive by inhalation(base on components). Inhalation of corrosion fumes/gases may cause coughing, choking, headache, dizziness and weakness for several hour. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure and increased heart rate. Inhaled corrosion substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal. May cause irritation of respiratory tract.

**Eye Contact:**

Specific test data for the substance or mixture is not available. Cause burns. ( based on components). Corrosion to the eyes and may cause severe damage including blindness. Cause serious eye damage. May cause irreversible damage to eyes.

**Skin Contact:**

Specific test data for the substance or mixture is not available. Corrosion (based on components). Cause burns. Toxic in contact with skin. May be absorbed through the skin in harmful amounts.

**Ingestion:**

Specific test data for the substance or mixture is not available. Cause burns. ( based on components). Ingestion cause burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be harmful if swallowed.

**Component Information**

# Safety Data Sheet



Report No.:GDLK20230718MSDS01

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Graphite 7782-42-5	> 10000mg/kg ( Rat )	-	-
Carbon black 1333-86-4	> 15400mg/kg ( Rat )	> 3 g/kg ( Rabbit )	-

## 11.2 Information on toxicological effects

### Symptoms:

Erythema (skin redness). May cause redness and tearing of eyes. Itching. Rashes. Hives. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/or wheezing.

## 11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization:** May cause sensitization of susceptible person, May cause sensitization by skin contact. May cause sensitization by inhalation.

**Mutagenic Effects:** No information available.

**Carcinogenicity:** the table below whether each agency has listed any ingredient as a carcinogen.

Chemical Name	IARC
Lithium Cobalt Oxide 12190-79-3	Group 2B
Acetylene Black 1333-86-4	Group 2B

IARC (International Agency for research on Cancer)

Group 2B- Possibly Carcinogenic to humans

**Reproductive Toxicity:** No information available.

**STOT- single exposure:** No information available.

**STOT- repeated exposure:** No information available.

**Aspiration Hazard:** No information available.

## SECTION 12. Ecological Information

**Ecotoxicity:**slightly hazardous for water.

Chemical name	Toxicity to Aglae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Cooper 7440-50-8	96h EC50:0.31-0.045mg/l (pseudokirchneriella subcapitata)	96h LC50:0.068-0.0156mg/L (pimephales promelas) 96h LC50:=0.112mg/L(Poecilia	/	48h EC50:=0.03mg/l

# Safety Data Sheet

Report No.:GDLK20230718MSDS01



	72h EC50:0.426-0.0535mg /l (pseudokirchneriella subcapitata)	reticulate) 96h LC50=0.3mg/L(Cyprinus marpio) 96h LC50=0.8mg/L((Cyprinus marpio) 96h LC50=1.25mg/L(Lepomis macrochirus) 96h LC50=0.052mg/L(Oncorhynch us mykiss) 96h LC50=0.2mg/L(Pimephales promelas) 96h LC50:< 0.3mg/L(Pimephales promelas)		
--	--	--	--	--

**Persistence and Degradability:** No information available

**Bioaccumulation:** No information available

**Other adverse effects:** No information available

## SECTION 13. Disposal Considerations

### 13.1 Waste treatment methods

**Disposal methods:**

This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult the appropriate state, regional, or local regulations for additional requirements. Should not be released into the environment.

**Contaminated Packaging:**

Dispose of in accordance with federal, state and local regulations.

## SECTION 14. Transportation Information

According to Packing Instruction 965-970 of IATA DGR for transportation, or the special provision 188 of IMDG Code, the batteries should be securely packed and protected against short-circuits. Examine whether the package of the containers are integrate and tighten closed before transport. Take in a cargo of them without falling, dropping, and breakage. Prevent collapse of cargo piles. Don't put the goods together with oxidizer and chief food chemicals. The transport vehicle should prevent exposure, rain and high temperature. For stopovers, the vehicle should be away from fire and heat sources. When transported by sea, the assemble place should keep away from bedroom and kitchen, and isolated from the engine room, Power and fire sources. Under the condition of road transportation, the driver should drive in accordance with regulated route, don't stop over in the residential area and congested area. Forbid to use wooden, cement for bulk transport:

Lithium batteries shipped as "Lithium batteries", "Lithium batteries packed with equipment", or "Lithium batteries contained in equipment" may not be classified as "Dangerous Goods" when shipped in accordance with "PI965-967 section II of IATA-DGR" or "special provision 188 of IMO-IMDG Code"

# Safety Data Sheet



Report No.:GDLK20230718MSDS01

**DOT:** NOT REGULATED

**Proper Shipping Name:** GDLK20230718U01

**Emergency Response Guide Number:** 147

**Hazard Class:** N/A

**ICAO:** Not regulated

**IATA:**

<b>Air transportation, according to IATA-DGR 64<sup>th</sup> Edition (Effective 1 January-31 December 2023)</b>	
UN Number + Proper Shipping Name Hazard Class Packaging requirement	UN 3480 LITHIUM ION BATTERIES Class 9 <b>Strong package, PACKING INSTRUCTION 965, section IB for transportation</b> The batteries must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated design capacity.
UN Number + Proper Shipping Name Hazard Class Packaging requirement	UN 3481 LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, or UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT Not restricted <b>Strong package, Section II of PACKING INSTRUCTION 966-967 for transportation.</b>

**IMDG Code /IMO:**

<b>According to IMO IMDG Code (41-2022 Edition)</b>	
UN Number + Proper Shipping Name Hazard Class Package instruction Ems No.	UN 3480 LITHIUM ION BATTERIES,or UN 3480 LITHIUM ION BATTERIES, or UN 3481 LITHIUM ION BATTERIES PACKED WITH EQUIPMENT Not restricted Strong package, Packaging in accordance to corresponding requirements of sp188 F-A, S-I

**RID:** Not regulat

**ADR:**

<b>According to ADR-2023</b>	
UN Number + Proper Shipping Name Hazard Class Package instruction	UN 3480 LITHIUM ION BATTERIES,or UN 3480 LITHIUM ION BATTERIES, or UN 3481 LITHIUM ION BATTERIES PACKED WITH EQUIPMENT Not restricted Strong package, Packaging in accordance to corresponding requirements of sp188

**AND:** Not regulated

# Safety Data Sheet

Report No.:GDLK20230718MSDS01



## SECTION 15. Regulatory information

Regulation (EC) No 1272/2008 (CLP)  
Directive 2014/27/EU  
Environmental Quality Standards (EQS)-Directive 2008/105/EC  
《Dangerous Goods Regulation》 (DGR)  
《Recommendations on the Transport of Dangerous Goods Model Regulations》  
《International Maritime Dangerous Goods》 (IMDG)  
《Occupational Safety and Health Act》 (OSHA)  
《Toxic Substances Control Act》 (TSCA)  
《Code of Federal Regulations》 (CFR)  
《Technical Instructions for the Safe Transport of Dangerous Goods》

## SECTION 16. Other Information

### According standard:

ISO 11014:2009(E) Safety data sheet for chemical products – Content and order of sections

29CFR1910.1200

### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the test.

### Prepared By:

Guangzhou MCM Certification and Testing Co., Ltd.

Building 2 No. 45 Zhong Er Section of Shiguang Road, Zhongcun Street, Panyu District, Guangzhou City, Guangdong Province, China.

Tel.: +86-20-3477 7662, 0086-020-3477 7662

Fax.: /

Web: <https://www.mcmttek.com>

Email: [service@mcmttek.com](mailto:service@mcmttek.com)



Issuing Date: 2023-09-05

# Safety Data Sheet

Report No.:GDLK20230718MSDS01

## Sample Reference Photo

Model: FG2CELL21700P



--- End of the report---