

 **STARTS WORKING  
IN SECONDS!**



# VapoCOOL™

## SEVERE

MENTHOL • ORAL ANESTHETIC



**MAX STRENGTH • FAST RELIEF**

**SOOTHES SORE THROAT**



**18 MEDICATED DROPS**

## TRUSTED VICKS VAPORS IN A POWERFUL DROP

In 1931, Vicks created its first medicated drop in the United States. For over 85 years, Vicks has been a trusted choice for drops with soothing Vicks Vapoors.



Also Available from Vicks

| Drug Facts                                                                                                                                                                                                                                                  |                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <b>Active ingredient (per drop)</b>                                                                                                                                                                                                                         | <b>Purpose</b>  |
| Menthol 20 mg                                                                                                                                                                                                                                               | Oral anesthetic |
| <b>Uses</b> temporarily relieves occasional minor irritation and pain due to • sore throat • sore mouth                                                                                                                                                     |                 |
| <b>Warnings</b>                                                                                                                                                                                                                                             |                 |
| <b>Sore Throat Warning:</b> Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age. |                 |
| <b>Ask a doctor before use if you have</b>                                                                                                                                                                                                                  |                 |
| • a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days                                                                                                                                                                |                 |
| • a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting                                                                                                                                                                          |                 |
| <b>Stop use and ask a doctor if</b>                                                                                                                                                                                                                         |                 |
| • sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens                                                                                                                                                      |                 |
| <b>if pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.                                                      |                 |
| <b>Directions</b>                                                                                                                                                                                                                                           |                 |
| • adults and children 12 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed or as directed by a doctor.                                                                                                                    |                 |
| • children under 12 years: do not use.                                                                                                                                                                                                                      |                 |
| <b>Other information</b> • Store at 20°-25°C (68°-77°F) in a dry place • contains soy                                                                                                                                                                       |                 |
| <b>Inactive ingredients</b>                                                                                                                                                                                                                                 |                 |
| corn syrup, eucalyptol, FD&C Blue No. 1, flavors, glycerin, gum arabic, potassium sorbate, sucrose, water                                                                                                                                                   |                 |
| <b>Questions?</b> 1-800-707-1709                                                                                                                                                                                                                            |                 |



DIST. BY:  
PROCTER & GAMBLE  
CINCINNATI, OH 45202  
Patents:  
[www.pg.com/patents](http://www.pg.com/patents)  
**P&G**  
[www.pg.com](http://www.pg.com)  
[vicks.com](http://vicks.com)  
90027657



ACTUAL  
SIZE

RESEALABLE BAG

|                                                                                                                                                                                                                                                             |                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <b>Drug Facts</b>                                                                                                                                                                                                                                           |                 |
| <b>Active ingredient (per drop)</b>                                                                                                                                                                                                                         | <b>Purpose</b>  |
| Menthol 20 mg .....                                                                                                                                                                                                                                         | Oral anesthetic |
| <b>Uses</b> temporarily relieves occasional minor irritation and pain due to • sore throat • sore mouth                                                                                                                                                     |                 |
| <b>Warnings</b>                                                                                                                                                                                                                                             |                 |
| <b>Sore Throat Warning-</b> Severe or persistent sore throat or sore throat accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more than 2 days or administer to children under 12 years of age. |                 |
| <b>Ask a doctor before use if you have</b>                                                                                                                                                                                                                  |                 |
| <ul style="list-style-type: none"> <li>• a severe sore throat accompanied by difficulty in breathing or that lasts more than 2 days</li> <li>• a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting</li> </ul>                  |                 |
| <b>Stop use and ask a doctor if</b>                                                                                                                                                                                                                         |                 |
| • sore mouth symptoms do not improve in 7 days, or if irritation, pain, or redness persists or worsens                                                                                                                                                      |                 |
| <b>If pregnant or breast-feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.                                                     |                 |
| <b>Directions</b>                                                                                                                                                                                                                                           |                 |
| <ul style="list-style-type: none"> <li>• adults and children 12 years and over: dissolve 1 drop slowly in the mouth. Repeat every 2 hours as needed or as directed by a doctor.</li> <li>• children under 12 years: do not use.</li> </ul>                  |                 |
| <b>Other information</b> • Store at 20°-25°C (68°-77°F) in a dry place • contains soy                                                                                                                                                                       |                 |
| <b>Inactive ingredients</b>                                                                                                                                                                                                                                 |                 |
| corn syrup, eucalyptol, FD&C Blue No. 1, flavors, glycerin, gum arabic, potassium sorbate, sucrose, water                                                                                                                                                   |                 |