

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Date of issue: 07/28/2017

Revision date: 07/28/2017

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Article
Trade name : Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)
Other means of identification : Voltage : 1.5V
Watt-Hour: 0.2295Wh
Battery Weight:

1.2. Recommended use and restrictions on use

Main use category : Toy battery
Restrictions on use : No information available.

1.3. Supplier

Supplier : Dongguan Guante Electronic Technology Co., Ltd
Address : Hengtai Industry Buliding, Middle East City Road, Guancheng District, Dongguan City.
Phone : 0086-0769-23102849
E-mail : guantecell@163.com

1.4. Emergency telephone number

+86-13912779466

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Not classified

2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US) : None
Signal word (GHS-US) : None
Hazard statements (GHS-US) : Not applicable
Precautionary statements (GHS-US) : Not applicable

2.3. Other hazards which do not result in classification

Attention: If the battery is broken, the battery contents contain the following hazards:

Causes severe skin burns and eye damage

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Name	Product identifier	%	GHS-US classification
Manganese oxide (MnO ₂)	(CAS-No.) 1313-13-9	38	Acute Tox. 4, H302 Acute Tox. 4, H332
Iron	(CAS-No.) 7439-89-6	20	Not classified
Zinc	(CAS-No.) 7440-66-6	15	Not classified
Water	(CAS-No.) 7732-18-5	8	Not classified
Graphite	(CAS-No.) 7782-42-5	7	Not classified
Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl]	(CAS-No.) 32131-17-2	6	Not classified
Potassium hydroxide	(CAS-No.) 1310-58-3	6	Acute Tox. 4, H302 Skin Corr. 1A, H314

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : No hazards which require special first aid measures.
 First-aid measures after inhalation : Not an expected route of exposure
 First-aid measures after skin contact : No special technical protective measures are necessary
 First-aid measures after eye contact : Not an expected route of exposure.
 First-aid measures after ingestion : Rinse mouth Get medical attention Never give anything by mouth to an unconscious person
 Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects : No information available.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
 Unsuitable extinguishing media : No information available.

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
 Other information : Evacuate personnel to a safe area. Ensure adequate ventilation, especially in confined areas. Eliminate every possible source of ignition. Move containers from fire area if it can be done without personal risk. Cool tanks/drums with water spray/remove them into safety. Stay upwind/keep distance from source.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Avoid contact with skin, eyes and clothing. Do not breathe dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
 Emergency procedures : Stop leak if safe to do so. Evacuate personnel to a safe area. Ensure adequate ventilation, especially in confined areas.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Move containers from fire area if it can be done without personal risk. Contain large spillage with sand or earth.

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Methods for cleaning up	: Take up liquid spill into absorbent material. Clean up any spills as soon as possible, using an absorbent material to collect it. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Store in accordance with local regulations.
--------------------	---

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Manganese oxide (MnO₂) (1313-13-9)		
Not applicable		
Potassium hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
NIOSH	NIOSH REL (ceiling) (mg/m ³)	2 mg/m ³
Iron (7439-89-6)		
Not applicable		
Zinc (7440-66-6)		
Not applicable		
Water (7732-18-5)		
Not applicable		
Graphite (7782-42-5)		
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (all forms except graphite fibers-respirable particulate matter)
OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³ (synthetic-total dust) 5 mg/m ³ (synthetic-respirable fraction)
IDLH	US IDLH (mg/m ³)	1250 mg/m ³
NIOSH	NIOSH REL (TWA) (mg/m ³)	2.5 mg/m ³ (natural-respirable dust)
Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] (32131-17-2)		
Not applicable		

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Remove all sources of ignition.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Color	: Silvery
Odor	: Odourless.
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not flammable
Vapor pressure	: Not applicable
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: Not applicable
Explosive properties	: Not an explosive
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Avoid contact with incompatible materials

10.5. Incompatible materials

Oxidizing agent. Strong acid. Strong base.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Manganese oxide (MnO₂) (1313-13-9)	
LD50 oral rat	9000 mg/kg
Potassium hydroxide (1310-58-3)	
LD50 oral rat	284 mg/kg
Iron (7439-89-6)	
LD50 oral rat	30 g/kg
Zinc (7440-66-6)	
LD50 oral rat	630 mg/kg
Water (7732-18-5)	
LD50 oral rat	> 90 ml/kg

Skin corrosion/irritation : Not classified
Serious eye damage/irritation : Not classified
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified

Specific target organ toxicity – repeated exposure : Not classified

Aspiration hazard : Not classified
Symptoms/effects : No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Zinc (7440-66-6)	
LC50 fish 96h	0.168 mg/l
EC50 Crustaceans	0.86 mg/l
Potassium hydroxide (1310-58-3)	
LC50 fish 96h	80 mg/l

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known effects from this product.
GWPmix comment : No known effects from this product.

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Manganese oxide (MnO₂) (1313-13-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Potassium hydroxide (1310-58-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

CERCLA RQ

1000 lb

Iron (7439-89-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Zinc (7440-66-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Subject to reporting requirements of United States SARA Section 313

CERCLA RQ

454 kg no reporting of releases of this hazardous substance is required if the diameter of the pieces of the solid metal released is >100 µm

Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Graphite (7782-42-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] (32131-17-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag

XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).

15.2. International regulations

CANADA

Manganese oxide (MnO₂) (1313-13-9)

Listed on the Canadian DSL (Domestic Substances List)

Potassium hydroxide (1310-58-3)

Listed on the Canadian DSL (Domestic Substances List)

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Iron (7439-89-6)

Listed on the Canadian DSL (Domestic Substances List)

Zinc (7440-66-6)

Listed on the Canadian DSL (Domestic Substances List)

Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

Graphite (7782-42-5)

Listed on the Canadian DSL (Domestic Substances List)

Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] (32131-17-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Manganese oxide (MnO₂) (1313-13-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Potassium hydroxide (1310-58-3)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Iron (7439-89-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Zinc (7440-66-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Water (7732-18-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Graphite (7782-42-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Manganese oxide (MnO₂) (1313-13-9)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on the Korean ECL (Existing Chemicals List)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Japanese Pollutant Release and Transfer Register Law (PRTR Law)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on Turkish inventory of chemical
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

Potassium hydroxide (1310-58-3)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on the Korean ECL (Existing Chemicals List)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Japanese Poisonous and Deleterious Substances Control Law
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on Turkish inventory of chemical
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

Iron (7439-89-6)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Korean ECL (Existing Chemicals List)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on Turkish inventory of chemical
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

Zinc (7440-66-6)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on Turkish inventory of chemical
Listed on the TCSI (Taiwan Chemical Substance Inventory)

Water (7732-18-5)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

Graphite (7782-42-5)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on Turkish inventory of chemical
Listed on the TCSI (Taiwan Chemical Substance Inventory)

Poly[imino(1,6-dioxo-1,6-hexanediyl)imino-1,6-hexanediyl] (32131-17-2)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Japanese ISHL (Industrial Safety and Health Law)
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the TCSI (Taiwan Chemical Substance Inventory)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Issue date : 07/28/2017

Revision date : 07/28/2017

Full text of H- and EUH-phrases:

H250	Catches fire spontaneously if exposed to air
H260	In contact with water releases flammable gases, which may ignite spontaneously
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H332	Harmful if inhaled
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Key or legend to abbreviations and acronyms used in the safety data sheet

ADR	European Agreement Concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association
ADN	European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterway
RID	Regulations Concerning the International Carriage of Dangerous Goods by Rail

Button type zinc-manganese dioxide alkaline batteries(1.5V LR44)

Safety Data Sheet

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

PBT	Persistent, Bioaccumulative and Toxic
vPvB	Very Persistent and Very Bioaccumulative
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
LC50	Lethal Concentration 50
LD50	Lethal Dose 50
EC50	Effective Concentration 50
TWA	Time Weighted Average
STEL	Short Term Exposure Limit

Key literature references and sources for data

ECHA: <http://echa.europa.eu/>
IFA GESTIS: [http://gestis-en.itrust.de/nxt/gateway.dll?f=templates\\$fn=default.htm\\$vid=gestiseng:sdbeng](http://gestis-en.itrust.de/nxt/gateway.dll?f=templates$fn=default.htm$vid=gestiseng:sdbeng)
HSDB: <http://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
ICSC: <http://www.ilo.org/dyn/icsc/showcard.home>
eChemPortal: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
NITE-CHIRP: http://www.nite.go.jp/en/chem/chrip/chrip_search/srhInput

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product