

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 03/26/2024

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : EDP, COCO SHIMMY
Product code : 7U51631

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Nonoses Inc. dba Snif
396 Bread And Cheese Hollow Rd
Northport, NY 11768
T 631-404-2528

1.4. Emergency telephone number

Emergency number : Chemtrec - 800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Alcohol	(CAS-No.) 64-17-5	<75	Flam. Liq. 2, H225
Benzyl Salicylate	(CAS-No.) 118-58-1	<1	Skin Sens. 1B, H317
Linalool	(CAS-No.) 78-70-6	<1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Geraniol	(CAS-No.) 106-24-1	<0.1	Skin Sens. 1, H317
Limonene	(CAS-No.) 5989-27-5	<0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.	GHS US classification
Coumarin	(CAS-No.) 91-64-5	<0.1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Citronellol	(CAS-No.) 106-22-9	<0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 2, H401
Amyl Cinnamal	(CAS-No.) 122-40-7	<0.1	Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Benzyl Benzoate	(CAS-No.) 120-51-4	<0.01	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Benzyl Alcohol	(CAS-No.) 100-51-6	<0.01	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
- First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.

5.2. Specific hazards arising from the chemical

- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area. No flames, no sparks. Eliminate all sources of ignition.

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth.
Methods for cleaning up : Clear up spills immediately and dispose of waste safely. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)	
ACGIH OEL STEL	1000 ppm
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL TWA	1900 mg/m ³
	1000 ppm
IDLH	3300 ppm (10% LEL)
NIOSH REL (TWA)	1900 mg/m ³
	1000 ppm
t-Butyl Alcohol (75-65-0)	
ACGIH OEL TWA	100 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL TWA	300 mg/m ³
	100 ppm
IDLH	1600 ppm
NIOSH REL (TWA)	300 mg/m ³
	100 ppm
NIOSH REL (STEL)	450 mg/m ³
	150 ppm
Limonene (5989-27-5)	
WEEL TWA	30 ppm
Benzyl Alcohol (100-51-6)	
WEEL TWA	10 ppm

8.2. Appropriate engineering controls

- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear yellow liquid
Color	: Pale yellow
Odor	: Fragranced
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 77 °C
Flash point	: 17.5 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	584 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	0.2 mg/l/4h
ATE US (oral)	584 mg/kg body weight
ATE US (vapors)	0.2 mg/l/4h
ATE US (dust, mist)	0.2 mg/l/4h

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7060 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	133.8 mg/l/4h
ATE US (oral)	7060 mg/kg body weight
ATE US (vapors)	133.8 mg/l/4h
ATE US (dust, mist)	133.8 mg/l/4h
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2200 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 2 g/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat [ppm]	> 10000 ppm/4h
ATE US (oral)	2200 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight
Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
ATE US (oral)	2227 mg/kg body weight
Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
ATE US (oral)	4400 mg/kg body weight
Coumarin (91-64-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	293 mg/kg body weight
Amyl Cinnamal (122-40-7) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3730 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 2000 mg/kg (Source: CHEMVIEW)
ATE US (oral)	3730 mg/kg body weight
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2 g/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 4178 mg/m ³ (Exposure time: 4 h Source: ECHA_API)
ATE US (oral)	1230 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Citronellol (106-22-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPVP)
ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Geraniol (106-24-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3600 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)
ATE US (oral)	3600 mg/kg body weight
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	5610 mg/kg (Source: ECHA_API)
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	12 – 16 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	> 2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [2]	4607 – 6577 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
BenzyI Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
BenzyI Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	> 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
BenzyI Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)
Geraniol (106-24-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static] Source: ECHA)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: ECHA)
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4)
Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 25 °C)

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1.09 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	0.317 (at 22.5 °C (at pH 6.8-7.3)
Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4
Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Amyl Cinnamal (122-40-7) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.498 (at 25 °C (at pH 6.2)
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.05
Citronellol (106-22-9) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
Geraniol (106-24-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations


13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecological information : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) : UN1266 Perfumery products, 3, II (LTD QTY)
UN-No.(DOT) : UN1266
Proper Shipping Name (DOT) : Perfumery products
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT) : II - Medium Danger
Hazard labels (DOT) : LTD QTY - Limited quantity



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Symbols : Limited quantities:
DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 15 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L
Emergency Response Guide (ERG) Number : 127

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport document description (TDG)	: UN1266 PERFUMERY PRODUCTS (Limited quantities (UN RTDG)), 3, II
UN-No. (TDG)	: UN1266
Proper Shipping Name (TDG)	: PERFUMERY PRODUCTS
TDG Primary Hazard Classes	: 3 - Class 3 - Flammable Liquids
Packing group (TDG)	: II - Medium Danger
Explosive Limit and Limited Quantity Index	: 5 L

Transport by sea

Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS (Limited quantities (IMDG)), 3, II
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Limited quantities (IMDG)	: 5 L

Air transport

Transport document description (IATA)	: UN 1266 Perfumery products (Limited quantity for air transport), 3, II
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Alcohol (64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
t-Butyl Alcohol (75-65-0)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Benzyl Alcohol (100-51-6)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

EDP, COCO SHIMMY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Data sources

: **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 2 or Section 3:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA health hazard


: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health

: 0 Minimal Hazard - No significant risk to health

Flammability

: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB IC)

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EDP, SWEET ASH R1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 05/05/2023

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : EDP, SWEET ASH R1
Product code : 7U51603-01

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Nonoses Inc. dba Snif
396 Bread And Cheese Hollow Rd
Northport, NY 11768
T 631-404-2528

1.4. Emergency telephone number

Emergency number : Chemtrec - 800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Alcohol	(CAS-No.) 64-17-5	<75	Flam. Liq. 1, H224
Linalool	(CAS-No.) 78-70-6	<1	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Limonene	(CAS-No.) 5989-27-5	<1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

EDP, SWEET ASH R1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
- First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.

5.2. Specific hazards arising from the chemical

- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area. No flames, no sparks. Eliminate all sources of ignition.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth.
- Methods for cleaning up : Clear up spills immediately and dispose of waste safely. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Incompatible products : Strong bases. Strong acids.

EDP, SWEET ASH R1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)	
ACGIH OEL STEL [ppm]	1000 ppm
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL (TWA) [1]	1900 mg/m ³
OSHA PEL (TWA) [2]	1000 ppm
IDLH [ppm]	3300 ppm (10% LEL)
NIOSH REL (TWA)	1900 mg/m ³
NIOSH REL TWA [ppm]	1000 ppm
t-Butyl Alcohol (75-65-0)	
ACGIH OEL TWA [ppm]	100 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL (TWA) [1]	300 mg/m ³
OSHA PEL (TWA) [2]	100 ppm
IDLH [ppm]	1600 ppm
NIOSH REL (TWA)	300 mg/m ³
NIOSH REL TWA [ppm]	100 ppm
NIOSH REL (STEL)	450 mg/m ³
NIOSH REL STEL [ppm]	150 ppm
Citral (5392-40-5)	
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
Limonene (5989-27-5)	
WEEL TWA [ppm]	30 ppm

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear
Color	: Light yellow
Odor	: Fragranced
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 77 °C
Flash point	: 14.5 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available

EDP, SWEET ASH R1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	7060 mg/kg
LC50 Inhalation - Rat	133.8 mg/l/4h
ATE US (oral)	7060 mg/kg body weight
ATE US (vapors)	133.8 mg/l/4h
ATE US (dust, mist)	133.8 mg/l/4h

Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	584 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	0.2 mg/l/4h
ATE US (oral)	584 mg/kg body weight
ATE US (vapors)	0.2 mg/l/4h
ATE US (dust, mist)	0.2 mg/l/4h

t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	2200 mg/kg
LD50 dermal rabbit	> 2 g/kg
LC50 Inhalation - Rat [ppm]	> 10000 ppm/4h
ATE US (oral)	2200 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

Water (7732-18-5) (Historical information; not tested on animals for cosmetics)

LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight

EDP, SWEET ASH R1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
ATE US (oral)	4960 mg/kg body weight
ATE US (dermal)	2250 mg/kg body weight
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
ATE US (oral)	4400 mg/kg body weight
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Alpha-Isomethyl Ionone (127-51-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Coumarin (91-64-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	293 mg/kg
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	293 mg/kg body weight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	12 – 16 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	> 2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [2]	4607 – 6577 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	> 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

Not established.

EDP, SWEET ASH R1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : -0.35 (at 24 °C (at pH 7.4))

Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : 2.2 (at 25 °C)

t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)

BCF - Fish [1] : (1,09 dimensionless)

Partition coefficient n-octanol/water (Log Pow) : 0.317 (at 22.5 °C (at pH 6.8-7.3))

Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : 2.76 (at 25 °C)

Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : 4.38 (at 37 °C (at pH 7.2))

Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : 2.9 (at 20 °C (at pH 7))

Alpha-Isomethyl Ionone (127-51-5) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : 4.288 (at 25 °C (at pH 4.7))

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) : UN1266 Perfumery products, 3, II (LTD QTY)


UN-No.(DOT) : UN1266

Proper Shipping Name (DOT) : Perfumery products

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger

Hazard labels (DOT) : LTD QTY - Limited quantity



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Packaging Exceptions (49 CFR 173.xxx) : 150

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 15 L

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L

Emergency Response Guide (ERG) Number : 127

Transportation of Dangerous Goods

Transport document description (TDG) : UN1266 PERFUMERY PRODUCTS (Limited quantities (UN RTDG)), 3, II

UN-No. (TDG) : UN1266

Proper Shipping Name (TDG) : PERFUMERY PRODUCTS

TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids

Packing group (TDG) : II - Medium Danger

Explosive Limit and Limited Quantity Index : 5 L

EDP, SWEET ASH R1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transport by sea

Transport document description (IMDG)	: UN 1266 PERFUMERY PRODUCTS (Limited quantities (IMDG)), 3, II
UN-No. (IMDG)	: 1266
Proper Shipping Name (IMDG)	: PERFUMERY PRODUCTS
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger
Limited quantities (IMDG)	: 5 L

Air transport

Transport document description (IATA)	: UN 1266 Perfumery products (Limited quantity for air transport), 3, II
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Alcohol (64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
t-Butyl Alcohol (75-65-0)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

SECTION 16: Other information

Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 2 & Section 3:

H224	Extremely flammable liquid and vapor
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

EDP, SWEET ASH R1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard


: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health

: 0 Minimal Hazard - No significant risk to health

Flammability

: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EDP, TART DECO

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 05/05/2023

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : EDP, TART DECO
Product code : 7U51621

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Nonoses Inc. dba Snif
396 Bread And Cheese Hollow Rd
Northport, NY 11768
T 631-404-2528

1.4. Emergency telephone number

Emergency number : Chemtrec - 800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor
Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Alcohol	(CAS-No.) 64-17-5	<75	Flam. Liq. 1, H224

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.

EDP, TART DECO

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after skin contact	: If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Sand.
------------------------------	---

5.2. Specific hazards arising from the chemical

Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area. No flames, no sparks. Eliminate all sources of ignition.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Absorb spilled material with sand or earth.
Methods for cleaning up	: Clear up spills immediately and dispose of waste safely. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
-------------------------------	--

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Incompatible products	: Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)	
ACGIH OEL STEL [ppm]	1000 ppm
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL (TWA) [1]	1900 mg/m³

EDP, TART DECO

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

OSHA PEL (TWA) [2]	1000 ppm
IDLH [ppm]	3300 ppm (10% LEL)
NIOSH REL (TWA)	1900 mg/m ³
NIOSH REL TWA [ppm]	1000 ppm

t-Butyl Alcohol (75-65-0)

ACGIH OEL TWA [ppm]	100 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL (TWA) [1]	300 mg/m ³
OSHA PEL (TWA) [2]	100 ppm
IDLH [ppm]	1600 ppm
NIOSH REL (TWA)	300 mg/m ³
NIOSH REL TWA [ppm]	100 ppm
NIOSH REL (STEL)	450 mg/m ³
NIOSH REL STEL [ppm]	150 ppm

Citral (5392-40-5)

ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer

Limonene (5989-27-5)

WEEL TWA [ppm]	30 ppm
----------------	--------

Benzyl Alcohol (100-51-6)

WEEL TWA [ppm]	10 ppm
----------------	--------

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear
Color	: Light yellow
Odor	: Fragranced
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 77 °C
Flash point	: 14.5 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available

EDP, TART DECO

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7060 mg/kg
LC50 Inhalation - Rat	133.8 mg/l/4h
ATE US (oral)	7060 mg/kg body weight
ATE US (vapors)	133.8 mg/l/4h
ATE US (dust, mist)	133.8 mg/l/4h
Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	584 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	0.2 mg/l/4h
ATE US (oral)	584 mg/kg body weight
ATE US (vapors)	0.2 mg/l/4h
ATE US (dust, mist)	0.2 mg/l/4h
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2200 mg/kg
LD50 dermal rabbit	> 2 g/kg
LC50 Inhalation - Rat [ppm]	> 10000 ppm/4h
ATE US (oral)	2200 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
ATE US (oral)	4960 mg/kg body weight
ATE US (dermal)	2250 mg/kg body weight

EDP, TART DECO

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
ATE US (oral)	4400 mg/kg body weight
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Alpha-Isomethyl Ionone (127-51-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Coumarin (91-64-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rat	293 mg/kg
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	293 mg/kg body weight
Anise Alcohol (105-13-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1200 µl/kg
LD50 dermal rabbit	3000 mg/kg
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	3000 mg/kg body weight
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1230 mg/kg
LD50 dermal rabbit	2 g/kg
LC50 Inhalation - Rat	> 4178 mg/m³ (Exposure time: 4 h)
ATE US (oral)	1230 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Benzyl Cinnamate (103-41-3) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	5530 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
ATE US (oral)	5530 mg/kg body weight
Citronellol (106-22-9) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3450 mg/kg
LD50 dermal rabbit	2650 mg/kg
ATE US (oral)	3450 mg/kg body weight
ATE US (dermal)	2650 mg/kg body weight
Geraniol (106-24-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3600 mg/kg
LD50 dermal rabbit	> 5 g/kg
ATE US (oral)	3600 mg/kg body weight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

EDP, TART DECO

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	12 – 16 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	> 2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [2]	4607 – 6577 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	> 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
Geraniol (106-24-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4)
Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 25 °C)
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1,09 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	0.317 (at 22.5 °C (at pH 6.8-7.3)
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7)
Alpha-Isomethyl Ionone (127-51-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.288 (at 25 °C (at pH 4.7)
Anise Alcohol (105-13-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.08 (at 27 °C (at pH 4.57)
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.05
Benzyl Cinnamate (103-41-3) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.18 (at 23.7 °C (at pH 7)
Citronellol (106-22-9) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)

EDP, TART DECO

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Geraniol (106-24-1) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) : 2.6 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.


Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Transport document description (DOT) : UN1266 Perfumery products, 3, II (LTD QTY)
UN-No.(DOT) : UN1266
Proper Shipping Name (DOT) : Perfumery products
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT) : II - Medium Danger
Hazard labels (DOT) : LTD QTY - Limited quantity



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Symbols : Limited quantities:
DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 15 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L
Emergency Response Guide (ERG) Number : 127

Transportation of Dangerous Goods

Transport document description (TDG) : UN1266 PERFUMERY PRODUCTS (Limited quantities (UN RTDG)), 3, II
UN-No. (TDG) : UN1266
Proper Shipping Name (TDG) : PERFUMERY PRODUCTS
TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids
Packing group (TDG) : II - Medium Danger
Explosive Limit and Limited Quantity Index : 5 L
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index : 15 L

Transport by sea

Transport document description (IMDG) : UN 1266 PERFUMERY PRODUCTS (Limited quantities (IMDG)), 3, II
UN-No. (IMDG) : 1266
Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS
Class (IMDG) : 3 - Flammable liquids
Packing group (IMDG) : II - substances presenting medium danger
Limited quantities (IMDG) : 5 L

EDP, TART DECO

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Transport document description (IATA)	: UN 1266 Perfumery products (Limited quantity for air transport), 3, II
UN-No. (IATA)	: 1266
Proper Shipping Name (IATA)	: Perfumery products
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Alcohol (64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
t-Butyl Alcohol (75-65-0)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Benzyl Alcohol (100-51-6)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

SECTION 16: Other information


Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 2 or Section 3:

H224
H225

Extremely flammable liquid and vapor
Highly flammable liquid and vapor

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 11/21/2023

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : EDP, VANILLA VICE
Product code : 7U51629

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Nonoses Inc. dba Snif
396 Bread And Cheese Hollow Rd
Northport, NY 11768
T 631-404-2528

1.4. Emergency telephone number

Emergency number : Chemtrec - 800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Alcohol	(CAS-No.) 64-17-5	<75	Flam. Liq. 2, H225
Benzyl Alcohol	(CAS-No.) 100-51-6	<1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332
Hydroxycitronellal	(CAS-No.) 107-75-5	<1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Benzyl Salicylate	(CAS-No.) 118-58-1	<1	Skin Sens. 1B, H317
Benzyl Benzoate	(CAS-No.) 120-51-4	<0.1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.	GHS US classification
Benzyl Cinnamate	(CAS-No.) 103-41-3	<0.1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	(CAS-No.) 78-70-6	<0.01	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
Citral	(CAS-No.) 5392-40-5	<0.01	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
- First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.

5.2. Specific hazards arising from the chemical

- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area. No flames, no sparks. Eliminate all sources of ignition.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth.
- Methods for cleaning up : Clear up spills immediately and dispose of waste safely. Store away from other materials.

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)	
ACGIH OEL STEL [ppm]	1000 ppm
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL (TWA) [1]	1900 mg/m ³
OSHA PEL (TWA) [2]	1000 ppm
IDLH [ppm]	3300 ppm (10% LEL)
NIOSH REL (TWA)	1900 mg/m ³
NIOSH REL TWA [ppm]	1000 ppm
t-Butyl Alcohol (75-65-0)	
ACGIH OEL TWA [ppm]	100 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL (TWA) [1]	300 mg/m ³
OSHA PEL (TWA) [2]	100 ppm
IDLH [ppm]	1600 ppm
NIOSH REL (TWA)	300 mg/m ³
NIOSH REL TWA [ppm]	100 ppm
NIOSH REL (STEL)	450 mg/m ³
NIOSH REL STEL [ppm]	150 ppm
Citral (5392-40-5)	
ACGIH OEL TWA [ppm]	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
Benzyl Alcohol (100-51-6)	
WEEL TWA [ppm]	10 ppm

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear yellow liquid
Color	: Pale yellow
Odor	: Fragranced
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 77 °C
Flash point	: 16.5 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	584 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	0.2 mg/l/4h
ATE US (oral)	584 mg/kg body weight
ATE US (vapors)	0.2 mg/l/4h
ATE US (dust, mist)	0.2 mg/l/4h

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7060 mg/kg
LC50 Inhalation - Rat	133.8 mg/l/4h
ATE US (oral)	7060 mg/kg body weight
ATE US (vapors)	133.8 mg/l/4h
ATE US (dust, mist)	133.8 mg/l/4h
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2200 mg/kg
LD50 dermal rabbit	> 2 g/kg
LC50 Inhalation - Rat [ppm]	> 10000 ppm/4h
ATE US (oral)	2200 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4960 mg/kg
LD50 dermal rabbit	2250 mg/kg
ATE US (oral)	4960 mg/kg body weight
ATE US (dermal)	2250 mg/kg body weight
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2790 mg/kg
LD50 dermal rabbit	5610 mg/kg
ATE US (oral)	2790 mg/kg body weight
ATE US (dermal)	5610 mg/kg body weight
Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2227 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
ATE US (oral)	2227 mg/kg body weight
Hydroxycitronellal (107-75-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 2000 mg/kg
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1230 mg/kg
LD50 dermal rabbit	2 g/kg
LC50 Inhalation - Rat	> 4178 mg/m ³ (Exposure time: 4 h)
ATE US (oral)	1230 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Benzyl Cinnamate (103-41-3) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	5530 mg/kg
LD50 dermal rabbit	> 3000 mg/kg
ATE US (oral)	5530 mg/kg body weight
Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	4000 mg/kg
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight

Skin corrosion/irritation : Not classified

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	12 – 16 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	> 2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [2]	4607 – 6577 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [1]	7 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	27.8 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 - Crustacea [1]	20 mg/l (Exposure time: 48 h - Species: Daphnia magna)
BenzyI Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
BenzyI Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
BenzyI Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4))
Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 25 °C)
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1.09 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	0.317 (at 22.5 °C (at pH 6.8-7.3))
Citral (5392-40-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 25 °C)
Linalool (78-70-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.9 (at 20 °C (at pH 7))
BenzyI Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4
Hydroxycitronellal (107-75-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	1.68 (at 25 °C)

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) 1.05

Benzyl Cinnamate (103-41-3) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) 4.18 (at 23.7 °C (at pH 7)

Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations


13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) : UN1266 Perfumery products, 3, II (LTD QTY)
UN-No.(DOT) : UN1266
Proper Shipping Name (DOT) : Perfumery products
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT) : II - Medium Danger
Hazard labels (DOT) : LTD QTY - Limited quantity



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Symbols : Limited quantities:
DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 15 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L

Transportation of Dangerous Goods

Transport document description (TDG) : UN1266 PERFUMERY PRODUCTS (Limited quantities (UN RTDG)), 3, II
UN-No. (TDG) : UN1266
Proper Shipping Name (TDG) : PERFUMERY PRODUCTS
TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids
Packing group (TDG) : II - Medium Danger
Explosive Limit and Limited Quantity Index : 5 L

Transport by sea

Transport document description (IMDG) : UN 1266 PERFUMERY PRODUCTS (Limited quantities (IMDG)), 3, II
UN-No. (IMDG) : 1266
Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS
Class (IMDG) : 3 - Flammable liquids
Packing group (IMDG) : II - substances presenting medium danger
Limited quantities (IMDG) : 5 L

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Transport document description (IATA) : UN 1266 Perfumery products (Limited quantity for air transport), 3, II
UN-No. (IATA) : 1266
Proper Shipping Name (IATA) : Perfumery products
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Alcohol (64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
t-Butyl Alcohol (75-65-0)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Benzyl Alcohol (100-51-6)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List

SECTION 16: Other information

Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 2 or Section 3:


H225	Highly flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

EDP, VANILLA VICE

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.
Hazard Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.



Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EDP, HEAL THE WAY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 03/25/2024

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : EDP, HEAL THE WAY
Product code : 7U51630

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Nonoses Inc. dba Snif
396 Bread And Cheese Hollow Rd
Northport, NY 11768
T 631-404-2528

1.4. Emergency telephone number

Emergency number : Chemtrec - 800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Alcohol	(CAS-No.) 64-17-5	<75	Flam. Liq. 2, H225
Coumarin	(CAS-No.) 91-64-5	<1	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H335 STOT RE 2, H373 Aquatic Acute 3, H402 Aquatic Chronic 3, H412
Benzyl Salicylate	(CAS-No.) 118-58-1	<0.1	Skin Sens. 1B, H317

EDP, HEAL THE WAY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc.	GHS US classification
Benzyl Benzoate	(CAS-No.) 120-51-4	<0.1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Limonene	(CAS-No.) 5989-27-5	<0.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Cinnamal	(CAS-No.) 104-55-2	<0.01	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest.
- First-aid measures after skin contact : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
- First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects (acute and delayed)

- Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.
- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.

5.2. Specific hazards arising from the chemical

- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area. No flames, no sparks. Eliminate all sources of ignition.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb spilled material with sand or earth.
- Methods for cleaning up : Clear up spills immediately and dispose of waste safely. Store away from other materials.

EDP, HEAL THE WAY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible products : Strong bases. Strong acids.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)	
ACGIH OEL STEL	1000 ppm
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL TWA	1900 mg/m ³
	1000 ppm
IDLH	3300 ppm (10% LEL)
NIOSH REL (TWA)	1900 mg/m ³
	1000 ppm
t-Butyl Alcohol (75-65-0)	
ACGIH OEL TWA	100 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL TWA	300 mg/m ³
	100 ppm
IDLH	1600 ppm
NIOSH REL (TWA)	300 mg/m ³
	100 ppm
NIOSH REL (STEL)	450 mg/m ³
	150 ppm
Limonene (5989-27-5)	
WEEL TWA	30 ppm

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear to slightly hazy, yellow liquid
Color : Pale yellow
Odor : Fragranced
Odor threshold : No data available
pH : No data available

EDP, HEAL THE WAY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Melting point	: No data available
Freezing point	: No data available
Boiling point	: 77 °C
Flash point	: 17 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7060 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	133.8 mg/l/4h
ATE US (oral)	7060 mg/kg body weight
ATE US (vapors)	133.8 mg/l/4h
ATE US (dust, mist)	133.8 mg/l/4h
Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	584 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	0.2 mg/l/4h
ATE US (oral)	584 mg/kg body weight
ATE US (vapors)	0.2 mg/l/4h
ATE US (dust, mist)	0.2 mg/l/4h
Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
ATE US (oral)	2227 mg/kg body weight

EDP, HEAL THE WAY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2200 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 2 g/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat [ppm]	> 10000 ppm/4h
ATE US (oral)	2200 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h

Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight

Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	500 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight

Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	4400 mg/kg (Source: CHEMVIEW)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)
ATE US (oral)	4400 mg/kg body weight

Hexyl Cinnamal (101-86-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPV)
LC50 Inhalation - Rat	> 5 mg/l/4h
ATE US (oral)	3100 mg/kg body weight

Coumarin (91-64-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 5000 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	293 mg/kg (Source: ECHA_API)
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	293 mg/kg body weight

Cinnamal (104-55-2) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2220 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	1260 mg/kg (Source: EPA_HPV)
ATE US (oral)	2220 mg/kg body weight
ATE US (dermal)	1260 mg/kg body weight

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	12 – 16 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	> 2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

EDP, HEAL THE WAY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [2]	4607 – 6577 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [2]	> 35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4))
Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 25 °C)
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1.09 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	0.317 (at 22.5 °C (at pH 6.8-7.3))
Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4
Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	3.97 (at 25 °C)
Limonene (5989-27-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2))
Cinnamal (104-55-2) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.1065 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations


13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecological information : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) : UN1266 Perfumery products, 3, II (LTD QTY)
UN-No.(DOT) : UN1266
Proper Shipping Name (DOT) : Perfumery products
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT) : II - Medium Danger
Hazard labels (DOT) : LTD QTY - Limited quantity



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Symbols : Limited quantities:
DOT Packaging Exceptions (49 CFR 173.xxx) : 150

EDP, HEAL THE WAY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Transportation of Dangerous Goods

Transport document description (TDG) : UN1266 PERFUMERY PRODUCTS (Limited quantities (UN RTDG)), 3, II
UN-No. (TDG) : UN1266
Proper Shipping Name (TDG) : PERFUMERY PRODUCTS
TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids
Packing group (TDG) : II - Medium Danger
Explosive Limit and Limited Quantity Index : 5 L
Passenger Carrying Road Vehicle or Passenger : 15 L
Carrying Railway Vehicle Index

Transport by sea

Transport document description (IMDG) : UN 1266 PERFUMERY PRODUCTS (Limited quantities (IMDG)), 3, II
UN-No. (IMDG) : 1266
Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS
Class (IMDG) : 3 - Flammable liquids
Packing group (IMDG) : II - substances presenting medium danger
Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 1266 Perfumery products (Limited quantity for air transport), 3, II
UN-No. (IATA) : 1266
Proper Shipping Name (IATA) : Perfumery products
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Alcohol (64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
t-Butyl Alcohol (75-65-0)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

EDP, HEAL THE WAY

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

Data sources

: **DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H-phrases listed in Section 2 or Section 3:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

NFPA health hazard


: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard

: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

NFPA reactivity

: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating

Health

: 0 Minimal Hazard - No significant risk to health

Flammability

: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB IC)

Physical

: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EDP, SNIF ME

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date: 11/18/2024

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : EDP, SNIF ME
Product code : 7U51637

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Cosmetics

1.3. Supplier

Nonoses Inc. dba Snif
396 Bread And Cheese Hollow Rd
Northport, NY 11768
T 631-404-2528

1.4. Emergency telephone number

Emergency number : Chemtrec - 800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 2 H225 Highly flammable liquid and vapor

Full text of H statements : see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H225 - Highly flammable liquid and vapor
Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 - Keep container tightly closed.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc.	GHS US classification
Alcohol	(CAS-No.) 64-17-5	<75	Flam. Liq. 2, H225
Benzyl Salicylate	(CAS-No.) 118-58-1	<1	Skin Sens. 1B, H317
Benzyl Benzoate	(CAS-No.) 120-51-4	<0.1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
Benzyl Alcohol	(CAS-No.) 100-51-6	<0.01	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332

Full text of hazard classes and H-statements : see section 16

EDP, SNIF ME

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 4: First-aid measures

4.1. Description of first aid measures

- | | |
|---------------------------------------|--|
| First-aid measures general | : Never give anything by mouth to an unconscious person. If affected person feels unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : If affected person is experiencing breathing difficulty, allow affected person to breathe fresh air. Allow affected person to rest. |
| First-aid measures after skin contact | : If adverse skin reaction occurs, remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |

4.2. Most important symptoms and effects (acute and delayed)

- | | |
|---|--|
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
| Symptoms/effects | : Not expected to present a significant hazard under anticipated conditions of normal use. |

4.3. Immediate medical attention and special treatment, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- | | |
|------------------------------|---|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Sand. |
|------------------------------|---|

5.2. Specific hazards arising from the chemical

- | | |
|------------------|---|
| Fire hazard | : Highly flammable liquid and vapor. |
| Explosion hazard | : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. |

5.3. Special protective equipment and precautions for fire-fighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Fight fire with normal precautions from a reasonable distance. Prevent fire-fighting water from entering environment. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- | | |
|----------------------|-----------------------------------|
| Emergency procedures | : Evacuate unnecessary personnel. |
|----------------------|-----------------------------------|

6.1.2. For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area. No flames, no sparks. Eliminate all sources of ignition. |

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|---|
| For containment | : Absorb spilled material with sand or earth. |
| Methods for cleaning up | : Clear up spills immediately and dispose of waste safely. Store away from other materials. |

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|-------------------------------|--|

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|-----------------------|--|
| Storage conditions | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Incompatible products | : Strong bases. Strong acids. |

EDP, SNIF ME

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alcohol (64-17-5)	
ACGIH OEL STEL	1000 ppm
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
OSHA PEL TWA	1900 mg/m ³
	1000 ppm
IDLH	3300 ppm (10% LEL)
NIOSH REL (TWA)	1900 mg/m ³
	1000 ppm
t-Butyl Alcohol (75-65-0)	
ACGIH OEL TWA	100 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
OSHA PEL TWA	300 mg/m ³
	100 ppm
IDLH	1600 ppm
NIOSH REL (TWA)	300 mg/m ³
	100 ppm
NIOSH REL (STEL)	450 mg/m ³
	150 ppm
Benzyl Alcohol (100-51-6)	
WEEL TWA	10 ppm

8.2. Appropriate engineering controls

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

None needed.

Hand protection:

None needed

Eye protection:

None needed

Skin and body protection:

None needed

Respiratory protection:

None needed

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid
Color	: Colorless
Odor	: Characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 77 °C
Flash point	: 15.5 °C
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available

EDP, SNIF ME

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None.

10.2. Chemical stability

Product is stable.

10.3. Possibility of hazardous reactions

Stable.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Smokes. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	7060 mg/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	133.8 mg/l/4h
ATE US (oral)	7060 mg/kg body weight
ATE US (vapors)	133.8 mg/l/4h
ATE US (dust, mist)	133.8 mg/l/4h
Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	584 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
LC50 Inhalation - Rat	0.2 mg/l/4h
ATE US (oral)	584 mg/kg body weight
ATE US (vapors)	0.2 mg/l/4h
ATE US (dust, mist)	0.2 mg/l/4h
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2200 mg/kg (Source: JAPAN_GHS)
LD50 dermal rabbit	> 2 g/kg (Source: CHEMVIEW)
LC50 Inhalation - Rat [ppm]	> 10000 ppm/4h
ATE US (oral)	2200 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Water (7732-18-5) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	201 ml/kg
ATE US (oral)	201000 mg/kg body weight
Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	2227 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
ATE US (oral)	2227 mg/kg body weight

EDP, SNIF ME

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	> 2000 mg/kg (Source: ECHA_API)
LD50 dermal rabbit	4000 mg/kg (Source: NLM_CIP)
ATE US (oral)	500 mg/kg body weight
ATE US (dermal)	4000 mg/kg body weight
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LD50 oral rat	1230 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2 g/kg (Source: NLM_CIP)
LC50 Inhalation - Rat	> 4178 mg/m ³ (Exposure time: 4 h Source: ECHA_API)
ATE US (oral)	1230 mg/kg body weight
ATE US (dermal)	2000 mg/kg body weight
ATE US (gases)	4500 ppmV/4h
ATE US (vapors)	11 mg/l/4h
ATE US (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

SECTION 12: Ecological information

12.1. Toxicity

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	12 – 16 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static] Source: EPA)
LC50 - Fish [2]	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [2]	> 2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
EC50 - Crustacea [2]	4607 – 6577 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)	
LC50 - Fish [1]	460 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)

12.2. Persistence and degradability

Not established.

12.3. Bioaccumulative potential

Alcohol (64-17-5) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	-0.35 (at 24 °C (at pH 7.4))
Denatonium Benzoate (3734-33-6) (Historical information; not tested on animals for cosmetics)	
Partition coefficient n-octanol/water (Log Pow)	2.2 (at 25 °C)
t-Butyl Alcohol (75-65-0) (Historical information; not tested on animals for cosmetics)	
BCF - Fish [1]	(1,09 dimensionless)
Partition coefficient n-octanol/water (Log Pow)	0.317 (at 22.5 °C (at pH 6.8-7.3))

EDP, SNIF ME

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Benzyl Salicylate (118-58-1) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) 4

Benzyl Benzoate (120-51-4) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) 3.97 (at 25 °C)

Benzyl Alcohol (100-51-6) (Historical information; not tested on animals for cosmetics)

Partition coefficient n-octanol/water (Log Pow) 1.05

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods


Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecological waste information : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) : UN1266 Perfumery products, 3, II (LTD QTY)
UN-No.(DOT) : UN1266
Proper Shipping Name (DOT) : Perfumery products
Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT) : II - Medium Danger
Hazard labels (DOT) : LTD QTY - Limited quantity



DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Symbols : Limited quantities:

Transportation of Dangerous Goods

Transport document description (TDG) : UN1266 PERFUMERY PRODUCTS (Limited quantities (UN RTDG)), 3, II
UN-No. (TDG) : UN1266
Proper Shipping Name (TDG) : PERFUMERY PRODUCTS
TDG Primary Hazard Classes : 3 - Class 3 - Flammable Liquids
Packing group (TDG) : II - Medium Danger
Explosive Limit and Limited Quantity Index : 5 L

Transport by sea

Transport document description (IMDG) : UN 1266 PERFUMERY PRODUCTS (Limited quantities (IMDG)), 3, II
UN-No. (IMDG) : 1266
Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS
Class (IMDG) : 3 - Flammable liquids
Packing group (IMDG) : II - substances presenting medium danger
Limited quantities (IMDG) : 5 L

Air transport

Transport document description (IATA) : UN 1266 Perfumery products (Limited quantity for air transport), 3, II
UN-No. (IATA) : 1266
Proper Shipping Name (IATA) : Perfumery products
Class (IATA) : 3 - Flammable Liquids
Packing group (IATA) : II - Medium danger

EDP, SNIF ME

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product is not subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

Canada-Regulations

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Alcohol (64-17-5)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List
t-Butyl Alcohol (75-65-0)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List; U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
Benzyl Alcohol (100-51-6)	U.S. - Pennsylvania - RTK (Right to Know) List; U.S. - Massachusetts - Right To Know List


SECTION 16: Other information

Data sources : DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of hazard classes and H-statements listed in Section 2 or Section 3:

H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H312	Harmful in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard	: 0 - Materials that, under emergency conditions, would offer no hazard beyond that of ordinary combustible materials.
NFPA fire hazard	: 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.



Hazard Rating	
Health	: 0 Minimal Hazard - No significant risk to health
Flammability	: 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above 100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB IC)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.